



ISO 9001 CERTIFIED
ISO 13485 CERTIFIED

Corporate Headquarters
AMRESKO, LLC
6681 Cochran Road
Solon, Ohio USA 44139-4300
440/349-1199 FAX: 440/349-1182
www.amresco-inc.com
Email: info@amresco-inc.com

CERTIFICATE OF QUALITY

Product: CITRIC ACID, TRISODIUM, DIHYDRATE

Grade: REAGENT GRADE

Code: 0101

Appearance: White powder.

Mol. Formula: Na₃C₆H₅O₇·2H₂O

Mol. Weight: 294.1

Description:

<u>Assay:</u>	<u>Min</u>	<u>Max</u>	<u>Units</u>	<u>Disposition</u>
Calcium		< 0.005	%	PASS
Chloride		< 0.005	%	PASS
DNase		NONE	P/F	PASS
Heavy Metals (as Pb)		< 0.001	%	PASS
Identification	PASS		P/F	PASS
Insolubles		0.005	%	PASS
Iron		< 0.0005	%	PASS
Loss on Drying	10.0	13.0	%	PASS
pH (5%, Water) @25C	7.0	9.0		PASS
Protease		NONE	P/F	PASS
Purity (Dry Basis)	99.0		%	PASS
RNase		NONE	P/F	PASS
Sulfate		< 0.005	%	PASS

Storage: Store at room temperature. Protect from moisture.

0101RG

This signature indicates that the above material has met all quality specifications and has been reviewed by a quality representative.

Signature:

Title:

QC MANAGER

Date:

6/6/2012