



ISO 9001 CERTIFIED  
ISO 13485 CERTIFIED

Corporate Headquarters  
AMRESKO, LLC  
6681 Cochran Road  
Solon, Ohio USA 44139-4300  
440/349-1199 FAX: 440/349-1182  
www.amresco-inc.com  
Email: info@amresco-inc.com

CERTIFICATE OF QUALITY

**Product:** AGAROSE LF  
**Grade:** PFGE GRADE  
**Code:** X174  
Appearance: Fine white powder.  
Mol. Formula: Not Applicable  
Mol. Weight: Not Applicable

Description:

<u>Assay:</u>	<u>Min</u>	<u>Max</u>	<u>Units</u>	<u>Disposition</u>
DNase		NONE	P/F	PASS
EEO (Electroendosmosis)		0.06		PASS
Endonuclease/Ligase Inhibitory Facto		NONE	P/F	PASS
Gel Strength	2000		g/cm2	PASS
Gelling Range	37	41	Degrees C	PASS
Melting Range	93	96	Degrees C	PASS
Moisture		8.5	%	PASS
Protease		NONE	P/F	PASS
RNase		NONE	P/F	PASS
Sulfate		0.06	%	PASS

Storage: Store at room temperature. Protect from moisture.

*X174PFGE*

This signature indicates that the above material has met all quality specifications and has been reviewed by a quality representative.

Signature:

Title:

QC MANAGER

Date:

6/4/2012