


# Anti-Mouse CD3e Alexa Fluor® 488

Catalog Number: 53-0031 Also Known As:CD3 epsilon RUO: For Research Use Only



Staining of C57BL/6 splenocytes with staining buffer (autofluorescence) (open histogram) or 0.5  $\mu$ g of Anti-Mouse CD3e Alexa Fluor® 488 (filled histogram). Cells in the lymphocyte gate were used for analysis.

## **Product Information**

Contents: Anti-Mouse CD3e Alexa Fluor® 488

REF Catalog Number: 53-0031

Clone: 145-2C11

Concentration: 0.5 mg/ml

Host/Isotype: Armenian Hamster IgG

Formulation: aqueous buffer, 0.09% sodium azide, may contain

carrier protein/stabilizer

Temperature Limitation: Store at 2-8°C. Do not freeze. Light

sensitive material.

Batch Code: Refer to Vial

Use By: Refer to Vial

Use By: Refer to Vial Caution, contains Azide

#### Description

The 145-2C11 monoclonal antibody reacts with mouse CD3e, a 20 kDa subunit of the TCR complex. Along with the other CD3 subunits,  $\gamma$  and  $\delta$ , the  $\epsilon$  chain is required for proper assembly, trafficking and surface expression of the TCR complex. CD3 is expressed by thymocytes in a developmentally regulated manner and by all mature T cells. Binding of 145-2C11 to TCR initiates the intracellular biochemical pathway resulting in cellular activation, proliferation, and apoptosis depending on specific conditions utilized. 145-2C11 is commonly used as a phenotypic marker for mouse T cells.

## **Applications Reported**

This 145-2C11 antibody has been reported for use in flow cytometric analysis.

## **Applications Tested**

This 145-2C11 antibody has been tested by flow cytometric analysis of mouse thymocyte and splenocyte suspensions. This can be used at less than or equal to 1  $\mu$ g per test. A test is defined as the amount ( $\mu$ g) of antibody that will stain a cell sample in a final volume of 100  $\mu$ L. Cell number should be determined empirically but can range from 10<sup>5</sup> to 10<sup>8</sup> cells/test. It is recommended that the antibody be carefully titrated for optimal performance in the assay of interest.

#### References

Geng H, Zhang GM, Xiao H, Yuan Y, Li D, Zhang H, Qiu H, He YF, Feng ZH. HSP70 vaccine in combination with gene therapy with plasmid DNA encoding sPD-1 overcomes immune resistance and suppresses the progression of pulmonary metastatic melanoma. Int J Cancer. 2006 Jun 1;118(11):2657-64. (145-2C11, IHC frozen, PubMed)

Krieg C, Han P, Stone R, Goularte OD, Kaye J. Functional analysis of B and T lymphocyte attenuator engagement on CD4+ and CD8+ T cells. J Immunol. 2005 Nov 15;175(10):6420-7. (145-2C11, FA, PubMed)

Takeuchi A, Usui Y, Takeuchi M, Hattori T, Kezuka T, Suzuki J, Okunuki Y, Iwasaki T, Haino M, Matsushima K, Usui M. CCR5-deficient mice develop experimental autoimmune uveoretinitis in the context of a deviant effector response. Invest Ophthalmol Vis Sci. 2005 Oct;46(10):3753-60. (145-2C11, IHC frozen, PubMed)

Schuchert MJ, Wright RD, Colson YL. Characterization of a newly discovered T-cell receptor beta-chain heterodimer expressed on a CD8+ bone marrow subpopulation that promotes allogeneic stem cell engraftment. Nat Med. 2000 Aug;6(8):904-9. (145-2C11, WB and IP)

Kearse KP. Calnexin associates with monomeric and oligomeric (disulfide-linked) CD3delta proteins in murine T lymphocytes. J Biol Chem. 1998 Jun 5;273(23):14152-7. (145-2C11, IP and WB)

Samelson LE, O'Shea JJ, Luong H, Ross P, Urdahl KB, Klausner RD, Bluestone J. T cell antigen receptor phosphorylation induced by an anti-receptor antibody. J Immunol. 1987 Oct 15;139(8):2708-14.

Leo O, Foo M, Sachs DH, Samelson LE, Bluestone JA. Identification of a monoclonal antibody specific for a murine T3 polypeptide. Proc Natl Acad Sci U S A. 1987 Mar;84(5):1374-8.

# **Related Products**

53-4888 Armenian Hamster IgG Isotype Control Alexa Fluor® 488 (eBio299Arm)

## Legal

Alexa Fluor® and Pacific Blue® are registered trademarks of and licensed under patents assigned to Molecular Probes, Inc. for research use only. This product is subject to an agreement between Molecular Probes, Inc. and eBioscience, and the manufacture, use, sale or import of this product may be subject to one or more U.S. patents, pending applications and corresponding foreign equivalents, owned by Molecular Probes, Inc. (a wholly owned subsidiary of Invitrogen Corp). The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product for life science research or as an ASR. The buyer cannot use this product for manufacturing or for any other screening (specifically including use in combination with microarrays or High Content Screening) or testing purpose, other than as an ASR. For information on purchasing a license to this product for purposes other than life science research or use as an ASR, contact Molecular Probes, Inc.

Not for further distribution without written consent.

Copyright © 2000-2010 eBioscience, Inc.

Tel: 888.999.1371 or 858.642.2058 • Fax: 858.642.2046 • www.eBioscience.com • info@eBioscience.com