

1

# Thermo Scientific ABsolute QPCR SYBR Green Mix Plus ROX Vial

#### Description

ABsolute<sup>TM</sup> QPCR SYBR<sup>®</sup> Green Mix Plus ROX Vial has been developed to quantify DNA and cDNA\*. With the exception of primers and template, this 2X mix contains all the components required to perform a rapid, sensitive and reproducible QPCR reaction:

- <u>Thermo-Start</u><sup>TM</sup> DNA Polymerase, a chemically modified hot-start version of Thermoprime Plus DNA Polymerase, which prevents non-specific amplification during the reaction set-up. This enzyme requires an activation step at 95°C for 15 minutes.
- <u>Proprietary reaction buffer</u> which provides highly sensitive, specific and consistent fluorescence readings for real-time and end-point analysis. This buffer has been optimized for MgCl<sub>2</sub> and enhancers to improve amplification across a wide range of templates including plant DNA and GC rich fragments.
- dNTP's, including <u>dTTP</u> to improve reaction sensitivity and efficiency compared to dUTP.
- <u>SYBR</u><sup>®</sup> <u>Green I</u>, a dye which fluoresces after binding of the double-stranded DNA. The overall fluorescence increases proportionally to the double-stranded DNA concentration.
- <u>ROX</u>, passive reference dye for normalization of data (separate vial).

Kit	Contents
-----	----------

Vial	Pack Size (cap color)		
	А	В	
ABsolute QPCR SYBR Green Mix (2X)	5ml (clear)	10 x 5ml (clear)	
$MgCl_2$ (1 M)	100µ1 (clear)	3 x 100µl (clear)	
ROX Reference Dye (1 mM)	25µl (brown)	2 x 50µl (brown)	

\* For RNA template, use Verso<sup>TM</sup> SYBR<sup>®</sup> Green 1-Step QRT-PCR Kit Plus ROX Vial (AB-4104)



#### **INFORMATION**

# Thermo-Start<sup>TM</sup> DNA Polymerase

The enzyme requires an activation step at 95°C for 15 minutes.

Thermo-Start<sup>TM</sup> has 5' to 3' polymerization and exonuclease activity but lacks 3' to 5' exonuclease activity (proofreading).

## **ROX Dye**

ROX is an internal passive reference dye used to normalize the fluorescent reporter signal generated in QPCR. A separate vial of ROX is included in this kit for optional addition to the ABsolute QPCR SYBR Green Mix. The final concentration will vary depending on the real time cycler. For example, for a concentration of 100 nM ROX in a final 1X QPCR reaction mix, dilute ROX (1 mM) 40 times i.e.  $5 \mu$ l ROX Reference Dye + 195  $\mu$ l PCR grade water and add 10  $\mu$ l of the diluted ROX solution to each 1.25 ml vial of ABsolute QPCR SYBR Green Mix or 40  $\mu$ l to each 5 ml vial of ABsolute QPCR SYBR Green Mix.

#### MgCl<sub>2</sub>

The initial concentration of  $MgCl_2$  in the ABsolute QPCR SYBR Green Mix corresponds to 3 mM in the <u>final</u> 1X reaction. This concentration is effective over a broad range of templates. Some assays may be improved further with  $MgCl_2$  optimization. A separate vial of 1 M MgCl<sub>2</sub> is therefore supplied with each kit.

MgCl<sub>2</sub> concentration can be increased as follows: each 2.5  $\mu$ l or 10  $\mu$ l addition of MgCl<sub>2</sub> to the 1.25 ml or 5 ml undiluted ABsolute QPCR SYBR Green Mix respectively corresponds to an increase of 1 mM in the <u>final</u> 1X reaction. Scale up or down accordingly. Mix thoroughly by inverting the vial ten to twenty times. **Do not vortex.** 





3

## Cycler Compatibility

ABsolute<sup>TM</sup> QPCR SYBR<sup>®</sup> Green Mix Plus ROX Vial is compatible with all block-based QPCR instruments and the Rotor-Gene<sup>TM</sup>.

#### **Storage Conditions**

Store at -20°C until ready for use. ABsolute<sup>TM</sup> QPCR SYBR<sup>®</sup> Green Mix Plus ROX Vial is stable for a minimum of 12 months. The reagents can be stored at 4°C for up to 1 month. Avoid repeated freeze thawing. The ROX and SYBR<sup>®</sup> Green dyes are light sensitive; exposure should be minimized. Shipped on ice within the UK and on dry ice for international and within the US.

#### **Additional Info**

- The use of disposable gloves, DNase and RNase free filter tips and plastics is recommended.
- For optimal results, the recommended amplicon length is in the range of 60 to 300 bp.
- As best performance is achieved with dTTP, the ABsolute QPCR SYBR Green Mix contains a nucleotide mix with dTTP instead of dUTP.

## Tips before use

Thaw the reagents on ice, mix the solutions and spin down before use to recover the maximum amount. Do not vortex the ABsolute QPCR SYBR Green Mix.

Briefly centrifuge to avoid bubbles within the wells, as these will interfere with the fluorescence. Always include a no template control (NTC).



#### PROTOCOL

Example of Reaction Mix preparation for a 25 µl final reaction:

		Volume	Final Concentration
	ABsolute QPCR SYBR Green Mix	12.5 µl	1X
Reaction	(2X)		
Mix	Forward primer (1 $\mu$ M) <sup>a</sup>	1.75 µl	70 nM
IVIIX	Reverse primer $(1 \ \mu M)^{a}$	1.75 µl	70 nM
	Water (PCR grade) <sup>b</sup>	variable	
	Template (DNA or cDNA) <sup>c</sup>	1 - 5 μl	<250 ng/reaction
	Total volume	25 µl	

## Example of a **QPCR thermal cycling program**:

	Temp.	Time	Number of cycle
Enzyme activation	95°C	15 min	1 cycle
Denaturation	95°C	15 sec	
Annealing <sup>d</sup>	50-60°C	30 sec	40 cycles
Extension <sup>e</sup>	72°C	30 sec	

It is recommended to perform a melt curve to confirm the specificity of the reaction. Example of a **melt curve program** <sup>f</sup>:

Denaturation	95°C	30 sec	1 cycle
Starting temp.	60°C	30 sec	1 cycle
Melting step <sup>g</sup>	60°C	10 sec	80 cycles

#### Notes

- a For optimization, a primer titration should be performed from 50 nM to 300 nM final concentration. Scale up or down the volume and concentration as appropriate.
- b The volume of the total reaction should be completed up to 25  $\mu$ l with water.
- c The volume of template to add to the QPCR reaction can be adjusted as required. For standard templates only 1 µl should be added to reduce the carryover of any PCR inhibitor. This volume can be increased up to 5 µl for low copy number templates.

d - Annealing temperature dependent on primer sequence.

- e Time of extension depends on the length of the amplicon. If the amplicon exceeds 300 bp amplification time should be adapted (Thermo-Start<sup>TM</sup> DNA Polymerase extends approximately at 1000 bp/min). f Melt curve program may vary depending on instrument manufacturer and software.
- g Increase set point temperature by 0.5°C per cycle.

4



## **Quality control**

ABsolute QPCR SYBR Green Mix is tested functionally using QPCR. The product must demonstrate linearity of amplification over a specified serial dilution of human genomic DNA.

## **Ordering Information**

AB-1166/A	ABsolute <sup>™</sup> QPCR SYBR <sup>®</sup> Green Mix Plus ROX Vial	200 x 25 µl rxns
AB-1166/B	ABsolute <sup>™</sup> QPCR SYBR <sup>®</sup> Green Mix Plus ROX Vial	1,600 x 25 µl rxns
AB-1167/A	ABsolute <sup>™</sup> QPCR SYBR <sup>®</sup> Green Mix Plus ROX Vial	400 x 25 µl rxns
AB-1167/B	ABsolute <sup>™</sup> QPCR SYBR <sup>®</sup> Green Mix Plus ROX Vial	4,000 x 25 µl rxns

All formats are supplied with an additional vial of 1 M MgCl\_2.

#### **Related Products**

Cat. No.	Description	Quantity
AB-4166/A AB-0600/W AB-0800/W AB-0900/W AB-1170 AB-0812 AB-0866	ABsolute <sup>TM</sup> Blue QPCR SYBR <sup>®</sup> Green Mix Plus ROX Vial Thermo-Fast <sup>TM</sup> 96 Non-Skirted, white * Thermo-Fast <sup>TM</sup> 96 Semi-Skirted PCR Plate, white * Thermo-Fast <sup>TM</sup> 96 Semi-Skirted PCR Plate, white * ABsolute <sup>TM</sup> QPCR Seal (adhesive seal) Clear Seal Diamond (heat seal) Ultra Clear Cap Strips (8 caps)	2 x 1.25 ml 25 plates 25 plates 25 plates 50 sheets 100 sheets 120 strips

\* For Cycler compatibility and other color choices, see our latest catalogue or visit www.abgene.com

Eca to chaire	linformation	or troubleshooting	a contract Theorem	Coiontifio	Comomica	Tooh Cummonte
For technica	I Information	or troubleshooting	2 contact Thermo	Scientific	Genomics	Tech Subbort:

Troubleshooting:	Email	Phone
North America (US, Canada, Central/South America)	Techservice.genomics @thermofisher.com	+1 (800) 235-9880
Europe (EU, Middle East, Africa)	Techservice.emea.genomics @thermofisher.com	(+) 44 1372 840410
Other Countries	www.thermoscientific.com/ dharmacondistributors	

Use of this product is covered by one or more of the following US patents and corresponding patent claims outside the US: 6,127,155, 5,677,152 (claims 1 to 23 only) and 5,773,258 (claims 1 and 6 only). The purchase of this product includes a limited, non-transferable immunity from suit under the foregoing patent claims for using only this amount of product for the purchaser's own internal research. No right under any other patent claim and no right to perform commercial services of any kind, including without limitation reporting the results of purchaser's activities for a fee or other commercial consideration, is conveyed expressly, by implication, or by estoppel. This product is presearch use only. Diagnostic uses under Roche patents require a separate license from Roche. Further information on purchasing licenses may be obtained by contacting the Director of Licensing, Applied Biosystems, 850 Lincoln Centre Drive, Foster City, California.

5



Use of this product in a passive reference method is covered by the following U.S. Patent: 5,928,907 (claim numbers 12-24, 27-28) and corresponding patent claims outside the US. The purchase of this product includes a limited, non-transferable immunity from suit under the foregoing patent claims for using only this amount of product in a passive reference method for the purchaser's own internal research. No right under any other patent claim and no right to perform commercial services of any kind, including without limitation reporting the results of purchaser's activities for a fee or other commercial consideration, is conveyed expressly, by implication, or by estoppel. This product is for research use only. Further information on purchasing licenses may be obtained by contacting the Director of Licensing, Applied Biosystems, 850 Lincoln Centre Drive, Foster City, California 94404, USA.

This product is provided under an agreement between Molecular Probes, Inc. (a subsidiary of Life Technologies Corporation) and ABGENE, LIMITED and the manufacture, use, sale or import of this product is subject to one or more U.S. Patents and corresponding international equivalents. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product in research conducted by the buyer, where such research does not include testing, analysis or screening services for any third party in return for compensation on a per test basis. The buyer cannot sell or otherwise transfer (a) this product (b) is components or (c) materials made using this product or its components to a third party or otherwise use this product or its components or (c) materials made using this product or its components or materials many activity by a party for consideration and may include, but is not limited to: (1) use of the product or its components in manufacturing; (2) use of the product or its components, for charapeutic, diagnostic or prophylacitic purposes; or (4) resale of the product or its components, whether or not such product or its components are resold for use in research. For information on purchasing al license to this product or its components, contact Molecular Probes , Business Development, 29851 Willow Creek Road, Eugene, OR 97402. Tel: (541) 465-8300, Fax: (541) 335-0354.

The purchase of this product includes a limited, nontransferable license, under specific claims of one or more U.S. patents owned by the University of Utah Research Foundation and/or Idaho Technology, Inc., to use only the enclosed amount of product according to the specified protocols. No right is conveyed, expressly, by implication, or by estoppel, to use any instrument or system under any claim of such U.S. patent(s), other than for the amount of product contained herein.

Revised April, 2011. All trademarks are the property of Thermo Fisher Scientific Inc. and its subsidiaries.

Literature Code: AB-1167-v9-0411

6