


Anti-Mouse CD45 APC

Catalog Number: 17-0451

Also Known As: Leukocyte Common Antigen, LCA, Ly-5

RUO: For Research Use Only. Not for use in diagnostic procedures.



Staining of C57BL/6 splenocytes with staining buffer (autofluorescence) (open histogram) or 0.06 μ g of Anti-Mouse CD45 APC (filled histogram). Total viable cells were used for analysis.

Product Information

Contents: Anti-Mouse CD45 APC

REF Catalog Number: 17-0451

Clone: 30-F11

Concentration: 0.2 mg/mL Host/Isotype: Rat IgG2b, kappa Formulation: aqueous buffer, 0.09% sodium azide, may contain carrier protein/stabilizer

Temperature Limitation: Store at 2-8°C. Do not freeze. Light

sensitive material.

Batch Code: Refer to Vial

Use By: Refer to Vial
Caution, contains Azide

Description

The 30-F11 monoclonal antibody reacts with all isoforms of mouse CD45, also known as Leukocyte Common Antigen (LCA). CD45 is expressed by all hematopoietic cells excluding mature erythrocytes and platelets. The cytoplasmic portion of CD45 has tyrosine phosphatase enzymatic activity and plays an important role in activation of lymphocytes.

Applications Reported

The 30-F11 antibody has been reported for use in flow cytometric analysis.

Applications Tested

The 30-F11 antibody has been tested by flow cytometric analysis of mouse bone marrow cells and splenocyte suspensions. This can be used at less than or equal to 0.125 μ g per test. A test is defined as the amount (μ g) of antibody that will stain a cell sample in a final volume of 100 μ L. Cell number should be determined empirically but can range from 10⁵ to 10⁸ cells/test. It is recommended that the antibody be carefully titrated for optimal performance in the assay of interest.

References

Ledbetter, J. A. and L. A. Herzenberg (1979). Xenogeneic monoclonal antibodies to mouse lymphoid differentiation antigens. Immunol Rev 47: 63-90.

Related Products

17-4031 Rat IgG2b K Isotype Control APC