

Product Data Sheet

FITC anti-human CD6

Catalog # / Size: 313904 / 100 tests

Clone: BL-CD6

Isotype: Mouse IgG1, κ

Reactivity: Human

Preparation: The antibody was purified by affinity chromatography, and conjugated with

FITC under optimal conditions. The solution is free of unconjugated FITC.

Formulation: Phosphate-buffered solution, pH 7.2, containing 0.09% sodium azide and

0.2% (w/v) BSA (origin USA).

Storage: The antibody solution should be stored undiluted at 4°C and protected from

prolonged exposure to light. Do not freeze.


Applications:

Applications: FC - Quality tested

Recommended Usage: Each lot of this antibody is quality control tested by immunofluorescent staining with flow cytometric analysis. Test size products are transitioning

from 20 µl to 5 µl per test. Please check your vial or your CoA to find the suggested use of this reagent per million cells in 100 µl staining volume or per 100 µl of whole blood. It is recommended that the reagent be titrated for

optimal performance for each application. Read more at www.biolegend.com/testsize regarding the test size change.



Human peripheral blood lymphocytes stained with BL-CD6 FITC

Description: CD6 is a 100-130 kD single chain transmembrane glycoprotein also known as T12. It is a member of the scavenger receptor superfamily found on T and B cell subsets, thymocytes, and acute lymphocytic leukemia cells (ALL). CD6,

interacting with its ligand CD166 (also known as ALCAM), is involved in T cell development and activation, as well as

thymocyte adhesion.

Antigen References: 1. Aruffo A, et al. 1997. Immunol. Today 18:498.

Related Products: Product

FITC Mouse IgG1, κ Isotype Ctrl Cell Staining Buffer RBC Lysis Buffer (10X)

Human TruStain FcX™ (Fc Receptor Blocking Solution)

Clone MOPC-21

Application FC, ICFC FC, ICC, ICFC FC, ICFC FC, ICC, ICFC



