


Anti-Mouse IL-13 Alexa Fluor® 647 (To Be Discontinued. Refer to Cat. No. 50-7133)

Catalog Number: 51-7133

Also Known As: Interleukin-13, IL13

RUO: For Research Use Only. Not for use in diagnostic procedures.



Intracellular staining of Th2-polarized BALB/c splenocytes restimulated with PMA/Ionomycin in the presence of monensin for 5 hours with Anti-Mouse CD4 FITC (cat. 11-0042), and 0.06 ug Anti-Mouse IL-13 Alexa Fluor® 647 (left). The ligand blocking control demonstrates specificity - pre-blocking with 1.0 ug of Mouse IL-13 Recombinant Protein (cat. 14-8131) prior to staining with Anti-Mouse IL-13 Alexa Fluor® 647 blocks signal (right).

Product Information

Contents: Anti-Mouse IL-13 Alexa Fluor® 647 (To Be Discontinued. Refer to Cat. No. 50-7133)

REF **Catalog Number:** 51-7133

Clone: eBio13A

Concentration: 0.2 mg/mL

Host/Isotype: Rat IgG1, kappa

Formulation: aqueous buffer, 0.09% sodium azide, may contain carrier protein/stabilizer

Temperature Limitation: Store at 2-8°C. Do not freeze. Light sensitive material.

LOT **Batch Code:** Refer to Vial

Use By: Refer to Vial

Caution, contains Azide

Description

The eBio13A antibody reacts with mouse IL-13. IL-13 is a cytokine produced mainly by Th2 cells, but also by antigen-primed CD8 T cells. IL-13 has a strong involvement in allergic inflammation and parasitic clearing and in cancer models has been shown to have either inhibitory or stimulatory activity depending on the tumor. In humans, IL-13 is found to play a role in isotype switching in B cells. IL-13 is implicating in down modulating macrophage activity, through the reduction of pro-inflammatory cytokines (IL-1, IL-6, IL-8, IL-10, IL-12)

Applications Reported

The eBio13A antibody has been reported useful for ELISA and ELISPOT capture, as well as intracellular staining for flow cytometric analysis.

Applications Tested

This eBio13A antibody has been tested by intracellular staining and flow cytometric analysis of mouse splenocytes. This can be used at less than or equal to 0.125 µg per test. A test is defined as the amount (µg) of antibody that will stain a cell sample in a final volume of 100 µL. Cell number should be determined empirically but can range from 10⁵ to 10⁸ cells/test. It is recommended that the antibody be carefully titrated for optimal performance in the assay of interest.

References

Halim TY, Krauss RH, Sun AC, Takei F. Lung natural helper cells are a critical source of Th2 cell-type cytokines in protease allergen-induced airway inflammation. *Immunity*. 2012 Mar 23;36(3):451-63. (**eBio13A**, FC, PubMed)

Miyahara N, Takeda K, Kodama T, Joetham A, Taube C, Park JW, Miyahara S, Balhorn A, Dakhama A, Gelfand EW. Contribution of antigen-primed CD8+T cells to the development of airway hyperresponsiveness and inflammation is associated with IL-13. *J Immunol*. 2004 Feb 15;172(4):2549-58.

Grunig G, Warnock M, Wakil AE, Venkayya R, Brombacher F, Rennick DM, Sheppard D, Mohrs M, Donaldson DD, Locksley RM, Corry DB. Requirement for IL-13 independently of IL-4 in experimental asthma. *Science*. 1998 Dec 18;282(5397):2261-3.

Doherty TM, Kastelein R, Menon S, Andrade S, Coffman RL. Modulation of murine macrophage function by IL-13. *J Immunol*. 1993 Dec 15;151(12):7151-60.

McKenzie AN, Li X, Largaespada DA, Sato A, Kaneda A, Zurawski SM, Doyle EL, Milatovich A, Francke U, Copeland NG, et al. Structural comparison and chromosomal localization of the human and mouse IL-13 genes. *J Immunol*. 1993 Jun 15;150(12):5436-44.

Related Products

11-0042 Anti-Mouse CD4 FITC (RM4-5)

14-8131 Mouse IL-13 Recombinant Protein

34-8131 Mouse IL-13 Recombinant Protein Carrier-Free
51-4301 Rat IgG1 K Isotype Control Alexa Fluor® 647 (To Be Discontinued. Refer to Cat. No. 50-4301)
53-7041 Anti-Mouse IL-4 Alexa Fluor® 488 (11B11)
53-7101 Anti-Mouse IL-10 Alexa Fluor® 488 (JES5-16E3)
88-7825 Mouse IL-5 ELISPOT Ready-SET-Go!®

Legal

Alexa Fluor® and Pacific Blue® are registered trademarks of and licensed under patents assigned to Molecular Probes, Inc. for research use only. This product is subject to an agreement between Molecular Probes, Inc. and eBioscience, and the manufacture, use, sale or import of this product may be subject to one or more U.S. patents, pending applications and corresponding foreign equivalents, owned by Molecular Probes, Inc. (a wholly owned subsidiary of Invitrogen Corp). The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product for life science research or as an ASR. The buyer cannot use this product for manufacturing or for any other screening (specifically including use in combination with microarrays or High Content Screening) or testing purpose, other than as an ASR. For information on purchasing a license to this product for purposes other than life science research or use as an ASR, contact Molecular Probes, Inc.

Not for further distribution without written consent.

Copyright © 2000-2012 eBioscience, Inc.

Tel: 888.999.1371 or 858.642.2058 • Fax: 858.642.2046 • www.eBioscience.com • info@eBioscience.com