Technical Data Sheet

PerCP Mouse IgG1 κ Isotype Control


Product Information

Material Number:	559425
Size:	50 tests
Vol. per Test:	20 µl
Clone:	MOPC-21
Isotype:	Mouse IgG1, κ
Storage Buffer:	Aqueous buffered solution containing BSA and $\leq 0.09\%$ sodium azide.

Description

The MOPC-21 immunoglobulin is a mouse myeloma protein. The MOPC-21 immunoglobulin was selected as an isotype control following screening for low background on a variety of mouse and human tissues.

This reagent has been used as isotype control in immunophenotypic studies with baboon, rhesus, or cynomolgus peripheral blood cells.



Profile of mouse IgG1 isotype control on peripheral blood lymphocytes of rhesus macaque (macaca mulatta) monkey analyzed by flow cytometry.

Preparation and Storage

Store undiluted at 4°C and protected from prolonged exposure to light. Do not freeze.

The monoclonal antibody was purified from tissue culture supernatant or ascites by affinity chromatography.

The antibody was conjugated with PerCP under optimum conditions, and unconjugated antibody and free PerCP were removed. Storage

of PerCP conjugates in unoptimized diluent is not recommended and may result in loss of signal intensity.

Application Notes

A	Application				
	Isotype control	Routinely Tested			
	Flow cytometry	Routinely Tested			

Product Notices

- 1. This reagent has been pre-diluted for use at the recommended Volume per Test. We typically use 1×10^{6} cells in a 100-µl experimental sample (a test).
- 2. For fluorochrome spectra and suitable instrument settings, please refer to our Fluorochrome Web Page at www.bdbiosciences.com/colors.
- 3. Caution: Sodium azide yields highly toxic hydrazoic acid under acidic conditions. Dilute azide compounds in running water before discarding to avoid accumulation of potentially explosive deposits in plumbing.
- 4. Source of all serum proteins is from USDA inspected abattoirs located in the United States.
- 5. An isotype control should be used at the same concentration as the antibody of interest.
- 6. Please refer to www.bdbiosciences.com/pharmingen/protocols for technical protocols.

bdbiosciences.com									
United States 877.232.8995	Canada 800.979.9408	Europe 32.53.720.550	Japan 0120.8555.90	Asia Pacific 65.6861.0633	Latin America/Caribbean 55.11.5185.9995				
For country co	ntact informatio	on, visit bdbiosci	ences.com/conta	ct					
of any patents. BL use of our produc product or as a co	D Biosciences will n ts. Purchase does n imponent of anoth	ot be help responsi ot include or carry er product. Any use	ble for patent infrin any right to resell o	gement or other vio r transfer this produ er than the permitte	use the above product in violatic lations that may occur with the ct either as a stand-alone ed use without the express				

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Not for resale. Unless otherwise noted, BD, BD Logo and all other trademarks are property of Becton, Dickinson and Company. © 2011 BD

