

One Shot[®] MAX Efficiency[®] DH5 α [™] -T1^R Competent Cells

Catalog No. 12297-016

Version C
6 April 2004
25-0401



www.invitrogen.com
tech_service@invitrogen.com

Table of Contents

Table of Contents	1
Kit Contents and General Information	2
Storage	2
Contents.....	2
Genotype	2
Quality Control Procedure.....	2
Reference.....	2
Overview	3
Description	3
Applications.....	3
General Handling.....	3
Transforming Chemically Competent Cells	4
Materials Supplied by the User	4
Before Starting.....	4
Procedure.....	4
Using DH5α-T1^R as a Transient Host	5
Introduction	5
Before Starting.....	5
Procedure.....	5
Transforming Control Plasmid DNA	6
Calculation.....	6
Technical Service	7
World Wide Web.....	7
Contact Us	7
MSDS Requests.....	7
Limited Warranty	8

Kit Contents and General Information

Storage

Upon receipt, store the cells at -70°C or -80°C. Do not store in liquid nitrogen.

Contents

Each kit (20 reactions, Catalog no. 12297-016) contains the following:

Component	Composition	Amount
Chemically Competent DH5 α -T1 ^R	--	21 × 50 μ l
SOC Medium	2% Tryptone 0.5% Yeast Extract 10 mM NaCl 2.5 mM KCl 10 mM MgCl ₂ 10 mM MgSO ₄ 20 mM glucose	6 ml
pUC19	10 pg/ μ l in 5 mM Tris-HCl, 0.5 mM EDTA, pH 8	50 μ l

Genotype

F⁻ ϕ 80*lacZ* Δ M15 Δ (*lacZYA-argF*)U169 *recA1 endA1 hsdR17*(r_k⁻, m_k⁺) *phoA supE44 thi-1 gyrA96 relA1 tonA* (confers resistance to phage T1)

Quality Control Procedure

All competent cells are qualified as follows:

- Cells are tested for transformation efficiency using the control plasmid included in the kit. Transformed cultures are plated on LB plates containing 100 μ g/ml ampicillin and the transformation efficiency is calculated. Test transformations are performed in duplicate. Transformation efficiency should be $\sim 1 \times 10^9$ cfu/ μ g DNA.
 - To verify the absence of phage contamination, 0.5-1 ml of competent cells are added to LB top agar and poured onto LB plates. After overnight incubation, no plaques should be detected.
 - Untransformed cells are plated on LB plates 100 μ g/ml ampicillin, 25 μ g/ml streptomycin, 50 μ g/ml kanamycin, or 15 μ g/ml chloramphenicol to verify the absence of antibiotic-resistant contamination.
-

Reference

Killmann, H., Benz, R., and Braun, V. (1996). Properties of the FhuA channel in the *Escherichia coli* outer membrane after deletion of FhuA portions within and outside the predicted gating loop. *J Bacteriol* 178, 6913-20.

Overview

Description

DH5 α -T1^R Competent *E. coli* is resistant to the lytic bacteriophages T1 and T5 (Killmann *et al.*, 1996). Since bacteriophage T1 transmits easily by aerosolization, it is a hazard in high throughput laboratories and genomic centers. This strain contains a mutation in the *tonA* locus, conferring resistance to both T1 and T5 bacteriophages.

Applications

DH5 α -T1^R is suitable for:

- Construction of gene banks
 - Generation of cDNA libraries using plasmid-derived vectors
 - Blue/white screening of transformants on selective plates containing Blueo-gal or X-gal
 - High quality plasmid preparation
 - Hosting M13mp cloning vectors (see page 4)
-



Important

One Shot[®] DH5 α -T1^R *E. coli* **does not require** IPTG to induce expression from the *lac* promoter.

If blue/white screening is required to select for transformants spread 40 μ l of 40 mg/ml X-Gal in dimethylformamide on top of the agar. Let the X-Gal diffuse into the agar for approximately 1 hour.

General Handling

Be extremely gentle when working with competent cells. Competent cells are highly sensitive to changes in temperature or mechanical lysis caused by pipetting. Transformation should be started immediately following the thawing of the cells on ice. **Mix by swirling or tapping the tube gently, not by pipetting or vortexing.**

Transforming Chemically Competent Cells

Materials Supplied by the User

You will need the following items for transformation:

- 37°C shaking and non-shaking incubator
 - 10 cm diameter LB agar plates with appropriate antibiotic
 - Ice bucket with ice
 - 42°C water bath
-

Before Starting

- Equilibrate a water bath to 42°C
 - Warm the vial of SOC medium to room temperature
 - Spread X-Gal onto LB agar plates with antibiotic, if desired
 - Warm the plates in a 37°C incubator for 30 minutes
 - Obtain a test tube rack that will hold all transformation tubes so that they can all be put into a 42°C water bath at once.
-

Procedure

The instructions provided below are for general use. Plasmid DNA should be free of phenol, ethanol, protein, and detergents for maximum transformation efficiency.

1. Briefly centrifuge the ligation reaction and place on ice.
 2. Thaw, on ice, one 50 µl vial of One Shot® cells for each ligation/transformation.
 3. Pipet 1 to 5 µl of each ligation reaction directly into the competent cells and mix by tapping gently. **Do not mix by pipetting up and down.** Store the remaining ligation reaction at -20°C.
 4. Incubate the vial on ice for 30 minutes.
 5. Incubate for exactly 30 seconds in the 42°C water bath. Do not mix or shake.
 6. Remove vial from the 42°C bath and place on ice.
 7. Add **250 µl** of pre-warmed SOC medium to each vial. (SOC is a rich medium; sterile technique must be practiced to avoid contamination.)
 8. Place the vial in a microcentrifuge rack on its side and secure with tape to avoid loss of the vial. Shake the vial at 37°C for exactly 1 hour at 225 rpm in a shaking incubator.
 9. Spread 20 µl to 200 µl from each transformation vial on separate, labeled LB agar plates. We recommend that you plate two different volumes. **Note:** You may have to dilute cells 1:10 to obtain well-spaced colonies.
 10. Store the remaining transformation reaction at +4°C and plate out the next day, if desired.
 11. Invert the plates and incubate at 37°C overnight.
 12. Select colonies and analyze by plasmid isolation, PCR, or sequencing.
-

Using DH5 α -T1^R as a Transient Host

Introduction

DH5 α -T1^R competent *E. coli* support replication of M13mp vectors, but it does not support plaque formation. Plating on a lawn of *E. coli* containing the F plasmid will allow plaque formation.

Before Starting

You will need the following reagents:

- Log-phase *E. coli* containing the F plasmid (e.g. DH5 α -FTTM, DH5 α FTM, DH5 α F'IQTM, JM101, or JM107)
 - Liquid top agar containing 50 μ g/ml Bluo-gal or X-gal and 1 mM IPTG
 - LB plates (no antibiotic)
 - SOC medium (Catalog no. 15544-018)
-

Procedure

A general procedure is provided below for your convenience; you may have to optimize the protocol for your particular circumstances.

1. Thaw, on ice, one 50 μ l vial of One Shot[®] cells for each transformation.
2. Transform 10 μ g of replicative form (RF) M13mp into 50 μ l of competent cells.
3. Incubate the vial on ice for 30 minutes.
4. Incubate for exactly 30 seconds in the 42°C water bath. Do not mix or shake.
5. Remove vial from the 42°C bath and place on ice.

Note: Since selection by antibiotic resistance is not necessary for plaque formation, recovery in medium is not necessary. However, it is necessary to dilute the transformation reaction 100- to 500-fold to obtain 100-300 well-spaced plaques. Dilute the transformation reaction with SOC medium and keep on ice.

6. Take the log-phase *E. coli* containing the F plasmid and add to the liquid top agar.
 7. Add 30-50 μ l of the diluted transformation reaction from Step 6 to the top agar.
 8. Mix and pour the top agar onto LB plates (no antibiotic).
 9. After the plate has solidified, invert and incubate at 37°C overnight or until plaques form.
-

Transforming Control Plasmid DNA



If you do not obtain the expected number of colonies, we recommend that you test the efficiency of the competent cells. Transform DH5 α -T1^R with the supercoiled pUC19 plasmid supplied with the kit as described below.

1. Prepare LB agar plates containing 100 $\mu\text{g/ml}$ ampicillin.
 2. Transform 5 μl (50 pg) pUC19 into 50 μl of competent cells.
 3. Follow Steps 4-8 on page 3.
 4. Dilute the transformation reaction 1:100 and plate 30 μl on selective plates.
 5. Incubate overnight at 37°C and count colonies. Calculate transformation efficiency using the formula below.
-

Calculation

Calculate the transformation efficiency as transformants per 1 μg of plasmid DNA.

For chemically competent cells, use the formula below to calculate transformation efficiency:

$$\frac{\text{\# of colonies}}{50 \text{ pg transformed DNA}} \times \frac{10^6 \text{ pg}}{\mu\text{g}} \times \frac{300 \mu\text{l total transformation volume}}{30 \mu\text{l plated}} \times 100 = \frac{\text{\# transformants}}{\mu\text{g plasmid DNA}}$$

Expected transformation efficiency: $\geq 1 \times 10^9$ cfu/ μg supercoiled plasmid



Note

Transformation efficiencies for cDNA and ligation of inserts to vectors will be lower than for a supercoiled control plasmid such as pUC19.

- For cDNA, transformation efficiencies may be 10- to 100-fold lower.
 - For ligation of inserts to vectors, transformation efficiencies may be 10-fold lower.
-

Technical Service

World Wide Web



Visit the Invitrogen Web Resource using your World Wide Web browser. At the site, you can:

- Get the scoop on our hot new products and special product offers
- View and download vector maps and sequences
- Download manuals in Adobe® Acrobat® (PDF) format
- Explore our catalog with full color graphics
- Obtain citations for Invitrogen products
- Request catalog and product literature

Once connected to the Internet, launch your Web browser (Internet Explorer 5.0 or newer or Netscape 4.0 or newer), then enter the following location (or URL):

<http://www.invitrogen.com>

...and the program will connect directly. Click on underlined text or outlined graphics to explore. Don't forget to put a bookmark at our site for easy reference!

Contact Us

For more information or technical assistance, call, write, fax, or email. Additional international offices are listed on our Web page (www.invitrogen.com).

Corporate Headquarters:

Invitrogen Corporation
1600 Faraday Avenue
Carlsbad, CA 92008 USA
Tel: 1 760 603 7200
Tel (Toll Free): 1 800 955 6288
Fax: 1 760 602 6500
E-mail:
tech_service@invitrogen.com

Japanese Headquarters:

Invitrogen Japan K.K.
Nihonbashi Hama-Cho Park Bldg. 4F
2-35-4, Hama-Cho, Nihonbashi
Tel: 81 3 3663 7972
Fax: 81 3 3663 8242
E-mail: jpinfo@invitrogen.com

European Headquarters:

Invitrogen Ltd
Inchinnan Business Park
3 Fountain Drive
Paisley PA4 9RF, UK
Tel: +44 (0) 141 814 6100
Tech Fax: +44 (0) 141 814 6117
E-mail: eurotech@invitrogen.com

MSDS Requests

To request an MSDS, visit our Web site at www.invitrogen.com. On the home page, go to 'Technical Resources', select 'MSDS', and follow instructions on the page.

Continued on next page

Technical Service, Continued

Limited Warranty

Invitrogen is committed to providing our customers with high-quality goods and services. Our goal is to ensure that every customer is 100% satisfied with our products and our service. If you should have any questions or concerns about an Invitrogen product or service, please contact our Technical Service Representatives.

Invitrogen warrants that all of its products will perform according to the specifications stated on the certificate of analysis. The company will replace, free of charge, any product that does not meet those specifications. This warranty limits Invitrogen Corporation's liability only to the cost of the product. No warranty is granted for products beyond their listed expiration date. No warranty is applicable unless all product components are stored in accordance with instructions. Invitrogen reserves the right to select the method(s) used to analyze a product unless Invitrogen agrees to a specified method in writing prior to acceptance of the order.

Invitrogen makes every effort to ensure the accuracy of its publications, but realizes that the occasional typographical or other error is inevitable. Therefore Invitrogen makes no warranty of any kind regarding the contents of any publications or documentation. If you discover an error in any of our publications, please report it to our Technical Service Representatives.

Invitrogen assumes no responsibility or liability for any special, incidental, indirect or consequential loss or damage whatsoever. The above limited warranty is sole and exclusive. No other warranty is made, whether expressed or implied, including any warranty of merchantability or fitness for a particular purpose.

©2000 -2004 Invitrogen Corporation. All rights reserved.

For research use only. Not intended for any animal or human therapeutic or diagnostic use.