# **Technical Data Sheet**

# PE Mouse Anti-Human CD309 (VEGFR-2)

### **Product Information**

Material Number: 560494

Alternate Name: FLK1; Fetal liver kinase 1; KDR; VEGFR2; VEGF Receptor 2

 Size:
 100 Tests

 Vol. per Test:
 20 μl

 Clone:
 89106

 Immunogen:
 Human VEGFR-2


 Isotype:
 Mouse IgG1

 Reactivity:
 QC Testing: Human

**Storage Buffer:** Aqueous buffered solution containing BSA and ≤0.09% sodium azide.

### Description

The 89106 monoclonal antibody reacts with CD309 (vascular endothelial growth factor receptor-2 (VEGFR-2)), a receptor protein tyrosine kinase closely related to CD117 (c-kit) and CD140a (PDGF Receptor  $\alpha$  chain) of the immunoglobulin superfamily. VEGFR-2, also known as fetal liver kinase 1 (Flk-1) or kinase insert domain receptor (KDR), is a receptor for vascular endothelial growth factor (VEGF). It is expressed, at the mRNA and protein levels, on distinct sets of mesoderm during gastrulation and on endothelial cells in embryonic tissues. *In vivo* and *in vitro* studies indicate that VEGFR-2 is required for the embryonic development of vascular endothelial and hematopoietic cells. Human cardiac progenitor cells derived from human embryonic stem cells arise from a population of cells that express VEGFR-2.



Flow cytometric analysis of PE Anti-Human VEGFR-2/KDR on HUVEC cells. HUVEC (Lonza, Cat. No. CC-2517) cells grown in EGM®-2 Endothelial Cell Growth Medium (Lonza, Cat No. CC-3162), which contains VEGF, were dissociated with Cell Dissociation Buffer (Life Technologies, Cat. No. 13151-014). The HUVEC cells were stained with either PE Anti-Human VEGFR-2/KDR (solid line) or PE mouse IgG1 k Isotype Control (Clone MOPC-21, Cat. No. 554680) (dotted line). Flow cytometry was performed on a BD™ LSR II flow cytometry system.

### **Preparation and Storage**

Store undiluted at 4°C and protected from prolonged exposure to light. Do not freeze.

The monoclonal antibody was purified from tissue culture supernatant or ascites by affinity chromatography.

The antibody was conjugated with R-PE under optimum conditions, and unconjugated antibody and free PE were removed.

### **Application Notes**

## Application

| Flow cytometry | Routinely Tested |  |
|----------------|------------------|--|

### **Suggested Companion Products**

| Catalog Number | Name                                | Size     | Clone   |  |
|----------------|-------------------------------------|----------|---------|--|
| 554680         | PE Mouse IgG1, κ Isotype Control    | 0.1 mg   | MOPC-21 |  |
| 560872         | PE Mouse Anti-Human CD309 (VEGFR-2) | 25 Tests | 89106   |  |
| 554656         | Stain Buffer (FBS)                  | 500 mL   | (none)  |  |

### **BD Biosciences**

bdbiosciences.com

 United States
 Canada
 Europe
 Japan
 Asia Pacific
 Latin America/Caribbea

 877.232.8995
 866.979.9408
 32.2.400.98.95
 0120.8555.90
 65.6861.0633
 55.11.5185.9995

For country contact information, visit bdbiosciences.com/contact

Conditions: The information disclosed herein is not to be construed as a recommendation to use the above product in violation of any patents. BD Biosciences will not be held responsible for patent infringement or other violations that may occur with the use of our products. Purchase does not include or carry any right to resell or transfer this product either as a stand-alone product or as a component of another product. Any use of this product other than the permitted use without the express written authorization of Becton, Dickinson and Company is stictly prohibited.

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Not for resale.

Unless otherwise noted, BD, BD Logo and all other trademarks are property of Becton, Dickinson and Company. © 2015 BD



#### **Product Notices**

- This reagent has been pre-diluted for use at the recommended Volume per Test. We typically use 1 × 10<sup>6</sup> cells in a 100-μl experimental sample (a test).
- 2. An isotype control should be used at the same concentration as the antibody of interest.
- 3. Caution: Sodium azide yields highly toxic hydrazoic acid under acidic conditions. Dilute azide compounds in running water before discarding to avoid accumulation of potentially explosive deposits in plumbing.
- 4. Source of all serum proteins is from USDA inspected abattoirs located in the United States.
- For fluorochrome spectra and suitable instrument settings, please refer to our Multicolor Flow Cytometry web page at www.bdbiosciences.com/colors.
- 6. Please refer to www.bdbiosciences.com/pharmingen/protocols for technical protocols.

#### References

Farace F, Massard C, Borghi E, Bidart JM, Soria JC. Vascular disrupting therapy-induced mobilization of circulating endothelial progenitor cells. *Ann Oncol.* 2007; 18(8):1421-1422. (Clone-specific: Flow cytometry)

Ferrara N, Houck K, Jakeman L, Leung DW. Molecular and biological properties of the vascular endothelial growth factor family of proteins. *Endocr Res.* 1992; 13(1):18-32. (Biology)

Yang L, Soonpaa MH, Adler ED, Roepke TK, Kattman SJ, Kennedy M, Henckaerts E, Bonham K, Abbott GW, Linden RM, Field LJ, Keller GM. Human cardiovascular progenitor cells develop from a KDR+ embryonic-stem-cell-derived population. *Nature*. 2008; 453(7194):524-528. (Clone-specific: Flow cytometry) Ziegler BL, Valtieri M, Porada GA, De Maria R, Müller R, Masella B, Gabbianelli M, Casella I, Pelosi E, Bock T, Zanjani ED, Peschle C. KDR receptor: a key marker defining hematopoietic stem cells. *Science*. 1999; 285:1553-1558. (Biology)



bdbiosciences.com

 United States
 Canada
 Europe
 Japan
 Asia Pacific
 Latin America/Caribbean

 877.232.8995
 866.979.9408
 32.2400.98.95
 0120.8555.90
 65.6861.0633
 55.11.5185.9995

For country contact information, visit  ${\bf bdbiosciences.com/contact}$ 

Conditions: The information disclosed herein is not to be construed as a recommendation to use the above product in violation of any patents. BD Biosciences will not be held responsible for patent infringement or other violations that may occur with the use of our products. Purchase does not include or carry any right to resell or transfer this product either as a stand-alone product or as a component of another product. Any use of this product other than the permitted use without the express written authorization of Becton, Dickinson and Company is stictly prohibited.

