sodium

Technical Data Sheet

PE Mouse anti-Human CD110

Product Information

5(2150
502159
C-MPL; MPL; MPLV; TPOR; Thrombopoietin receptor
0.1 mg
0.2 mg/ml
1.6.1
Mouse IgG2b, κ
QC Testing: Human
Aqueous buffered solution containing protein stabilizer and $\leq 0.09\%$ azide.

Description

The 1.6.1 monoclonal antibody specifically binds to the human Thrombopoietin Receptor (TPO-R) that is also known as the Myeloproliferative leukemia protein (c-Mpl) or CD110. CD110 is a type I transmembrane protein and a member of the hematopoietin receptor family. It is expressed on hematopoietic stem cells, a subfraction of hematopoietic precursor cells, cells of the megakaryocytic lineage and platelets. CD110 serves as a receptor for thrombopoietin. Upon binding of thrombopoietin to CD110, megakaryocyte proliferation and differentiation is induced and stem cells are protected from apoptosis.



Flow cytometric analysis of human CD110 expression on platelets and HEL92.1.7 cells. Platelets (Left Panel) and HEL92.1.7 cells (Right Panel) were stained with either PE Mouse IgG2b Isotype Control (Cat. No. 555743; dashed line histogram) or PE Mouse anti-Human CD110 (Cat. No. 562159; solid line histogram). Flow cytometric fluorescence histograms were derived from gated events with the forward and side light-scatter characteristics of platelets or viable HEL92.1.7 cells. Flow cytometry was performed using a BD™ LSR II Flow Cytometer System.

Preparation and Storage

Store undiluted at 4°C and protected from prolonged exposure to light. Do not freeze.

The monoclonal antibody was purified from tissue culture supernatant or ascites by affinity chromatography.

The antibody was conjugated with R-PE under optimum conditions, and unconjugated antibody and free PE were removed.

Application Notes

Application								
Flow cytometry Routinely Tested								
Suggestee	d Compani	on Product	S					
Catalog Number		Name			Size	Clone		
555743 PE Mouse IgG2b κ Isotype Control				100 tests	27-35			
554656		Stain Buffer (FBS)			500 ml	(none)		
BD Bioscie	ences							
bdbiosciences.	com							DT
United States 877.232.8995	Canada 800.979.9408	Europe 32.53.720.550	Japan 0120.8555.90	Asia Pacific 65.6861.0633	Latin America/Caribbean 55.11.5185.9995			BL
For country co	ntact informatio	n, visit bdbiosci	ences.com/conta	ct				
Conditions: The ir of any patents. Bl use of our produce product or as a co	nformation disclose D Biosciences will ne ts. Purchase does n imponent of anoth	d herein is not to b ot be help responsil ot include or carry a er product. Any use	e constructed as a re ble for patent infrin any right to resell or of this product oth	ecommendation to o gement or other vic r transfer this produ er than the permitto	use the above product in violation olations that may occur with the ict either as a stand-alone ed use without the express			

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Not for resale. Unless otherwise noted, BD, BD Logo and all other trademarks are property of Becton, Dickinson and Company. © 2011 BD

Product Notices

Since applications vary, each investigator should titrate the reagent to obtain optimal results. 1.

- Caution: Sodium azide yields highly toxic hydrazoic acid under acidic conditions. Dilute azide compounds in running water before 2. discarding to avoid accumulation of potentially explosive deposits in plumbing.
- An isotype control should be used at the same concentration as the antibody of interest. 3
- 4. For fluorochrome spectra and suitable instrument settings, please refer to our Fluorochrome Web Page at www.bdbiosciences.com/colors.
- 5. Please refer to www.bdbiosciences.com/pharmingen/protocols for technical protocols.

References

Abbott C, Huang G, Wei P, et al. Mouse monoclonal antibodies against human c-Mpl and characterization for flow cytometry applications. Hybridoma. 2010; 29(2):103-113. (Clone-specific: Flow cytometry)

Broudy VC, Lin NL, Fox N, Taga T, Saito M, Kaushansky K. Thrombopoietin stimulates colony-forming unit-megakaryocyte proliferation and megakaryocyte maturation independently of cytokines that signal through the gp130 receptor subunit. Blood. 1996; 88(6):2026-2032. (Biology)

Deng B, Banu N, Malloy B. An agonist murine monoclonal antibody to the human c-Mpl receptor stimulates megakaryocytopoiesis. Blood. 1998; 92(6):1981-1988. (Biology)

Fox NE, Lim J, Chen R, Geddis AE. F104S c-Mpl responds to a transmembrane domain-binding thrombopoietin receptor agonist: proof of concept that selected receptor mutations in congenital amegakaryocytic thrombocytopenia can be stimulated with alternative thrombopoietic agents. Exp Hematol. 2010; 38(5):384-391. (Clone-specific: Flow cytometry)

Gotoh A, Ritchie A, Takahira H, Broxmeyer HE. Thrombopoietin and erythropoietin activate inside-out signaling of integrin and enhance adhesion to immobilized fibronectin in human growth-factor-dependent hematopoietic cells. Ann Hematol. 1997; 75(5-6):207-213. (Biology)

BD Biosciences

bdbiosciences.com

United States Canada
 Canada
 Europe
 Japan

 800.979.9408
 32.53.720.550
 0120.8555.90
877.232.8995

For country contact information, visit bdbiosciences.com/contact

Conditions: The information disclosed herein is not to be constructed as a recommendation to use the above product in violation Conditions: The information disclosed herein is not to be constructed as a recommendation to use the above product in violatio of any patents. BD Biosciences will not be help responsible for patent infringement or other violations that may occur with the use of our products. Purchase does not include or carry any right to resell or transfer this product either as a stand-alone product or as a component of another product. Any use of this product other than the permitted use without the express written authorization of Becton, Dickinson and Company is stictly prohibited. For Research Use Only. Not for use in diagnostic or therapeutic procedures. Not for resale. Unless otherwise noted, BD, BD Logo and all other trademarks are property of Becton, Dickinson and Company. © 2011 BD

Asia Pacific

65.6861.0633

Latin America/Caribbean

55.11.5185.9995

