# **Technical Data Sheet**

# BV786 Rat IgG2b, κ Isotype Control

#### **Product Information**

 Material Number:
 563334

 Size:
 50 μg

 Concentration:
 0.2 mg/ml

 Clone:
 R35-38

 Isotype:
 Rat IgG2b, κ

**Storage Buffer:** Aqueous buffered solution containing BSA and ≤0.09% sodium azide.

#### Description

The R35-38 hybridoma produces monoclonal rat IgG2b, κ. The target molecule specificity of this clone is unknown. R35-38 has little or no reactivity with mammalian cells and has been found useful as an immunoglobulin isotype control.

The antibody was conjugated to BD Horizon<sup>TM</sup> BV786 which is part of the BD Horizon<sup>TM</sup> Brilliant Violet<sup>TM</sup> family of dyes. This dye is a tandem fluorochrome of BD Horizon<sup>TM</sup> BV421 with an Ex Max of 405-nm and an acceptor dye with an Em Max at 786-nm. BD Horizon<sup>TM</sup> BV786 can be excited by the violet laser and detected in a filter used to detect Cy7<sup>TM</sup>-like dyes (eg, 780/60-nm filter).

# **Preparation and Storage**

Store undiluted at 4°C and protected from prolonged exposure to light. Do not freeze.

The monoclonal antibody was purified from tissue culture supernatant or ascites by affinity chromatography.

The antibody was conjugated with BD Horizon™ BV786 under optimum conditions, and unconjugated antibody and free BD Horizon™ BV786 were removed.

### **Application Notes**

#### Application

Tr		
Flow cytometry	Routinely Tested	
Isotype control	Routinely Tested	

# **Suggested Companion Products**

Catalog Number	Name	Size	Clone
554656	Stain Buffer (FBS)	500 ml	(none)

#### **Product Notices**

- 1. Since applications vary, each investigator should titrate the reagent to obtain optimal results.
- An isotype control should be used at the same concentration as the antibody of interest.
- 3. Brilliant Violet<sup>TM</sup> 786 is a trademark of Sirigen.
- 4. Brilliant Violet<sup>TM</sup> 421 is a trademark of Sirigen.
- 5. Cy is a trademark of Amersham Biosciences Limited.
- 6. Source of all serum proteins is from USDA inspected abattoirs located in the United States.
- 7. Caution: Sodium azide yields highly toxic hydrazoic acid under acidic conditions. Dilute azide compounds in running water before discarding to avoid accumulation of potentially explosive deposits in plumbing.
- 8. For fluorochrome spectra and suitable instrument settings, please refer to our Multicolor Flow Cytometry web page at www.bdbiosciences.com/colors.
- 9. Please refer to www.bdbiosciences.com/pharmingen/protocols for technical protocols.

## **BD Biosciences**

bdbiosciences.com

 United States
 Canada
 Europe
 Japan
 Asia Pacific
 Latin America/Caribbean

 877.232.8995
 800.979.9408
 32.53.720.550
 0120.8555.90
 65.6861.0633
 55.11.5185.9995

For country contact information, visit bdbiosciences.com/contact

Conditions: The information disclosed herein is not to be constructed as a recommendation to use the above product in violation of any patents. BD Biosciences will not be help responsible for patent infringement or other violations that may occur with the use of our products. Purchase does not include or carry any right to resell or transfer this product either as a stand-alone product or as a component of another product. Any use of this product other than the permitted use without the express written authorization of Becton, Dickinson and Company is stictly prohibited. For Research Use Only, Not for use in diagnostic or therapeutic procedures. Not for resale. Unless otherwise noted, BD, BD Logo and all other trademarks are property of Becton, Dickinson and Company. © 2011 BD

