Technical Data Sheet

Purified Mouse Anti-Hsp70

Product Information

 $\begin{tabular}{llll} \textbf{Material Number:} & \textbf{610608} \\ \textbf{Size:} & 150 \ \mu g \\ \textbf{Concentration:} & 250 \ \mu g/ml \\ \textbf{Clone:} & 7/Hsp70 \\ \end{tabular}$

Immunogen: Human Hsp70 aa. 429-640

 Isotype:
 Mouse IgG1

 Reactivity:
 QC Testing: Human

Tested in Development: Mouse, Rat, Chicken, Dog

Target MW: 70 kD


Storage Buffer: Aqueous buffered solution containing BSA, glycerol, and ≤0.09% sodium

azide.


Description

Hsp70 is a member of the heat shock or stress-induced genes whose expression is regulated at both transcriptional and translational levels. Elevated temperatures induce a transient resistance to subsequent heat exposure in various types of cells. Although Hsp70 protein is constitutively expressed at low levels, its expression abundantly increases in response to heat stress. During such stress, Hsp70 leaves the cytoplasm and nucleoplasm and rapidly accumulates in the nucleolus. Removal of the stress results in the redistribution of Hsp70 to its original locations.

This antibody is routinely tested by western blot analysis. Other applications were tested at BD Biosciences Pharmingen during antibody development only or reported in the literature.



Western blot analysis of Hsp70 on a HeLa cell lysate (Human cervical epitheloid carcinoma; ATCC CCL-2.2). Lane 1: 1:1000, lane 2: 1:2000, lane 3: 1:4000 dilution of the anti-Hsp70 antibody.



Immunofluorescence staining of HeLa cells (Human cervical epitheloid carcinoma; ATCC CCL-2.2).

Preparation and Storage

The monoclonal antibody was purified from tissue culture supernatant or ascites by affinity chromatography. Store undiluted at -20° C.

BD Biosciences

bdbiosciences.com

 United States
 Canada
 Europe
 Japan
 Asia Pacific
 Latin America/Caribbean

 877.232.8995
 888.259.0187
 32.53.720.550
 0120.8555.90
 65.6861.0633
 55.11.5185.9995

For country-specific contact information, visit bdbiosciences.com/how_to_order/
Conditions: The information disclosed herein is not to be construed as a recommendation to use the above product in violation of any patents. BD Biosciences will not be held responsible for patent infringement or other violations that yoccur with the use of our products. Purchase does not include or carry any right to resell or transfer this product either as a stand-alone product or as a component of another product. Any use of this product other than the permitted use without the express written authorization of Becton Dickinson and Company is strictly prohibited.
For Research Use Only. Not for use in diagnostic or therapeutic procedures. Not for resale.
BD, BD Logo and all other trademarks are the property of Becton, Dickinson and Company. ©2006 BD



Application Notes

Application

Western blot	Routinely Tested
Immunofluorescence	Tested During Development
Immunoprecipitation	Tested During Development
Immunohistochemistry	Not Recommended

Suggested Companion Products

Catalog Number	Name	Size	Clone	
611449	HeLa Cell Lysate	500 μg	(none)	
554002	HRP Goat Anti-Mouse Igs	1.0 ml	(none)	
554001	FITC Goat Anti-Mouse Igs	0.5 mg	Polyclonal	

Product Notices

- 1. Since applications vary, each investigator should titrate the reagent to obtain optimal results.
- 2. Please refer to www.bdbiosciences.com/pharmingen/protocols for technical protocols.
- Caution: Sodium azide yields highly toxic hydrazoic acid under acidic conditions. Dilute azide compounds in running water before discarding to avoid accumulation of potentially explosive deposits in plumbing.
- 4. Source of all serum proteins is from USDA inspected abattoirs located in the United States.

References

Hunt C, Morimoto RI. Conserved features of eukaryotic hsp70 genes revealed by comparison with the nucleotide sequence of human hsp70. *Proc Natl Acad Sci U S A.* 1985; 82(19):6455-6459.(Biology)

Suhr ST, Senut MC, Whitelegge JP, Faull KF, Cuizon DB, Gage FH. Identities of sequestered proteins in aggregates from cells with induced polyglutamine expression. *J Cell Biol.* 2001; 153(2):283-294.(Biology: Western blot)

610608 Rev. 1 Page 2 of 2