

References for Products 13510 and 13511

1. Wei Q, Seward GK, Hill PA, Patton B, Dimitrov IE, Kuzma NN, Dmochowski JJ. (2006) Designing ¹²⁹Xe NMR biosensors for matrix metalloproteinase detection. *J Am Chem Soc*, 128, 13274.
2. Komori K, Konishi M, Maruta Y, Toriba M, Sakai A, Matsuda A, Hori T, Nakatani M, Minamino N, Akizawa T. (2006) Characterization of a novel metalloproteinase in Duvernoy's gland of Rhabdophis tigrinus tigrinus. *J Toxicol Sci*, 31, 157.
3. Thomas DA, Francis P, Smith C, Ratcliffe S, Ede NJ, Kay C, Wayne G, Martin SL, Moore K, Amour A, Hooper NM. (2006) A broad-spectrum fluorescence-based peptide library for the rapid identification of protease substrates. *Proteomics*, 6, 2112.
4. Fichter M, Korner U, Schomburg J, Jennings L, Cole AA, Mollenhauer J. (2006) Collagen degradation products modulate matrix metalloproteinase expression in cultured articular chondrocytes. *J Orthop Res*, 24, 63.
5. Zhu P, Ding J, Zhou J, Dong WJ, Fan CM, Chen ZN. (2005) Expression of CD147 on monocytes/macrophages in rheumatoid arthritis: its potential role in monocyte accumulation and matrix metalloproteinase production. *Arthritis Res Ther*, 7, R1023.
6. Saghizadeh M, Kramerov AA, Tajbakhsh J, Aoki AM, Wang C, Chai NN, Ljubimova JY, Sasaki T, Sosne G, Carlson MR, Nelson SF, Ljubimov AV. (2005) Proteinase and growth factor alterations revealed by gene microarray analysis of human diabetic corneas. *Invest Ophthalmol Vis Sci*, 46, 3604.
7. Chintala SK, Wang N, Diskin S, Mattox C, Kagemann L, Fini ME, Schuman JS. (2005) Matrix metalloproteinase gelatinase B (MMP-9) is associated with leaking glaucoma filtering blebs. *Exp Eye Res*, 81, 429.
8. Thomson E, Kumarathasan P, Goegan P, Aubin RA, Vincent R. (2005) Differential regulation of the lung endothelin system by urban particulate matter and ozone. *Toxicol Sci*, 88, 103.
9. Zhou J, Zhu P, Jiang JL, Zhang Q, Wu ZB, Yao XY, Tang H, Lu N, Yang Y, Chen ZN. (2005) Involvement of CD147 in overexpression of MMP-2 and MMP-9 and enhancement of invasive potential of PMA-differentiated THP-1. *BMC Cell Biol*, 6, 25.
10. Lombard C, Saulnier J, Wallach J. (2005) Assays of matrix metalloproteinases (MMPs) activities: a review. *Biochimie*, 87, 265.
11. Berthelot T, Talbot JC, Lain G, Deleris G, Latxague L. (2005) Synthesis of N epsilon-(7-diethylaminocoumarin-3-carboxyl)- and N epsilon-(7-methoxycoumarin-3-carboxyl)-L-Fmoc lysine as tools for protease cleavage detection by fluorescence. *J Pept Sci*, 11, 153.
12. Pelman GR, Morrison CJ, Overall CM. (2005) Pivotal molecular determinants of peptidic and collagen triple helicase activities reside in the S3' subsite of matrix metalloproteinase 8 (MMP-8): the role of hydrogen bonding potential of ASN188 and TYR189 and the connecting cis bond. *J Biol Chem*, 280, 2370.
13. Chung AW, Radomski A, Alonso-Escalano D, Jurasz P, Stewart MW, Malinski T, Radomski MW. (2004) Platelet-leukocyte aggregation induced by PAR agonists: regulation by nitric oxide and matrix metalloproteinases. *Br J Pharmacol*, 143, 845.
14. Williams TM, Medina F, Badano I, Hazan RB, Hutchinson J, Muller WJ, Chopra NG, Scherer PE, Pestell RG, Lisanti MP. (2004) Caveolin-1 gene disruption promotes mammary tumorigenesis and dramatically enhances lung metastasis in vivo. Role of Cav-1 in cell invasiveness and matrix metalloproteinase (MMP-2/9) secretion. *J Biol Chem*, 279, 51630.
15. Neumann U, Kubota H, Frei K, Ganu V, Leppert D. (2004) Characterization of Mca-Lys-Pro-Leu-Gly-Leu-Dpa-Ala-Arg-NH₂, a fluorogenic substrate with increased specificity constants for collagenases and tumor necrosis factor converting enzyme. *Anal Biochem*, 328, 166.

16. Peppard J, Pham Q, Clark A, Farley D, Sakane Y, Graves R, George J, Norey C. (2003) Development of an assay suitable for high-throughput screening to measure matrix metalloprotease activity. *Assay Drug Dev Technol*, 1, 425.
17. Morgan MR, Thomas GJ, Russell A, Hart IR, Marshall JF. (2004) The integrin cytoplasmic-tail motif EKQKVDLSTDC is sufficient to promote tumor cell invasion mediated by matrix metalloproteinase (MMP)-2 or MMP-9. *J Biol Chem*, 279, 26533.
18. Butler GS, Tam EM, Overall CM. (2004) The canonical methionine 392 of matrix metalloproteinase 2 (gelatinase A) is not required for catalytic efficiency or structural integrity: probing the role of the methionine-turn in the metzincin metalloprotease superfamily. *J Biol Chem*, 279, 15615.
19. Paquette B, Bisson M, Therriault H, Lemay R, Pare M, Banville P, Cantin AM. (2003) Activation of matrix metalloproteinase-2 and -9 by 2- and 4-hydroxyestradiol. *J Steroid Biochem Mol Biol*, 87, 65.
20. Chen Y, Diener K, Patel IR, Kawooya JK, Martin GA, Yamdagni P, Zhang X, Sandrasalpaa A, Sahasrabudhe S, Busch SJ. (2002) Phage display of functional human TNF-alpha converting enzyme catalytic domain: a rapid method for the production of stabilized proteolytic proteins for assay development and high-throughput screening. *J Biomol Screen*, 7, 433.
21. McIntyre JO, Fingleton B, Wells KS, Piston DW, Lynch CC, Gautam S, Matrisian LM. (2004) Development of a novel fluorogenic proteolytic beacon for in vivo detection and imaging of tumour-associated matrix metalloproteinase-7 activity. *Biochem J*, 377, 617.
22. Lauer-Fields JL, Kele P, Sui G, Nagase H, Leblanc RM, Fields GB. (2003) Analysis of matrix metalloproteinase triple-helical peptidase activity with substrates incorporating fluorogenic L- or D-amino acids. *Anal Biochem*, 321, 105.
23. Takino T, Koshikawa N, Miyamori H, Tanaka M, Sasaki T, Okada Y, Seiki M, Sato H. (2003) Cleavage of metastasis suppressor gene product KiSS-1 protein/metastin by matrix metalloproteinases. *Oncogene*, 22, 4617.
24. George J, Teear ML, Norey CG, Burns DD. (2003) Evaluation of an imaging platform during the development of a FRET protease assay. *J Biomol Screen*, 8, 72.
25. Utani A, Momota Y, Endo H, Kasuya Y, Beck K, Suzuki N, Nomizu M, Shinkai H. (2003) Laminin alpha 3 LG4 module induces matrix metalloproteinase-1 through mitogen-activated protein kinase signaling. *J Biol Chem*, 278, 34483.
26. Stefanidakis M, Bjorklund M, Ihanus E, Gahmberg CG, Koivunen E. (2003) Identification of a negatively charged peptide motif within the catalytic domain of progelatinases that mediates binding to leukocyte beta 2 integrins. *J Biol Chem*, 278, 34674.
27. Yasuda T, Poole AR, Shimizu M, Nakagawa T, Julovi SM, Tamamura H, Fujii N, Nakamura T. (2003) Involvement of CD44 in induction of matrix metalloproteinases by a COOH-terminal heparin-binding fragment of fibronectin in human articular cartilage in culture. *Arthritis Rheum*, 48, 1271.
28. Satchell DP, Sheynis T, Shirafuji Y, Kolusheva S, Ouellette AJ, Jelinek R. (2003) Interactions of mouse Paneth cell alpha-defensins and alpha-defensin precursors with membranes. Prosegment inhibition of peptide association with biomimetic membranes. *J Biol Chem*, 278, 13838.
29. DenBesten PK, Yan Y, Featherstone JD, Hilton JF, Smith CE, Li W. (2002) Effects of fluoride on rat dental enamel matrix proteinases. *Arch Oral Biol*, 47, 763.
30. Lauer-Fields JL, Fields GB. (2002) Triple-helical peptide analysis of collagenolytic protease activity. *Biol Chem*, 383, 1095.
31. Park HI, Turk BE, Gerkema FE, Cantley LC, Sang QX. (2002) Peptide substrate specificities and protein cleavage sites of human endometase/matrilysin-2/matrix metalloproteinase-26. *J Biol Chem*, 277, 35168.
32. Kraft PJ, Haynes-Johnson DE, Patel L, Lenhart JA, Zivin RA, Palmer SS. (2001) Fluorescence polarization assay and SDS-PAGE confirms matrilysin degrades fibronectin and collagen IV whereas gelatinase A degrades collagen IV but not fibronectin. *Connect Tissue Res*, 42, 149.

33. Edelstein C, Nakajima K, Pfaffinger D, Scanu AM. (2001) Oxidative events cause degradation of apoB-100 but not of apo[a] and facilitate enzymatic cleavage of both proteins. *J Lipid Res*, 42, 1664.
34. Lin HC, Chang JH, Jain S, Gabison EE, Kure T, Kato T, Fukai N, Azar DT. (2001) Matrilysin cleavage of corneal collagen type XVIII NC1 domain and generation of a 28-kDa fragment. *Invest Ophthalmol Vis Sci*, 42, 2517.
35. Stratmann B, Farr M, Tschesche H. (2001) Characterization of C-terminally truncated human tissue inhibitor of metalloproteinases-4 expressed in *Pichia pastoris*. *Biol Chem*, 382, 987.
36. Chambers MG, Cox L, Chong L, Suri N, Cover P, Bayliss MT, Mason RM. (2001) Matrix metalloproteinases and aggrecanases cleave aggrecan in different zones of normal cartilage but colocalize in the development of osteoarthritic lesions in STR/ort mice. *Arthritis Rheum*, 44, 1455.
37. Schiodt CB, Buchardt J, Terp GE, Christensen U, Brink M, Berger Larsen Y, Meldal M, Foged NT. (2001) Phosphinic peptide inhibitors of macrophage metalloelastase (MMP-12). Selectivity and mechanism of binding. *Curr Med Chem*, 8, 967.
38. Ellerbroek SM, Wu YI, Stack MS. (2001) Type I collagen stabilization of matrix metalloproteinase-2. *Arch Biochem Biophys*, 390, 51.
39. Medina OP, Soderlund T, Laakkonen LJ, Tuominen EK, Koivunen E, Kinnunen PK. (2001) Binding of novel peptide inhibitors of type IV collagenases to phospholipid membranes and use in liposome targeting to tumor cells in vitro. *Cancer Res*, 61, 3978.
40. Lauer-Fields JL, Broder T, Sritharan T, Chung L, Nagase H, Fields GB. (2001) Kinetic analysis of matrix metalloproteinase activity using fluorogenic triple-helical substrates. *Biochemistry*, 40, 5795.
41. Behzadian MA, Wang XL, Windsor LJ, Ghaly N, Caldwell RB. (2001) TGF-beta increases retinal endothelial cell permeability by increasing MMP-9: possible role of glial cells in endothelial barrier function. *Invest Ophthalmol Vis Sci*, 42, 853.
42. Smith VA, Rishmawi H, Hussein H, Easty DL. (2001) Tear film MMP accumulation and corneal disease. *Br J Ophthalmol*, 85, 147.
43. Buchardt J, Schiodt CB, Krog-Jensen C, Delaisse JM, Foged NT, Meldal M. (2000) Solid phase combinatorial library of phosphinic peptides for discovery of matrix metalloproteinase inhibitors. *J Comb Chem*, 2, 624.
44. Ko R, Okano K, Maeda S. (2000) Structural and functional analysis of the *Xestia c-nigrum* granulovirus matrix metalloproteinase. *J Virol*, 74, 11240.
45. Garbett EA, Reed MW, Stephenson TJ, Brown NJ. (2000) Proteolysis in human breast cancer. *Mol Pathol*, 53, 99.
46. Muller JC, Ottl J, Moroder L. (2000) Heterotrimeric collagen peptides as fluorogenic collagenase substrates: synthesis, conformational properties, and enzymatic digestion. *Biochemistry*, 39, 5111.
47. Yu WH, Woessner JF, Jr. (2000) Heparan sulfate proteoglycans as extracellular docking molecules for matrilysin (matrix metalloproteinase 7). *J Biol Chem*, 275, 4183.
48. Toth M, Sado Y, Ninomiya Y, Fridman R. (1999) Biosynthesis of alpha2(IV) and alpha1(IV) chains of collagen IV and interactions with matrix metalloproteinase-9. *J Cell Physiol*, 180, 131.
49. Farr M, Pieper M, Calvete J, Tschesche H. (1999) The N-terminus of collagenase MMP-8 determines superactivity and inhibition: a relation of structure and function analyzed by biomolecular interaction analysis. *Biochemistry*, 38, 7332.
50. Mira E, Manes S, Lacalle RA, Marquez G, Martinez AC. (1999) Insulin-like growth factor I-triggered cell migration and invasion are mediated by matrix metalloproteinase-9. *Endocrinology*, 140, 1657.
51. Renil M, Ferreras M, Delaisse JM, Foged NT, Meldal M. (1998) PEGA supports for combinatorial peptide synthesis and solid-phase enzymatic library assays. *J Pept Sci*, 4, 195.
52. Knauper V, Smith B, Lopez-Otin C, Murphy G. (1997) Activation of progelatinase B (proMMP-9) by active collagenase-3 (MMP-13). *Eur J Biochem*, 248, 369.

53. Itoh M, Osaki M, Chiba T, Masuda K, Akizawa T, Yoshioka M, Seiki M. (1997) Flow injection analysis for measurement of activity of matrix metalloproteinase-7 (MMP-7). *J Pharm Biomed Anal*, 15, 1417.
54. Quesada AR, Barbacid MM, Mira E, Fernandez-Resa P, Marquez G, Aracil M. (1997) Evaluation of fluorometric and zymographic methods as activity assays for stromelysins and gelatinases. *Clin Exp Metastasis*, 15, 26.
55. Chintala SK, Sawaya R, Gokaslan ZL, Rao JS. (1996) Modulation of matrix metalloprotease-2 and invasion in human glioma cells by alpha 3 beta 1 integrin. *Cancer Lett*, 103, 201.
56. Takino T, Sato H, Shinagawa A, Seiki M. (1995) Identification of the second membrane-type matrix metalloproteinase (MT-MMP-2) gene from a human placenta cDNA library. MT-MMPs form a unique membrane-type subclass in the MMP family. *J Biol Chem*, 270, 23013.
57. Bickett DM, Green MD, Wagner C, Roth JT, Berman J, McGeehan GM. (1994) A high throughput fluorogenic substrate for stromelysin (MMP-3). *Ann N Y Acad Sci*, 732, 351.
58. Wilhelm SM, Shao ZH, Housley TJ, Seperack PK, Baumann AP, Gunja-Smith Z, Woessner JF, Jr. (1993) Matrix metalloproteinase-3 (stromelysin-1). Identification as the cartilage acid metalloprotease and effect of pH on catalytic properties and calcium affinity. *J Biol Chem*, 268, 21906.
59. Bickett DM, Green MD, Berman J, Dezube M, Howe AS, Brown PJ, Roth JT, McGeehan GM. (1993) A high throughput fluorogenic substrate for interstitial collagenase (MMP-1) and gelatinase (MMP-9). *Anal Biochem*, 212, 58.