

References for Product 13530

1. De Mello WC, Gerena Y. (2009) Prolonged exposure of cardiac cells to renin plus angiotensinogen reduces intracellular renin in the failing heart. On the role of angiotensin II-AT1 complex internalization. *Regul Pept*, 155, 139.
2. Friis UG, Madsen K, Svenningsen P, Hansen PB, Gulaveerasingam A, Jorgensen F, Aalkjaer C, Skott O, Jensen BL. (2009) Hypotonicity-induced Renin exocytosis from juxtaglomerular cells requires aquaporin-1 and cyclooxygenase-2. *J Am Soc Nephrol*, 20, 2154.
3. Schmiedt CW, Hurley KA, Tong X, Rakhmanova VA, Po CL, Hurley DJ. (2009) Measurement of plasma renin concentration in cats by use of a fluorescence resonance energy transfer peptide substrate of renin. *Am J Vet Res*, 70, 1315.
4. Vargas SL, Toma I, Kang JJ, Meer EJ, Peti-Peterdi J. (2009) Activation of the succinate receptor GPR91 in macula densa cells causes renin release. *J Am Soc Nephrol*, 20, 1002.
5. Wanka H, Kessler N, Ellmer J, Endlich N, Peters BS, Clausmeyer S, Peters J. (2009) Cytosolic renin is targeted to mitochondria and induces apoptosis in H9c2 rat cardiomyoblasts. *J Cell Mol Med*, 13, 2926.
6. Du D, Kato T, Nabi AH, Suzuki F, Park EY. (2008) Expression of functional human (pro)renin receptor in silkworm (*Bombyx mori*) larvae using BmMNPV bacmid. *Biotechnol Appl Biochem*, 49, 195.
7. Feldt S, Batenburg WW, Mazak I, Maschke U, Wellner M, Kvakan H, Dechend R, Fiebeler A, Burckle C, Contrepas A, Jan Danser AH, Bader M, Nguyen G, Luft FC, Muller DN. (2008) Prorenin and renin-induced extracellular signal-regulated kinase 1/2 activation in monocytes is not blocked by aliskiren or the handle-region peptide. *Hypertension*, 51, 682.
8. Glenn ST, Jones CA, Pan L, Gross KW. (2008) In vivo analysis of key elements within the renin regulatory region. *Physiol Genomics*, 35, 243.
9. Hanner F, von Maltzahn J, Maxeiner S, Toma I, Sipos A, Kruger O, Willecke K, Peti-Peterdi J. (2008) Connexin45 is expressed in the juxtaglomerular apparatus and is involved in the regulation of renin secretion and blood pressure. *Am J Physiol Regul Integr Comp Physiol*, 295, R371.
10. Imanishi T, Tsujioka H, Ikejima H, Kuroi A, Takarada S, Kitabata H, Tanimoto T, Muragaki Y, Mochizuki S, Goto M, Yoshida K, Akasaki T. (2008) Renin inhibitor aliskiren improves impaired nitric oxide bioavailability and protects against atherosclerotic changes. *Hypertension*, 52, 563.
11. Morris BJ. (2008) Fluorescence activated cell sorting of transiently transfected As4.1 cells shows renin enhancer directs on/off switching of renin promoter in vitro. *Clin Exp Pharmacol Physiol*, 35, 367.
12. Zacharieva S, Kirilov G, Orbetzova M, Elenkova A, Shigarminova R, Lozanov V, Mitev V. (2008) Homocysteine, renin and aldosterone in patients with Cushing's syndrome. *Methods Find Exp Clin Pharmacol*, 30, 221.
13. Yuan L, Wu J, Aluko RE. (2007) Size of the aliphatic chain of sodium houttuynonate analogs determines their affinity for renin and angiotensin I converting enzyme. *Int J Biol Macromol*, 41, 274.
14. Akasaki T, Ohya Y, Kuroda J, Eto K, Abe I, Sumimoto H, Iida M. (2006) Increased expression of gp91phox homologues of NAD(P)H oxidase in the aortic media during chronic hypertension: involvement of the renin-angiotensin system. *Hypertens Res*, 29, 813.
15. Kang JJ, Toma I, Sipos A, McCulloch F, Peti-Peterdi J. (2006) Imaging the renin-angiotensin system: an important target of anti-hypertensive therapy. *Adv Drug Deliv Rev*, 58, 824.

16. Ma LQ, Zhang LL, Zhang YP, Wang LJ, Li ZB, Cao TB, Liu DY, Zhu ZM. (2006) [Renin-angiotensin system in mesenteric adipose tissues in rats with metabolic syndrome]. *Zhongguo Yi Xue Ke Xue Yuan Xue Bao*, 28, 770.
17. Toma I, Kang JJ, Peti-Peterdi J. (2006) Imaging renin content and release in the living kidney. *Nephron Physiol*, 103, p71.
18. Yuan L, Wu J, Aluko RE, Ye X. (2006) Kinetics of renin inhibition by sodium houttuyfonate analogs. *Biosci Biotechnol Biochem*, 70, 2275.
19. Thomas MC, Tikellis C, Burns WM, Balkowski K, Cao Z, Coughlan MT, Jandeleit-Dahm K, Cooper ME, Forbes JM. (2005) Interactions between renin angiotensin system and advanced glycation in the kidney. *J Am Soc Nephrol*, 16, 2976.
20. Fritsch S, Lindner V, Welsch S, Massfelder T, Grima M, Rothhut S, Barthelmebs M, Helwig JJ. (2004) Intravenous delivery of PTH/PTHRP type 1 receptor cDNA to rats decreases heart rate, blood pressure, renal tone, renin angiotensin system, and stress-induced cardiovascular responses. *J Am Soc Nephrol*, 15, 2588.
21. Lavoie JL, Cassell MD, Gross KW, Sigmund CD. (2004) Localization of renin expressing cells in the brain, by use of a REN-eGFP transgenic model. *Physiol Genomics*, 16, 240.
22. Paschalidou K, Neumann U, Gerhartz B, Tzougraki C. (2004) Highly sensitive intramolecularly quenched fluorogenic substrates for renin based on the combination of L-2-amino-3-(7-methoxy-4-coumaryl)propionic acid with 2,4-dinitrophenyl groups at various positions. *Biochem J*, 382, 1031.
23. Peti-Peterdi J, Fintha A, Fuson AL, Tousson A, Chow RH. (2004) Real-time imaging of renin release in vitro. *Am J Physiol Renal Physiol*, 287, F329.
24. Todorov VT, Volkl S, Muller M, Bohla A, Klar J, Kunz-Schughart LA, Hehlgans T, Kurtz A. (2004) Tumor necrosis factor-alpha activates NF κ B to inhibit renin transcription by targeting cAMP-responsive element. *J Biol Chem*, 279, 1458.
25. Ungvari Z, Csiszar A, Kaminski PM, Wolin MS, Koller A. (2004) Chronic high pressure-induced arterial oxidative stress: involvement of protein kinase C-dependent NAD(P)H oxidase and local renin-angiotensin system. *Am J Pathol*, 165, 219.
26. Franco Mdo C, Akamine EH, Di Marco GS, Casarini DE, Fortes ZB, Tostes RC, Carvalho MH, Nigro D. (2003) NADPH oxidase and enhanced superoxide generation in intrauterine undernourished rats: involvement of the renin-angiotensin system. *Cardiovasc Res*, 59, 767.
27. Voldstedlund M, Thuneberg L, Tranum-Jensen J, Vinten J, Christensen EI. (2003) Caveolae, caveolin and cav-p60 in smooth muscle and renin-producing cells in the rat kidney. *Acta Physiol Scand*, 179, 179.
28. Kajiro T, Nakajima Y, Fukushima T, Imai K. (2002) A method to evaluate the renin-angiotensin system in rat renal cortex using a microdialysis technique combined with HPLC-fluorescence detection. *Anal Chem*, 74, 4519.
29. Nguyen G, Delarue F, Burckle C, Bouzhir L, Giller T, Sraer JD. (2002) Pivotal role of the renin/prorenin receptor in angiotensin II production and cellular responses to renin. *J Clin Invest*, 109, 1417.
30. Paruszewski R, Jaworski P, Winiecka I, Tautt J, Dudkiewicz J. (2002) New renin inhibitors with pseudodipeptidic units in P(1)-P(1') and P(2')-P(3') positions. *Chem Pharm Bull (Tokyo)*, 50, 850.
31. Zurcher H, Van Vooren P, Szpirer J, Szpirer C, Kreutz R. (2002) Assignment of the gene encoding renin binding protein (Renbp) to rat chromosome Xq37 by in situ hybridization and radiation hybrid mapping. *Cytogenet Genome Res*, 97, 277H.
32. Cherkasova OP, Fedorov VI. (2001) [Measurement of plasma renin activity using fluorescent substrate renin]. *Klin Lab Diagn*, 33.
33. Zhao X, White R, Huang BS, Van Huysse J, Leenen FH. (2001) High salt intake and the brain renin-angiotensin system in Dahl salt-sensitive rats. *J Hypertens*, 19, 89.
34. Lefevre G, Gauron S. (2000) Automated quantitative determination of the new renin inhibitor CGP 60536 by high-performance liquid chromatography. *J Chromatogr B Biomed Sci Appl*, 738, 129.
35. Li C, Ansari R, Yu Z, Shah D. (2000) Definitive molecular evidence of renin-angiotensin system in human uterine decidual cells. *Hypertension*, 36, 159.

36. Paruszewski R, Jaworski P, Winiecka I, Tautt J, Dudkiewicz J. (1999) New renin inhibitors with hydrophilic C-terminus. *Pharmazie*, 54, 102.
37. Allen MC, Stafford CG, Nocerini MR. (1997) Quantitation of 4-cyclohexyl-2-hydroxy-3-(3-methylsulfanyl-2-[2-[(morpholine-4-carbonyl)amino]-3-phenylpropionylamino]propi onylamino) butyric acid isopropyl ester (CP-80,794), a renin inhibitor, and its hydrolytic cleavage metabolite 2-[(morpholine-4-carbonyl)amino]-3-phenylpropionic acid (CP-84,364) in dog and human plasma by high-performance liquid chromatography. *J Chromatogr B Biomed Sci Appl*, 696, 243.
38. Brilla CG, Scheer C, Rupp H. (1997) Renin-angiotensin system and myocardial collagen matrix: modulation of cardiac fibroblast function by angiotensin II type 1 receptor antagonism. *J Hypertens Suppl*, 15, S13.
39. Wu LL, Cox A, Roe CJ, Dziadek M, Cooper ME, Gilbert RE. (1997) Secreted protein acidic and rich in cysteine expression after subtotal nephrectomy and blockade of the renin-angiotensin system. *J Am Soc Nephrol*, 8, 1373.
40. Coassolo P, Fischli W, Clozel JP, Chou RC. (1996) Pharmacokinetics of remikiren, a potent orally active inhibitor of human renin, in rat, dog and primates. *Xenobiotica*, 26, 333.
41. Watanabe Y, Ebukuro M, Yagami K, Sugiyama F, Ishida J, Murakami K, Nomura T, Katoh H. (1996) Chromosomal mapping of human angiotensinogen gene and human renin gene by fluorescence in situ hybridization (FISH) in transgenic mice. *Exp Anim*, 45, 265.
42. Morelock MM, Pargellis CA, Graham ET, Lamarre D, Jung G. (1995) Time-resolved ligand exchange reactions: kinetic models for competitive inhibitors with recombinant human renin. *J Med Chem*, 38, 1751.
43. Casellas D, Dupont M, Kaskel FJ, Inagami T, Moore LC. (1993) Direct visualization of renin-cell distribution in preglomerular vascular trees dissected from rat kidney. *Am J Physiol*, 265, F151.
44. Geoghegan KF, Emery MJ, Martin WH, McColl AS, Daumy GO. (1993) Site-directed double fluorescent tagging of human renin and collagenase (MMP-1) substrate peptides using the periodate oxidation of N-terminal serine. An apparently general strategy for provision of energy-transfer substrates for proteases. *Bioconjug Chem*, 4, 537.
45. Paruszewski R, Tautt J, Dudkiewicz J. (1993) Renin inhibitors containing statine and 6-aminohexanoic acid. Part III. *Pol J Pharmacol*, 45, 75.
46. Wang GT, Chung CC, Holzman TF, Krafft GA. (1993) A continuous fluorescence assay of renin activity. *Anal Biochem*, 210, 351.
47. Mori M, Ishizaki K, Serikawa T, Yamada J. (1992) Instability of the minisatellite sequence in the first intron of the rat renin gene and localization of the gene to chromosome 13q13 between FH and PEPC loci. *J Hered*, 83, 204.
48. Nakamura Y, Madey MA, Nishimura H, Quach D, Barajas L. (1992) Lack of control of renin release by adrenergic nervous system in the aglomerular toadfish. *Gen Comp Endocrinol*, 88, 62.
49. Epps DE, Poorman RA, Mandel F, Schostarez HJ. (1991) Determination of dissociation constants of high affinity (pM) human renin inhibitors: application to analogues of ditekiren (U-71,038). *J Med Chem*, 34, 2107.
50. Nakamura N, Satomura S, Matsuura S, Murakami K. (1991) Identification of the active site of human renin with use of new fluorogenic peptides. *J Biochem*, 109, 741.
51. Epps DE, Schostarez H, Argoudelis CV, Poorman R, Hinzmann J, Sawyer TK, Mandel F. (1989) An experimental method for the determination of enzyme-competitive inhibitor dissociation constants from displacement curves: application to human renin using fluorescence energy transfer to a synthetic dansylated inhibitor peptide. *Anal Biochem*, 181, 172.
52. Miyazaki T, Kai M, Ohkura Y. (1989) Determination of renin activity in human plasma by column-switching high-performance liquid chromatography with fluorescence detection. *J Chromatogr*, 490, 43.

53. Epps DE, Mao B, Staples DJ, Sawyer TK. (1988) Structure-conformation relationships of synthetic peptide inhibitors of human renin studied by resonance energy transfer and molecular modeling. *Int J Pept Protein Res*, 31, 22.
54. Epps DE, Poorman R, Hui J, Carlson W, Heinrikson R. (1987) Inaccessibility of tryptophan residues of recombinant human renin to quenching agents. *J Biol Chem*, 262, 10570.
55. Lilly LS, Pratt RE, Alexander RW, Larson DM, Ellison KE, Gimbrone MA, Jr., Dzau VJ. (1985) Renin expression by vascular endothelial cells in culture. *Circ Res*, 57, 312.
56. Poe M, Perlow DS, Boger J. (1985) Interaction of mouse submaxillary gland renin with a statine-containing, subnanomolar, competitive inhibitor. *J Enzyme Inhib*, 1, 13.
57. Quay SC, Heropoulos A, Commes K, Dzau VJ. (1985) Probing the renin active site by collisional quenching of endogenous fluorescence. *J Biol Chem*, 260, 15055.
58. Bichet D, Marc-Aurele J. (1982) Renal intracortical blood flow and renin secretion after denervation by 6-hydroxydopamine. *Can J Physiol Pharmacol*, 60, 184.
59. Narvaez JA, Jimenez E, Reyes A, Garcia-Sanchez F, Morell M. (1982) [A new spectrofluorimetric method for renal renin activity: a comparative study with other methods]. *Rev Esp Fisiol*, 38, 143.
60. Saynavalammi P, Vaalasti A, Pyykonen ML, Ylitalo P, Vapaatalo H. (1982) The effect of renal sympathectomy on blood pressure and plasma renin activity in spontaneously hypertensive and normotensive rats. *Acta Physiol Scand*, 115, 289.
61. Murakami K, Ohsawa T, Hirose S, Takada K, Sakakibara S. (1981) New fluorogenic substrates for renin. *Anal Biochem*, 110, 232.
62. Phat VN, Camilleri JP, Bariety J, Galtier M, Baviera E, Corvol P, Menard J. (1981) Immunohistochemical characterization of renin-containing cells in the human juxtaglomerular apparatus during embryonal and fetal development. *Lab Invest*, 45, 387.
63. Poisner AM, Wood GW, Poisner R, Inagami T. (1981) Localization of renin in trophoblasts in human chorion laeve at term pregnancy. *Endocrinology*, 109, 1150.
64. Camilleri JP, Phat VN, Bariety J, Corvol P, Menard J. (1980) Use of a specific antiserum for renin detection in human kidney. *J Histochem Cytochem*, 28, 1343.
65. Conio G, Ghiani P, Patrone E, Trefiletti V, Uva B, Vallarino M. (1980) Isolation and characterization of multiple forms of renin from bull kidney. *Biochim Biophys Acta*, 623, 317.
66. Fuxe K, Ganter D, Hokfelt T, Locatelli V, Poulsen K, Stock G, Rix E, Taugner R. (1980) Renin-like immunocytochemical activity in the rat and mouse brain. *Neurosci Lett*, 18, 245.
67. Taugner R, Forssmann WG, Ganter D, Schiller A. (1980) Studies on the juxtaglomerular apparatus. VI. Sympathetic innervation, catecholamines and the renin-angiotensin-system in rats and tree-shrews (*Tupaia belangeri*). *Cell Tissue Res*, 212, 375.
68. Galen FX, Devaux C, Grogg P, Menard J, Corvol P. (1978) Fluorimetric assay of renin. *Biochim Biophys Acta*, 523, 485.
69. Weber MA, Stokes GS, Gain JM. (1974) Comparison of the effects on renin release of beta adrenergic antagonists with differing properties. *J Clin Invest*, 54, 1413.
70. Reinhartz A, Roth M. (1969) Studies on renin with synthetic substrates. *Eur J Biochem*, 7, 334.
71. Roth M, Reinhartz A. (1966) [A chemical determination of renin]. *Helv Physiol Pharmacol Acta*, 68, C115.