

## **References for Products 13602 and 13603**

1. Alonso GD, Schoijet AC, Torres HN, Flawia MM. (2006) TcPDE4, a novel membrane-associated cAMP-specific phosphodiesterase from *Trypanosoma cruzi*. *Mol Biochem Parasitol*, 145, 40.
2. Bader S, Kortholt A, Snippe H, Van Haastert PJ. (2006) DdPDE4, a novel cAMP-specific phosphodiesterase at the surface of dictyostelium cells. *J Biol Chem*, 281, 20018.
3. Bolger GB, Baillie GS, Li X, Lynch MJ, Herzyk P, Mohamed A, Mitchell LH, McCahill A, Hundsrucker C, Klussmann E, Adams DR, Houslay MD. (2006) Scanning peptide array analyses identify overlapping binding sites for the signalling scaffold proteins, beta-arrestin and RACK1, in cAMP-specific phosphodiesterase PDE4D5. *Biochem J*, 398, 23.
4. Charlie NK, Thomure AM, Schade MA, Miller KG. (2006) The Dunce cAMP phosphodiesterase PDE-4 negatively regulates G alpha(s)-dependent and G alpha(s)-independent cAMP pools in the *Caenorhabditis elegans* synaptic signaling network. *Genetics*, 173, 111.
5. Diaz-Benjumea R, Laxman S, Hinds TR, Beavo JA, Rascon A. (2006) Characterization of a novel cAMP-binding, cAMP-specific cyclic nucleotide phosphodiesterase (TcrPDEB1) from *Trypanosoma cruzi*. *Biochem J*, 399, 305.
6. Diaz-Benjumea R, Laxman S, Hinds TR, Beavo JA, Rascon A. (2006) Characterization of a novel cAMP-binding, cAMP-specific cyclic nucleotide phosphodiesterase (TcrPDEB1) from *Trypanosoma cruzi*. *Biochem J*, 399, 305.
7. Gross-Langenhoff M, Hofbauer K, Weber J, Schultz A, Schultz JE. (2006) cAMP is a ligand for the tandem GAF domain of human phosphodiesterase 10 and cGMP for the tandem GAF domain of phosphodiesterase 11. *J Biol Chem*, 281, 2841.
8. Han P, Sonati P, Rubin C, Michaeli T. (2006) PDE7A1, a cAMP-specific phosphodiesterase, inhibits cAMP-dependent protein kinase by a direct interaction with C. *J Biol Chem*, 281, 15050.
9. Hill EV, Sheppard CL, Cheung YF, Gall I, Krause E, Houslay MD. (2006) Oxidative stress employs phosphatidyl inositol 3-kinase and ERK signalling pathways to activate cAMP phosphodiesterase-4D3 (PDE4D3) through multi-site phosphorylation at Ser239 and Ser579. *Cell Signal*, 18, 2056.
10. Hsu HT, Chang YC, Chiu YN, Liu CL, Chang KJ, Guo IC. (2006) Leptin interferes with adrenocorticotropin/3',5'-cyclic adenosine monophosphate (cAMP) signaling, possibly through a Janus kinase 2-phosphatidylinositol 3-kinase/Akt-phosphodiesterase 3-cAMP pathway, to down-regulate cholesterol side-chain cleavage cytochrome P450 enzyme in human adrenocortical NCI-H295 cell line. *J Clin Endocrinol Metab*, 91, 2761.
11. Huston E, Gall I, Houslay TM, Houslay MD. (2006) Helix-1 of the cAMP-specific phosphodiesterase PDE4A1 regulates its phospholipase-D-dependent redistribution in response to release of Ca<sup>2+</sup>. *J Cell Sci*, 119, 3799.
12. Huston E, Houslay TM, Baillie GS, Houslay MD. (2006) cAMP phosphodiesterase-4A1 (PDE4A1) has provided the paradigm for the intracellular targeting of phosphodiesterases, a process that underpins compartmentalized cAMP signalling. *Biochem Soc Trans*, 34, 504.
13. Kim MJ, Lee JH, Park SY, Hong KW, Kim CD, Kim KY, Lee WS. (2006) Protection from apoptotic cell death by cilostazol, phosphodiesterase type III inhibitor, via cAMP-dependent protein kinase activation. *Pharmacol Res*, 54, 261.
14. Liu H, Tang JR, Choi YH, Napolitano M, Hockman S, Taira M, Degerman E, Manganiello VC. (2006) Importance of cAMP-response element-binding protein in regulation of expression of the murine cyclic nucleotide phosphodiesterase 3B (Pde3b) gene in differentiating 3T3-L1 preadipocytes. *J Biol Chem*, 281, 21096.
15. Lynch MJ, Hill EV, Houslay MD. (2006) Intracellular targeting of phosphodiesterase-4 underpins compartmentalized cAMP signaling. *Curr Top Dev Biol*, 75, 225.
16. Murray F, Patel HH, Suda RY, Zhang S, Thistlethwaite P, Yuan JX, Insel PA. (2006) Expression and Activity of cAMP Phosphodiesterase Isoforms in Pulmonary Artery

- Smooth Muscle Cells from Patients with Pulmonary Hypertension: Role for PDE1. *Am J Physiol Lung Cell Mol Physiol*.
17. Oelke M, Hedlund P, Albrecht K, Ellinghaus P, Stief CG, Jonas U, Andersson KE, Uckert S. (2006) Expression of cAMP and cGMP-phosphodiesterase isoenzymes 3, 4, and 5 in the human clitoris: immunohistochemical and molecular biology study. *Urology*, 67, 1111.
  18. Oelke M, Hedlund P, Albrecht K, Ellinghaus P, Stief CG, Jonas U, Andersson KE, Uckert S. (2006) Expression of cAMP and cGMP-phosphodiesterase isoenzymes 3, 4, and 5 in the human clitoris: immunohistochemical and molecular biology study. *Urology*, 67, 1111.
  19. Sampaio F. (2006) Expression of cAMP and cGMP-phosphodiesterase isoenzymes 3, 4, and 5 in the human clitoris: immunohistochemical and molecular biology study. *Int Braz J Urol*, 32, 483.
  20. Sampaio FJ. (2006) Immunohistochemical distribution of cAMP- and cGMP-Phosphodiesterase (PDE) isoenzymes in the human prostate. *Int Braz J Urol*, 32, 368.
  21. Sebastiani G, Morissette C, Lagace C, Boule M, Ouellette MJ, McLaughlin RW, Lacombe D, Gervais F, Tremblay P. (2006) The cAMP-specific phosphodiesterase 4B mediates Abeta-induced microglial activation. *Neurobiol Aging*, 27, 691.
  22. Spoto G, della Malva M, Rubini C, Fioroni M, Piattelli A, Serra E, Di Nicola M, Santoleri F. (2006) cAMP phosphodiesterase activity evaluation in human carcinoma of salivary glands. *Nucleosides Nucleotides Nucleic Acids*, 25, 1113.
  23. Stefan E, Wiesner B, Baillie GS, Mollajew R, Henn V, Lorenz D, Furkert J, Santamaria K, Nedvetsky P, Hundsruker C, Beyermann M, Krause E, Pohl P, Gall I, Macintyre AN, Bachmann S, Houslay MD, Rosenthal W, Klussmann E. (2006) Compartmentalization of cAMP-Dependent Signaling by Phosphodiesterase-4D Is Involved in the Regulation of Vasopressin-Mediated Water Reabsorption in Renal Principal Cells. *J Am Soc Nephrol*.
  24. Uckert S, Oelke M, Stief CG, Andersson KE, Jonas U, Hedlund P. (2006) Immunohistochemical distribution of cAMP- and cGMP-phosphodiesterase (PDE) isoenzymes in the human prostate. *Eur Urol*, 49, 740.
  25. Uckert S, Oelke M, Stief CG, Andersson KE, Jonas U, Hedlund P. (2006) Immunohistochemical distribution of cAMP- and cGMP-phosphodiesterase (PDE) isoenzymes in the human prostate. *Eur Urol*, 49, 740.
  26. Zee RY, Brophy VH, Cheng S, Hegener HH, Erlich HA, Ridker PM. (2006) Polymorphisms of the phosphodiesterase 4D, cAMP-specific (PDE4D) gene and risk of ischemic stroke: a prospective, nested case-control evaluation. *Stroke*, 37, 2012.
  27. Zoraghi R, Corbin JD, Francis SH. (2006) Phosphodiesterase-5 Gln817 is critical for cGMP, vardenafil, or sildenafil affinity: its orientation impacts cGMP but not cAMP affinity. *J Biol Chem*, 281, 5553.
  28. Ahmed T, Frey JU. (2005) Phosphodiesterase 4B (PDE4B) and cAMP-level regulation within different tissue fractions of rat hippocampal slices during long-term potentiation in vitro. *Brain Res*, 1041, 212.
  29. Alfonso A, de la Rosa L, Vieytes MR, Yasumoto T, Botana LM. (2003) Yessotoxin, a novel phycotoxin, activates phosphodiesterase activity. Effect of yessotoxin on cAMP levels in human lymphocytes. *Biochem Pharmacol*, 65, 193.
  30. Baillie GS, Sood A, McPhee I, Gall I, Perry SJ, Lefkowitz RJ, Houslay MD. (2003) beta-Arrestin-mediated PDE4 cAMP phosphodiesterase recruitment regulates beta-adrenoceptor switching from Gs to Gi. *Proc Natl Acad Sci U S A*, 100, 940.
  31. Meima ME, Weening KE, Schaap P. (2003) Characterization of a cAMP-stimulated cAMP phosphodiesterase in *Dictyostelium discoideum*. *J Biol Chem*, 278, 14356.
  32. Shepherd M, McSorley T, Olsen AE, Johnston LA, Thomson NC, Baillie GS, Houslay MD, Bolger GB. (2003) Molecular cloning and subcellular distribution of the novel PDE4B4 cAMP-specific phosphodiesterase isoform. *Biochem J*, 370, 429.
  33. Yoshida H, Beltran-Parrazal L, Butler P, Conti M, Charles AC, Weiner RI. (2003) Lowering cyclic adenosine-3',5'-monophosphate (cAMP) levels by expression of a cAMP-specific phosphodiesterase decreases intrinsic pulsatile gonadotropin-releasing hormone secretion from GT1 cells. *Mol Endocrinol*, 17, 1982.

34. Fujishige K, Kotera J, Michibata H, Yuasa K, Takebayashi S, Okumura K, Omori K. (1999) Cloning and characterization of a novel human phosphodiesterase that hydrolyzes both cAMP and cGMP (PDE10A). *J Biol Chem*, 274, 18438.
35. Soderling SH, Bayuga SJ, Beavo JA. (1998) Cloning and characterization of a cAMP-specific cyclic nucleotide phosphodiesterase. *Proc Natl Acad Sci U S A*, 95, 8991.
36. Pooley L, Shakur Y, Rena G, Houslay MD. (1997) Intracellular localization of the PDE4A cAMP-specific phosphodiesterase splice variant RD1 (RNPDE4A1A) in stably transfected human thyroid carcinoma FTC cell lines. *Biochem J*, 321 ( Pt 1), 177.
37. Alfonso A, Estevez M, Louzao MC, Vieytes MR, Botana LM. (1995) Determination of phosphodiesterase activity in rat mast cells using the fluorescent cAMP analogue anthraniloyl cAMP. *Cell Signal*, 7, 513.
38. Wandosell F, Serrano L, Avila J. (1986) A calcium binding protein from *Drosophila melanogaster* which activates cAMP phosphodiesterase: comparison of this protein with porcine brain calmodulin. *Arch Biochem Biophys*, 247, 147.
39. Hiratsuka T. (1982) New fluorescent analogs of cAMP and cGMP available as substrates for cyclic nucleotide phosphodiesterase. *J Biol Chem*, 257, 13354.