

References for Products 15257 and 15258

1. Ying W. (2007) NAD+ and NADH in brain functions, brain diseases and brain aging. *Front Biosci*, 12, 1863.
2. Pacaud-Mercier K, Blaghen M, Lee KM, Tritsch D, Biellmann JF. (2006) Electron transfer from NADH bound to horse liver alcohol dehydrogenase (NAD(+)) dependent dehydrogenase): Visualisation of the activity in the enzyme crystals and adsorption of formazan derivatives by these crystals. *Bioorg Chem*.
3. Gyan S, Shiohira Y, Sato I, Takeuchi M, Sato T. (2006) Regulatory loop between redox sensing of the NADH/NAD(+) ratio by Rex (YdiH) and oxidation of NADH by NADH dehydrogenase Ndh in *Bacillus subtilis*. *J Bacteriol*, 188, 7062.
4. Liguzinski P, Korzeniewski B. (2006) How to keep glycolytic metabolite concentrations constant when ATP/ADP and NADH/NAD+ change. *Syst Biol (Stevenage)*, 153, 332.
5. De Luca T, Morre DM, Zhao H, Morre DJ. (2005) NAD+/NADH and/or CoQ/CoQH₂ ratios from plasma membrane electron transport may determine ceramide and sphingosine-1-phosphate levels accompanying G1 arrest and apoptosis. *Biofactors*, 25, 43.
6. Kimura N, Fukuwatari T, Sasaki R, Shibata K. (2006) Comparison of metabolic fates of nicotinamide, NAD+ and NADH administered orally and intraperitoneally; characterization of oral NADH. *J Nutr Sci Vitaminol (Tokyo)*, 52, 142.
7. Bieganowski P, Seidle HF, Wojcik M, Brenner C. (2006) Synthetic lethal and biochemical analyses of NAD and NADH kinases in *Saccharomyces cerevisiae* establish separation of cellular functions. *J Biol Chem*, 281, 22439.
8. Yang M, Kahn AM. (2006) Insulin-stimulated NADH/NAD+ redox state increases NAD(P)H oxidase activity in cultured rat vascular smooth muscle cells. *Am J Hypertens*, 19, 587.
9. Ying W. (2006) NAD+ and NADH in cellular functions and cell death. *Front Biosci*, 11, 3129.
10. Igarashi K, Yamaguchi Y, Mitsumoto Y, Naya S, Nitta M. (2006) Synthesis, properties, and NAD+-NADH-type redox ability of 14-substituted 1,3-dimethyl-5,10-methanocycloundeca[4,5]pyrrolo[2,3-d]pyrimidine-2,4(1,3h)-dionylum tetrafluoroborates and their hydride adducts. *J Org Chem*, 71, 2690.
11. Vlassenko AG, Rundle MM, Raichle ME, Mintun MA. (2006) Regulation of blood flow in activated human brain by cytosolic NADH/NAD+ ratio. *Proc Natl Acad Sci U S A*, 103, 1964.
12. Shen W, Wei Y, Dauk M, Tan Y, Taylor DC, Selvaraj G, Zou J. (2006) Involvement of a glycerol-3-phosphate dehydrogenase in modulating the NADH/NAD+ ratio provides evidence of a mitochondrial glycerol-3-phosphate shuttle in *Arabidopsis*. *Plant Cell*, 18, 422.
13. Buss GD, Constantin J, de Lima LC, Teodoro GR, Comar JF, Ishii-Iwamoto EL, Bracht A. (2005) The action of quercetin on the mitochondrial NADH to NAD(+) ratio in the isolated perfused rat liver. *Planta Med*, 71, 1118.
14. Dasgupta BR, Antharavally BS, Tepp W, Evenson ML. (2005) Botulinum neurotoxin types A, B, and E: fragmentations by autoproteolysis and other mechanisms including by O-phenanthroline-dithiothreitol, and association of the dinucleotides NAD(+)/NADH with the heavy chain of the three neurotoxins. *Protein J*, 24, 337.
15. Naya S, Nishimura J, Nitta M. (2005) Novel synthesis, properties, and NAD+-NADH type redox ability of 1,3-dimethylcyclohepta[4,5]pyrrolo[2,3-d]pyrimidine- 2,4(1,3h)-dionylum ions annulated with additional pyrrolo[2,3-d]pyrimidine-1,3(2,4h)-dione and furan analogue, and their hydride adducts. *J Org Chem*, 70, 9780.
16. Zhou L, Stanley WC, Saidel GM, Yu X, Cabrera ME. (2005) Regulation of lactate production at the onset of ischaemia is independent of mitochondrial NADH/NAD+: insights from in silico studies. *J Physiol*, 569, 925.
17. Huang X, El-Sayed IH, Yi X, El-Sayed MA. (2005) Gold nanoparticles: catalyst for the oxidation of NADH to NAD(+). *J Photochem Photobiol B*, 81, 76.

18. Abiko T, Obara M, Ushioda A, Hayakawa T, Hodges M, Yamaya T. (2005) Localization of NAD-isocitrate dehydrogenase and glutamate dehydrogenase in rice roots: candidates for providing carbon skeletons to NADH-glutamate synthase. *Plant Cell Physiol*, 46, 1724.
19. Brautigam CA, Chuang JL, Tomchick DR, Machius M, Chuang DT. (2005) Crystal structure of human dihydrolipoamide dehydrogenase: NAD+/NADH binding and the structural basis of disease-causing mutations. *J Mol Biol*, 350, 543.
20. Mori S, Kawai S, Shi F, Mikami B, Murata K. (2005) Molecular conversion of NAD kinase to NADH kinase through single amino acid residue substitution. *J Biol Chem*, 280, 24104.
21. Vilchez C, Weisbrod TR, Chen B, Kremer L, Hazbon MH, Wang F, Alland D, Sacchettini JC, Jacobs WR, Jr. (2005) Altered NADH/NAD+ ratio mediates coresistance to isoniazid and ethionamide in mycobacteria. *Antimicrob Agents Chemother*, 49, 708.
22. Pawlowska J, Priebe W, Paine MJ, Wolf CR, Borowski E, Tarasiuk J. (2004) The ability of new sugar-modified derivatives of antitumor anthracycline, daunorubicin, to stimulate NAD(P)H oxidation in different cellular oxidoreductase systems: NADH dehydrogenase, NADPH cytochrome P450 reductase, and xanthine oxidase. *Oncol Res*, 14, 469.
23. Barron JT, Sasse MF, Nair A. (2004) Effect of angiotensin II on energetics, glucose metabolism and cytosolic NADH/NAD and NADPH/NADP redox in vascular smooth muscle. *Mol Cell Biochem*, 262, 91.
24. Rafaeloff-Phail R, Ding L, Conner L, Yeh WK, McClure D, Guo H, Emerson K, Brooks H. (2004) Biochemical regulation of mammalian AMP-activated protein kinase activity by NAD and NADH. *J Biol Chem*, 279, 52934.
25. Ueda S, Oda M, Imamura S, Ohnishi M. (2004) Kinetic study of the enzymatic cycling reaction conducted with 3alpha-hydroxysteroid dehydrogenase in the presence of excessive thio-NAD(+) and NADH. *Anal Biochem*, 332, 84.
26. Gebicki J, Marcinek A, Zielonka J. (2004) Transient species in the stepwise interconversion of NADH and NAD+. *Acc Chem Res*, 37, 379.
27. Zima AV, Copello JA, Blatter LA. (2004) Effects of cytosolic NADH/NAD(+) levels on sarcoplasmic reticulum Ca(2+) release in permeabilized rat ventricular myocytes. *J Physiol*, 555, 727.
28. Kloot D, Ludtke A, Stoeva S, Osswald H. (2003) Adenosine binding sites at S-adenosylhomocysteine hydrolase are controlled by the NAD+/NADH ratio of the enzyme. *Biochem Pharmacol*, 66, 2117.
29. Brekasis D, Paget MS. (2003) A novel sensor of NADH/NAD+ redox poise in *Streptomyces coelicolor* A3(2). *Embo J*, 22, 4856.
30. Lu Y, Zhao Y, Handoo KL, Parker VD. (2003) Hydride-exchange reactions between NADH and NAD+ model compounds under non-steady-state conditions. Apparent and real kinetic isotope effects. *Org Biomol Chem*, 1, 173.
31. Fjeld CC, Birdsong WT, Goodman RH. (2003) Differential binding of NAD+ and NADH allows the transcriptional corepressor carboxyl-terminal binding protein to serve as a metabolic sensor. *Proc Natl Acad Sci U S A*, 100, 9202.
32. Jin X, Geiger JH. (2003) Structures of NAD(+-) and NADH-bound 1-l-myo-inositol 1-phosphate synthase. *Acta Crystallogr D Biol Crystallogr*, 59, 1154.
33. Kim DH, Marbois BN, Faull KF, Eckhert CD. (2003) Esterification of borate with NAD+ and NADH as studied by electrospray ionization mass spectrometry and 11B NMR spectroscopy. *J Mass Spectrom*, 38, 632.
34. Zu Y, Shannon RJ, Hirst J. (2003) Reversible, electrochemical interconversion of NADH and NAD+ by the catalytic (λ) subcomplex of mitochondrial NADH:ubiquinone oxidoreductase (complex I). *J Am Chem Soc*, 125, 6020.
35. Berrios-Rivera SJ, San KY, Bennett GN. (2002) The effect of NAPRTase overexpression on the total levels of NAD, the NADH/NAD+ ratio, and the distribution of metabolites in *Escherichia coli*. *Metab Eng*, 4, 238.
36. Berrios-Rivera SJ, Bennett GN, San KY. (2002) Metabolic engineering of *Escherichia coli*: increase of NADH availability by overexpressing an NAD(+-)dependent formate dehydrogenase. *Metab Eng*, 4, 217.

37. Lo HC, Fish RH. (2002) Biomimetic NAD(+) models for tandem cofactor regeneration, horse liver alcohol dehydrogenase recognition of 1,4-NADH derivatives, and chiral synthesis. *Angew Chem Int Ed Engl*, 41, 478.
38. Kotlyar AB, Borovok N. (2002) NADH oxidation and NAD⁺ reduction catalysed by tightly coupled inside-out vesicles from *Paracoccus denitrificans*. *Eur J Biochem*, 269, 4020.
39. Hammen PK, Allali-Hassani A, Hallenga K, Hurley TD, Weiner H. (2002) Multiple conformations of NAD and NADH when bound to human cytosolic and mitochondrial aldehyde dehydrogenase. *Biochemistry*, 41, 7156.
40. Neves AR, Ventura R, Mansour N, Shearman C, Gasson MJ, Maycock C, Ramos A, Santos H. (2002) Is the glycolytic flux in *Lactococcus lactis* primarily controlled by the redox charge? Kinetics of NAD(+) and NADH pools determined in vivo by ¹³C NMR. *J Biol Chem*, 277, 28088.
41. Kahn AM, Allen JC, Zhang S. (2002) Insulin increases NADH/NAD⁺ redox state, which stimulates guanylate cyclase in vascular smooth muscle. *Am J Hypertens*, 15, 273.
42. Lo HC, Leiva C, Buriez O, Kerr JB, Olmstead MM, Fish RH. (2001) Bioorganometallic chemistry. 13. Regioselective reduction of NAD(+) models, 1-benzylnicotinamide triflate and beta-nicotinamide ribose-5'-methyl phosphate, with in situ generated [CpRh(Bpy)H](+): structure-activity relationships, kinetics, and mechanistic aspects in the formation of the 1,4-NADH derivatives. *Inorg Chem*, 40, 6705.
43. Luo J, Bruice TC. (2001) Dynamic structures of horse liver alcohol dehydrogenase (HLADH): results of molecular dynamics simulations of HLADH-NAD(+)·PhCH(2)OH, HLADH-NAD(+)·PhCH(2)O(-), and HLADH-NADH·PhCHO. *J Am Chem Soc*, 123, 11952.
44. Warrington RJ, Higson SP. (2001) Polymer modified electrodes for the reversible oxidation-reduction of NAD⁺/NADH for use within amperometric biosensors. *Biomed Sci Instrum*, 37, 75.
45. Mikata Y, Mizukami K, Hayashi K, Matsumoto S, Yano S, Yamazaki N, Ohno A. (2001) NAD/NADH models with axial/central chiralities: superiority of the quinoline ring system. *J Org Chem*, 66, 1590.
46. Berridge MV, Tan AS. (2000) Cell-surface NAD(P)H-oxidase: relationship to trans-plasma membrane NADH-oxidoreductase and a potential source of circulating NADH-oxidase. *Antioxid Redox Signal*, 2, 277.
47. Barron JT, Gu L, Parrillo JE. (2000) NADH/NAD redox state of cytoplasmic glycolytic compartments in vascular smooth muscle. *Am J Physiol Heart Circ Physiol*, 279, H2872.
48. Eaton S, Middleton B, Sherratt HS, Pourfarzam M, Quant PA, Bartlett K. (1999) Control of mitochondrial beta-oxidation at the levels of [NAD⁺]/[NADH] and CoA acylation. *Adv Exp Med Biol*, 466, 145.
49. Alvarez-Gonzalez MI, Saidman SB, Lobo-Castanon MJ, Miranda-Ordieres AJ, Tunon-Blanco P. (2000) Electrocatalytic detection of NADH and glycerol by NAD(+)·modified carbon electrodes. *Anal Chem*, 72, 520.
50. Arcari P, Masullo L, Masullo M, Catanzano F, Bocchini V. (2000) A NAD(P)H oxidase isolated from the archaeon *Sulfolobus solfataricus* is not homologous with another NADH oxidase present in the same microorganism. Biochemical characterization of the enzyme and cloning of the encoding gene. *J Biol Chem*, 275, 895.
51. Hwang K, Jeong DW, Lee JW, Kim IH, Chang HI, Kim HJ, Kim IY. (1999) Alteration of the NAD⁺/NADH ratio in CHO cells by stable transfection with human cytosolic glycerol-3-phosphate dehydrogenase: resistance to oxidative stress. *Mol Cells*, 9, 429.
52. Barron JT, Gu L, Parrillo JE. (1999) Relation of NADH/NAD to contraction in vascular smooth muscle. *Mol Cell Biochem*, 194, 283.
53. Kannurpatti SS, Joshi NB. (1999) Energy metabolism and NAD-NADH redox state in brain slices in response to glutamate exposure and ischemia. *Metab Brain Dis*, 14, 33.
54. de Graef MR, Alexeeva S, Shoep JL, Teixeira de Mattos MJ. (1999) The steady-state internal redox state (NADH/NAD) reflects the external redox state and is correlated with catabolic adaptation in *Escherichia coli*. *J Bacteriol*, 181, 2351.
55. Eaton S, Middleton B, Bartlett K. (1998) Control of mitochondrial beta-oxidation: sensitivity of the trifunctional protein to [NAD⁺]/[NADH] and [acetyl-CoA]/[CoA]. *Biochim Biophys Acta*, 1429, 230.

56. Leonida MD, Sobolov SB, Fry AJ. (1998) FAD-mediated enzymatic conversion of NAD+ to NADH: application to chiral synthesis of L-lactate. *Bioorg Med Chem Lett*, 8, 2819.
57. Veine DM, Arscott LD, Williams CH, Jr. (1998) Redox potentials for yeast, Escherichia coli and human glutathione reductase relative to the NAD+/NADH redox couple: enzyme forms active in catalysis. *Biochemistry*, 37, 15575.
58. Bernhard Teicher H, Vibe Scheller H. (1998) The NAD(P)H dehydrogenase in barley thylakoids is photoactivatable and uses NADPH as well as NADH. *Plant Physiol*, 117, 525.
59. Corneille S, Cournac L, Guedeney G, Havaux M, Peltier G. (1998) Reduction of the plastoquinone pool by exogenous NADH and NADPH in higher plant chloroplasts. Characterization of a NAD(P)H-plastoquinone oxidoreductase activity. *Biochim Biophys Acta*, 1363, 59.
60. Garrigues C, Loubiere P, Lindley ND, Cocaign-Bousquet M. (1997) Control of the shift from homolactic acid to mixed-acid fermentation in *Lactococcus lactis*: predominant role of the NADH/NAD+ ratio. *J Bacteriol*, 179, 5282.
61. Marques-da-Silva AC, D'Avila RB, Ferrari AG, Kelmer-Bracht AM, Constantin J, Yamamoto NS, Bracht A. (1997) Ca²⁺ dependence of gluconeogenesis stimulation by glucagon at different cytosolic NAD(+)–NADH redox potentials. *Braz J Med Biol Res*, 30, 827.
62. Ido Y, Kilo C, Williamson JR. (1997) Cytosolic NADH/NAD+, free radicals, and vascular dysfunction in early diabetes mellitus. *Diabetologia*, 40 Suppl 2, S115.
63. Walker DJ, Burkhardt W, Fioravanti CF. (1997) *Hymenolepis diminuta*: mitochondrial NADH → NAD transhydrogenation and the lipoamide dehydrogenase system. *Exp Parasitol*, 85, 158.
64. Walker DJ, Fioravanti CF. (1995) Mitochondrial NADH → NAD transhydrogenation in adult *Hymenolepis diminuta*. *J Parasitol*, 81, 350.
65. Ramirez R, Sener A, Malaisse WJ. (1995) Hexose metabolism in pancreatic islets: regulation of the mitochondrial NADH/NAD+ ratio. *Biochem Mol Med*, 55, 1.
66. Sueyoshi K, Kleinhofs A, Warner RL. (1995) Expression of NADH-Specific and NAD(P)H-Bispecific Nitrate Reductase Genes in Response to Nitrate in Barley. *Plant Physiol*, 107, 1303.
67. Leskovac V, Trivic S, Anderson BN. (1995) A novel spectrophotometric method for the enzymatic determination of NAD+ and NADH. *Acta Physiol Hung*, 83, 243.