

References for Products 17520-17528

1. Streltsov SA, Gromyko AV, Oleinikov VA, Zhuze AL. (2006) The Hoechst 33258 Covalent Dimer Covers a Total Turn of the Double-stranded DNA. *J Biomol Struct Dyn*, 24, 285.
2. Willis B, Arya DP. (2006) Recognition of B-DNA by neomycin--Hoechst 33258 conjugates. *Biochemistry*, 45, 10217.
3. Correa BJ, Canzio D, Kahane AL, Reddy PM, Bruice TC. (2006) DNA sequence recognition by Hoechst 33258 conjugates of hairpin pyrrole/imidazole polyamides. *Bioorg Med Chem Lett*, 16, 3745.
4. Choi YS, Cho TS, Kim JM, Han SW, Kim SK. (2006) Amine terminated G-6 PAMAM dendrimer and its interaction with DNA probed by Hoechst 33258. *Biophys Chem*, 121, 142.
5. Tanada M, Tsujita S, Sasaki S. (2006) Design of new bidentate ligands constructed of two Hoechst 33258 units for discrimination of the length of two A3T3 binding motifs. *J Org Chem*, 71, 125.
6. Kiser JR, Monk RW, Smalls RL, Petty JT. (2005) Hydration changes in the association of Hoechst 33258 with DNA. *Biochemistry*, 44, 16988.
7. Reddy PM, Toporowski JW, Kahane AL, Bruice TC. (2005) Recognition of a 10 base pair sequence of DNA and stereochemical control of the binding affinity of chiral hairpin polyamide-Hoechst 33258 conjugates. *Bioorg Med Chem Lett*, 15, 5531.
8. Gromyko AV, Popov KV, Mozoleva AP, Strel'tsov SA, Grokhovskii SL, Oleinikov VA, Zhuze AL. (2005) [Ligands with affinity to specific sequence of DNA base pairs. XII. The synthesis and cytological studies of dimeric Hoechst 33258 molecules]. *Bioorg Khim*, 31, 385.
9. Han F, Taulier N, Chalikian TV. (2005) Association of the minor groove binding drug Hoechst 33258 with d(CGCGAATTCGCG)2: volumetric, calorimetric, and spectroscopic characterizations. *Biochemistry*, 44, 9785.
10. Bielawski K, Bielawska A, Anchim T, Wolczynski S. (2005) Synthesis, DNA binding, topoisomerase inhibition and cytotoxic properties of 2-chloroethylnitrosourea derivatives of hoechst 33258. *Biol Pharm Bull*, 28, 1004.
11. Kakkar R, Suruchi, Grover R. (2005) Theoretical study of molecular recognition by Hoechst 33258 derivatives. *J Biomol Struct Dyn*, 23, 37.
12. Sibirtsev VS. (2005) Study of applicability of the bifunctional system "ethidium bromide + Hoechst-33258" for DNA analysis. *Biochemistry (Mosc)*, 70, 449.
13. Disney MD, Stephenson R, Wright TW, Haidaris CG, Turner DH, Gigliotti F. (2005) Activity of Hoechst 33258 against *Pneumocystis carinii* f. sp. *muris*, *Candida albicans*, and *Candida dubliniensis*. *Antimicrob Agents Chemother*, 49, 1326.
14. Harris A, Qu Y, Farrell N. (2005) Unique cooperative binding interaction observed between a minor groove binding Pt antitumor agent and Hoechst dye 33258. *Inorg Chem*, 44, 1196.
15. Saito M, Kobayashi M, Iwabuchi S, Morita Y, Takamura Y, Tamiya E. (2004) DNA condensation monitoring after interaction with hoechst 33258 by atomic force microscopy and fluorescence spectroscopy. *J Biochem (Tokyo)*, 136, 813.
16. Goracci L, Germani R, Savelli G, Bassani DM. (2005) Hoechst 33258 as a pH-sensitive probe to study the interaction of amine oxide surfactants with DNA. *Chembiochem*, 6, 197.
17. Li L, Yang L, Kotin RM. (2005) The DNA minor groove binding agents Hoechst 33258 and 33342 enhance recombinant adeno-associated virus (rAAV) transgene expression. *J Gene Med*, 7, 420.
18. Disney MD, Childs JL, Turner DH. (2004) Hoechst 33258 selectively inhibits group I intron self-splicing by affecting RNA folding. *Chembiochem*, 5, 1647.
19. James PL, Le Strat L, Ellervik U, Bratwall C, Norden B, Brown T, Fox KR. (2004) Effects of a hairpin polyamide on DNA melting: comparison with distamycin and Hoechst 33258. *Biophys Chem*, 111, 205.

20. Reddy PM, Dexter R, Bruice TC. (2004) DNA sequence recognition in the minor groove by hairpin pyrrole polyamide-Hoechst 33258 analogue conjugate. *Bioorg Med Chem Lett*, 14, 3803.
21. Reddy PM, Bruice TC. (2004) Solid-phase synthesis of positively charged deoxynucleic guanidine (DNG) tethering a Hoechst 33258 analogue: triplex and duplex stabilization by simultaneous minor groove binding. *J Am Chem Soc*, 126, 3736.
22. Fanti L, Pimpinelli S. (2004) Analysis of mitosis in squash preparations of larval brains: orcein, Giemsa, Hoechst 33258, DAPI, quinacrine, and N-banding. *Methods Mol Biol*, 247, 325.
23. Kaushik M, Kukreti S. (2003) Temperature induced hyperchromism exhibited by Hoechst 33258: evidence of drug aggregation from UV-melting method. *Spectrochim Acta A Mol Biomol Spectrosc*, 59, 3123.
24. Arya DP, Willis B. (2003) Reaching into the major groove of B-DNA: synthesis and nucleic acid binding of a neomycin-hoechst 33258 conjugate. *J Am Chem Soc*, 125, 12398.
25. Maiti S, Chaudhury NK, Chowdhury S. (2003) Hoechst 33258 binds to G-quadruplex in the promoter region of human c-myc. *Biochem Biophys Res Commun*, 310, 505.
26. Adhikary A, Buschmann V, Muller C, Sauer M. (2003) Ensemble and single-molecule fluorescence spectroscopic study of the binding modes of the bis-benzimidazole derivative Hoechst 33258 with DNA. *Nucleic Acids Res*, 31, 2178.
27. Aleman C, Adhikary A, Zanuy D, Casanova J. (2002) On the protonation equilibrium for the benzimidazole derivative Hoechst 33258: an electronic molecular orbital study. *J Biomol Struct Dyn*, 20, 301.
28. Bunkenborg J, Behrens C, Jacobsen JP. (2002) NMR characterization of the DNA binding properties of a novel Hoechst 33258 analogue peptide building block. *Bioconjug Chem*, 13, 927.
29. Bielawski K, Bielawska A, Wolczynski S. (2002) Synthesis, DNA-binding activity and cytotoxicity of carbamate derivatives of Hoechst 33258 in breast cancer MCF-7 cells. *Biol Pharm Bull*, 25, 916.
30. McGowan KB, Kurtis MS, Lottman LM, Watson D, Sah RL. (2002) Biochemical quantification of DNA in human articular and septal cartilage using PicoGreen and Hoechst 33258. *Osteoarthritis Cartilage*, 10, 580.
31. Palka L, Palka-Santini ME, Chambon S, Renz D, Maurer P, Doerfler W. (2002) Amyloglucosidase suppresses interference by glycogen in the quantification of DNA using the Hoechst 33258 dye. *Biotechniques*, 32, 1250.
32. Canzonetta C, Caneva R, Savino M, Scipioni A, Catalanotti B, Galeone A. (2002) Circular dichroism and thermal melting differentiation of Hoechst 33258 binding to the curved (A₄T₄) and straight (T₄A₄) DNA sequences. *Biochim Biophys Acta*, 1576, 136.
33. Leslie KD, Fox KR. (2002) Interaction of Hoechst 33258 and echinomycin with nucleosomal DNA fragments containing isolated ligand binding sites. *Biochemistry*, 41, 3484.
34. Utsuno K, Tsuboi M, Katsumata S, Iwamoto T. (2002) Visualization of complexes of Hoechst 33258 and DNA duplexes in solution by atomic force microscopy. *Chem Pharm Bull (Tokyo)*, 50, 216.
35. Breusegem SY, Clegg RM, Loontjens FG. (2002) Base-sequence specificity of Hoechst 33258 and DAPI binding to five (A/T)₄ DNA sites with kinetic evidence for more than one high-affinity Hoechst 33258-AATT complex. *J Mol Biol*, 315, 1049.
36. Mizuki H. (2001) In situ staining with DNA-binding fluorescent dye, Hoechst 33258, to detect microorganisms in the epithelial cells of oral leukoplakia. *Oral Oncol*, 37, 521.
37. Bichenkova EV, Frau S, Fedorova OS, Douglas KT. (2001) Binding of a desmetalloporphyrin conjugate of Hoechst 33258 to DNA. III. Strong bonding to single-strand oligonucleotides. *Nucleosides Nucleotides Nucleic Acids*, 20, 157.
38. Frau S, Bichenkova EV, Morris GA, Douglas KT. (2001) Binding of a porphyrin conjugate of Hoechst 33258 to DNA. II. NMR spectroscopic studies detect multiple binding modes to a 12-mer nonself-complementary duplex DNA. *Nucleosides Nucleotides Nucleic Acids*, 20, 145.

39. Frau S, Bichenkova EV, Fedorova OS, Lokhov S, Douglas KT. (2001) Binding of a porphyrin conjugate of Hoechst 33258 to DNA. I. UV-visible and melting studies detect multiple binding modes to a 12-mer nonself-complementary duplex. *Nucleosides Nucleotides Nucleic Acids*, 20, 131.
40. Bostock-Smith CE, Harris SA, Laughton CA, Searle MA. (2001) Induced fit DNA recognition by a minor groove binding analogue of Hoechst 33258: fluctuations in DNA A tract structure investigated by NMR and molecular dynamics simulations. *Nucleic Acids Res*, 29, 693.
41. Adhikary A, Bothe E, Jain V, Von Sonntag C. (2000) Pulse radiolysis of the DNA-binding bisbenzimidazole derivatives Hoechst 33258 and 33342 in aqueous solutions. *Int J Radiat Biol*, 76, 1157.
42. Pintado B, de la Fuente J, Roldan ER. (2000) Permeability of boar and bull spermatozoa to the nucleic acid stains propidium iodide or Hoechst 33258, or to eosin: accuracy in the assessment of cell viability. *J Reprod Fertil*, 118, 145.
43. Cho J, Rando RR. (2000) Specific binding of Hoechst 33258 to site 1 thymidylate synthase mRNA. *Nucleic Acids Res*, 28, 2158.
44. Gavathiotis E, Sharman GJ, Searle MS. (2000) Sequence-dependent variation in DNA minor groove width dictates orientational preference of Hoechst 33258 in A-tract recognition: solution NMR structure of the 2:1 complex with d(CTTTGCAAAAG)(2). *Nucleic Acids Res*, 28, 728.