References for Products 2020-2026

- 1. Nishikata M, Yoshimura Y, Deyama Y, Suzuki K. (2006) Continuous assay of protein tyrosine phosphatases based on fluorescence resonance energy transfer. Biochimie, 88, 879.
- Sudo K, Yamaji K, Kawamura K, Nishijima T, Kojima N, Aibe K, Shimotohno K, Shimizu Y. (2005) High-throughput screening of low molecular weight NS3-NS4A protease inhibitors using a fluorescence resonance energy transfer substrate. Antivir Chem Chemother, 16, 385.
- 3. Puzer L, Cotrin SS, Cezari MH, Hirata IY, Juliano MA, Stefe I, Turk D, Turk B, Juliano L, Carmona AK. (2005) Recombinant human cathepsin X is a carboxymonopeptidase only: a comparison with cathepsins B and L. Biol Chem, 386, 1191.
- 4. George J, Teear ML, Norey CG, Burns DD. (2003) Evaluation of an imaging platform during the development of a FRET protease assay. J Biomol Screen, 8, 72.
- 5. Sehgal D, Schiaffella E, Anderson AO, Mage RG. (2000) Generation of heterogeneous rabbit anti-DNP antibodies by gene conversion and hypermutation of rearranged VL and VH genes during clonal expansion of B cells in splenic germinal centers. Eur J Immunol, 30, 3634.
- 6. Le Morvan C, Deschaux P, Troutaud D. (1996) Effects and mechanisms of environmental temperature on carp (Cyprinus carpio) anti-DNP antibody response and non-specific cytotoxic cell activity: a kinetic study. Dev Comp Immunol, 20, 331.
- 7. Mammen M, Gomez FA, Whitesides GM. (1995) Determination of the binding of ligands containing the N-2,4-dinitrophenyl group to bivalent monoclonal rat anti-DNP antibody using affinity capillary electrophoresis. Anal Chem, 67, 3526.
- Imaoka K, Ushijima H, Inouye S, Takahashi T, Kojima Y. (1994) [Effects of Celosia argentea and Cucurbita moschata extracts on anti-DNP IgE antibody production in mice]. Arerugi, 43, 652.
- 9. Imaoka K, Inouye S, Takahashi T, Kojima Y. (1993) [Effects of Perilla frutescens extract on anti-DNP IgE antibody production in mice]. Arerugi, 42, 74.
- 10. Hagen M, Morrison B, Robbinson D, Strejan GH. (1992) Effect of anti-DNP IgG1- and IgG2a-secreting hybridomas in vivo on the development of an anti-DNP IgE antibody response in mice. Int Arch Allergy Immunol, 97, 146.
- 11. Varga JM, Kalchschmid G, Klein GF, Fritsch P. (1991) Mechanism of allergic crossreactions--II. Cross-stimulation, by chemically unrelated ligands, of rat basophilic leukemia cells sensitized with an anti-DNP IgE antibody. Mol Immunol, 28, 655.
- 12. Varga JM, Kalchschmid G, Klein GF, Fritsch P. (1991) Mechanism of allergic crossreactions--I. Multispecific binding of ligands to a mouse monoclonal anti-DNP IgE antibody. Mol Immunol, 28, 641.
- 13. Varga JM, Klein GF, Fritsch P. (1990) Binding of a mouse monoclonal IgE (anti-DNP) antibody to radio-derivatized polystyrene-DNP complexes. Faseb J, 4, 2678.
- 14. Katayama I, Tanei R, Yokozeki H, Nishioka K, Dohi Y. (1990) Induction of eczematous skin reaction in experimentally induced hyperplastic skin of Balb/C mice by monoclonal anti-DNP IgE antibody: possible implications for skin lesion formation in atopic dermatitis. Int Arch Allergy Appl Immunol, 93, 148.
- 15. Coleman JW. (1988) A kinetic analysis of the in vitro sensitization of murine peritoneal mast cells with monoclonal IgE anti-DNP antibody. Immunology, 64, 527.
- 16. Yakoleff V, Larralde C. (1988) Antibody targeting in vivo: binding of anti-DNP antibodies to implanted silk-DNP as a model of specific antibodies binding to localized antigens. Bol Estud Med Biol, 36, 43.
- 17. Okitsu-Negishi S, Furusawa S, Yoshino K, Abe T. (1988) The suppressive effect of histamine on anti-DNP antibody production in mice. Int Arch Allergy Appl Immunol, 86, 391.

- 18. Brown AR, Fried VA. (1987) Two BALB/c anti-arsonate idiotype families: two heavy chain variable regions (Vh) shared with anti-DNP antibodies are used by one family while a Vh similar to anti-GAT antibodies is used by the other. Mol Immunol, 24, 391.
- 19. Kobayashi R. (1986) Detection and classification of murine anti-DNP immunoglobulins in hybridoma supernatants by latex agglutination methods. Nihon Hoigaku Zasshi, 40, 762.
- 20. Tuset N, Gras J. (1986) [Parallelism between the kinetics of cross-reaction responses (anti-TNP and anti-DNP) and differences from the anti-LPS response when challenged with TNP-LPS immunization]. Allergol Immunopathol (Madr), 14, 489.
- 21. Beining PR, Merchant B, Lizzio EF, Hoffman T. (1986) Suppression of B cell immunity to DNP by serotherapy with monoclonal anti-DNP antibodies. Effect of the treatment schedule on the magnitude of specific suppression and its duration. Transplantation, 42, 524.
- 22. Loseva OI, Tischenko VM, Olsovska Z, Franek F, Zav'yalov VP. (1986) Correlation of the character of intramolecular melting with digestibility by pepsin in precipitating and non-precipitating pig anti-Dnp antibodies. Mol Immunol, 23, 743.
- 23. Coleman JW, Yeung JH, Tingle MD, Park BK. (1986) Enzyme-linked immunosorbent assay (ELISA) for detection of antibodies to protein-reactive drugs and metabolites: criteria for identification of antibody activity. Detection and hapten specificity of anti-DNP, anti-captopril and anti-sulphanilamidobenzoic acid. J Immunol Methods, 88, 37.
- 24. Schultz KT, Halliwell RE. (1985) The induction and kinetics of an anti-DNP IgE response in dogs. Vet Immunol Immunopathol, 10, 205.
- 25. Bohn A, Konig W. (1985) Monoclonal murine anti-DNP IgE: in vitro histamine release of rat mast cells in the presence of reaginic rat and mouse sera. Agents Actions, 16, 485.
- 26. Dintzis RZ, Middleton MH, Dintzis HM. (1985) Inhibition of anti-DNP antibody formation by high doses of DNP-polyacrylamide molecules; effects of hapten density and hapten valence. J Immunol, 135, 423.
- 27. Gray D, Chassoux D, MacLennan IC, Bazin H. (1985) Selective depression of thymusindependent anti-DNP antibody responses induced by adult but not neonatal splenectomy. Clin Exp Immunol, 60, 78.
- 28. Tsao BP, Aldo-Benson MA. (1984) Central suppression of monoclonal B cells: DNP-MGG suppresses proliferation and immunoglobulin synthesis in anti-DNP-secreting hybridoma and myeloma. Cell Immunol, 88, 96.
- 29. Saito K, Ishii N, Ohama Y, Yukiyama Y, Hirose S. (1984) [Influence of anti-DNP antibody on the inactivation of factor B by DNP-carrier]. Ryumachi, 24, 25.
- 30. Stanley C, Lew AM, Steward MW. (1983) The measurement of antibody affinity: a comparison of five techniques utilizing a panel of monoclonal anti-DNP antibodies and the effect of high affinity antibody on the measurement of low affinity antibody. J Immunol Methods, 64, 119.
- 31. Kiefer CR, McGuire BS, Jr., Osserman EF, Garver FA. (1983) The modeled structure of the IgG Gar VL region and its implications for anti-flavin and anti-DNP fine specificities. J Immunol, 131, 1871.
- 32. Ray MC, Tharp MD, Sullivan TJ, Tigelaar RE. (1983) Contact hypersensitivity reactions to dinitrofluorobenzene mediated by monoclonal IgE anti-DNP antibodies. J Immunol, 131, 1096.
- 33. Matsuzawa S, Kimura H, Kobayashi R, Itoh Y, Bannai Y. (1983) Quantitation of DNP, digoxin, HCG and anti-DNP antibody by electronic data processing of latex antiglobulin reaction results. J Immunol Methods, 60, 197.
- 34. Kaivarainen AI, Rozhkov SP, Franek F, Olsovska Z. (1983) Intramolecular motility in anti-Dnp antibodies and in their Fab fragments. EPR spectra of the complexes with a spinlabelled hapten in H2O-D2O mixtures at various temperatures. Folia Biol (Praha), 29, 209.
- 35. Amor M, Mariame B, Voegtle D, Cazenave PA. (1982) The idiotypic network: the murine MOPC315 anti-DNP system. Ann Immunol (Paris), 133D, 255.
- 36. Bohn A, Konig W. (1982) Generation of monoclonal murine anti-DNP-IgE, IgM and IgG1 antibodies: biochemical and biological characterization. Immunology, 47, 297.

- 37. Miklos K, Kulics J, Franek F, Fust G, Gergely J. (1982) Complement-mediated fragmentation of soluble and insoluble immune complexes containing porcine anti-DNP antibodies. Mol Immunol, 19, 307.
- 38. Kato K, Yamamoto K. (1982) Induction of anti-DNP IgE response by DNP-coupled BCG in mice. Int Arch Allergy Appl Immunol, 69, 68.
- 39. Morimoto C, Todd RF, 3rd, Distaso JA, Schlossman SF. (1981) The role of the macrophage in in vitro primary anti-DNP antibody production in man. J Immunol, 127, 1137.
- 40. Morimoto C, Reinherz EL, Schlossman SF. (1981) Regulation of in vitro primary anti-DNP antibody production by functional subsets of T lymphocytes in man. J Immunol, 127, 69.
- 41. Taniuchi S, Honjoh T, Tamoto K, Nakamura T, Koyama J. (1981) Different affinities of mono-, di- and tri-DNP- ribonuclease A for anti-DNP antibody. Mol Immunol, 18, 301.
- 42. Hubbard DA, Lee WY, Sehon AH. (1981) Suppression of the anti-DNP IgE response with tolerogenic conjugates of DNP with polyvinyl alcohol. I. Specific suppression of the anti-DNP IgE response. J Immunol, 126, 407.
- 43. Lee WY, Sehon AH. (1981) Suppression of the anti-DNP IgE response with tolerogenic conjugates of DNP with polyvinyl alcohol. II. Induction of hapten-specific suppressor T cells. J Immunol, 126, 414.
- 44. Montgomery PC, Lemaitre-Coelho IM, Vaerman JP. (1981) The induction and expression of IgA anti-DNP antibodies in rat bile and secretions. Scand J Immunol, 13, 587.
- 45. Montgomery PC, Lemaitre-Coelho IM, Vaerman JP. (1980) Molecular diversity of secretory IgA anti-DNP antibodies elicited in rat bile. J Immunol, 125, 518.
- 46. Eshhar Ż, Ōfarim M, Waks T. (1980) Generation of hybridomas secreting murine reaginic antibodies of anti-DNP specificity. J Immunol, 124, 775.
- 47. Leiblein S, Malberg K, Ambrosius H. (1980) [Additive suppressive effect of Freund's complete adjuvant on the specific inhibition of anti-DNP immunoreaction (author's transl)]. Allerg Immunol (Leipz), 26, 46.
- 48. Ishizaka S, Otani S, Morisawa S. (1979) Anti-DNP antibody responses to DNP-histone H1 in mice. Immunology, 38, 569.
- 49. Zeldis JB, Riblet R, Konigsberg WH, Richards FF, Rosenstein RW. (1979) The location and expression of idiotypic determinants in the immunoglobulin variable region--III. Expression of the protein 315 and 460 idiotypic determinants in mouse anti-Dnp antibodies. Mol Immunol, 16, 657.
- 50. Greenberg AH, Lydyard PM. (1979) Observations of IgG1 anti-DNP hybridoma-mediated ADCC and the failure of three IgM anti-DNP hybridomas to mediate ADCC. J Immunol, 123, 861.
- 51. Franek F, Saber MA, Doskocil J, Novotny J, Fust G. (1979) Non-antibody components in porcine anti-DNP antibody preparations obtained by affinity chromatography. Mol Immunol, 16, 389.
- 52. Sykulev YK, Timofeev VP, Nezlin RS, Misharin AY, Franek F. (1979) Spin-label study of segmental flexibility of anti-hapten antibodies. Precipitating pig anti-Dnp antibody is more flexible than non-precipitating. FEBS Lett, 101, 27.
- 53. Ikeda H, Takizawa K, Yamamoto T, Odaka T. (1979) Genetic control of anti-DNP response to DNP-BSA given by continuous infusion technique. J Immunogenet, 6, 129.
- 54. DeHeer DH, Edgington TS. (1979) Relationship between antibody affinity and hemolytic plaque diameter. I. Purified anti-DNP antibody. J Immunol, 122, 980.
- 55. Ishizaka S, Otani S, Morisawa S. (1979) Thymus-independent anti-DNP antibody responses to DNP-casein and DNP-gelatin. Microbiol Immunol, 23, 471.
- 56. Fiebig H, Scherbaum I, Nuhn P, Ambrosius H. (1979) [Studies on the control of IgMantibody synthesis V. Affinity of anti-DNP antibodies in carps immunized with DNP-ficoll (author's transl)]. Allerg Immunol (Leipz), 25, 75.
- 57. Kijlstra A, Knutson DW, Daha MR, van És LÁ. (1979) Clearance and glomerular localization of preformed DNP anti-DNP immune complexes. Scand J Immunol, 10, 421.
- 58. Machulla HK, Richter RF, Gruhn R, Ambrosius H. (1979) [Studies of the antibody heterogeneity in carp (Cyprinus carpio L.). I. Electrophoretic and isoelectric spectra of anti-DNP-antibodies]. Acta Biol Med Ger, 38, 1607.

- 59. Tuset N, Gras J, Brugulat P. (1978) Natural anti-DNP antibodies in normal and pathological human sera. Biomedicine, 29, 261.
- 60. Cser L, Franek F, Gladkikh IA, Nezlin RS, Novotny J, Ostanevich YM. (1978) Distance between two binding sites of the molecule: a neutron small-angle scattering study of pig anti-Dnp antibody complexed with mono-Dnp-dextran. FEBS Lett, 93, 312.
- 61. Montgomery PC, Skandera CA. (1978) Molecular heterogeneity of secretory IgA anti-DNP antibodies. J Immunol, 121, 111.
- 62. Warner CM, Berntson TJ, Eakley L, McIvor JL, Newton RC. (1978) The immune response of allophenic mice to 2,4-dinitrophenyl (DNP)-bovine gamma globulin. I. Allotype analysis of anti-DNP antibody. J Exp Med, 147, 1849.
- 63. Hagins DM, Bray VH, Henke J, Lovins RE. (1978) A comparison of the N-terminal amino acid sequences of early and late pools of anti-DNP and anti-DNP-paminobenzoylglutamate antibody light chains. Immunology, 34, 853.
- Penfold PL, Walker LC, Roitt IM. (1978) Complex arming in antibody-dependent cellmediated cytotoxicity: ultrastructural studies of the interaction between human effector cells armed with aggregated anti-DNP antibody and DNP-coated erythrocytes. Clin Exp Immunol, 31, 197.
- 65. Andersson K, Benyamin Y, Douzou P, Balny C. (1978) Organic solvents and temperature effects on desorption from immunoadsorbents. DNP-BSA anti-DNP as a model. J Immunol Methods, 23, 17.
- 66. Fiebig H, Gruhn R, Ambrosius H. (1977) Studies on the control of IgM antibody synthesis--III. Preferential formation of anti-DNP-antibodies of high functional affinity in the course of the immune response in carp. Immunochemistry, 14, 721.
- 67. Takahashi C, Nishikawa S, Katsura Y, Izumi T. (1977) Anti-DNP antibody response after the topical application of DNFB in mice. Immunology, 33, 589.
- 68. Cser L, Franek F, Gladkikh IA, Nezlin RS, Novotny J, Ostanevich YM. (1977) Neutron small-angle scattering study on two different precipitin types of pig anti-Dnp antibodies. FEBS Lett, 80, 329.
- 69. Celis E, Ridaura R, Larralde C. (1977) Effects of the extent of DNP substitution on the apparent affinity constant and cooperation between sites in the reactions of dinitrophenylated human serum albumin with anti-DNP and anti-HSA antibodies coupled to agarose. Immunochemistry, 14, 553.
- 70. Takahashi C. (1977) [Anti-DNP antibody response after the painting with DNFB in mice (author's transl)]. Nippon Hifuka Gakkai Zasshi, 87, 427.
- 71. Fust G, Medgyesi A, Franek F. (1977) Complement consumption by immune complexes containing various pig anti-DNP antibodies and DNP-serum albumin. Immunochemistry, 14, 259.
- 672. Furuichi K, Nakamura T, Koyama J. (1977) Sequential IgM and IgG2 anti-DNP antibody responses against DNP-E. coli and DNP-lipopolysacchardies in guinea-pigs. Immunology, 32, 435.
- 73. Kijlstra A, Knutson DW, van der Lelij A, van Es LA. (1977) Characteristics of soluble immune complexes prepared from oligovalent DNP conjugates and anti-DNP antibodies. J Immunol Methods, 17, 263.
- 74. Gruhn R, Fiebig H, Ambrosius H. (1977) [Regulation of the IgM immune response. II. Effect of the valence and affinity of carp anti-DNP-antibodies on the binding constant to multivalent DNP-T4-bacteriophage conjugates]. Acta Biol Med Ger, 36, 87.
- 75. Fiebig H, Ambrosius H. (1977) [Regulation of the IgM immune response. I. Changes in the affinity of carp anti-DNP-antibodies during immunization depending on the antigen dose]. Acta Biol Med Ger, 36, 79.
- 76. Machida A, Kumazawa Y, Mizunoe K. (1977) Regulation of anti-hapten antibody response by chemically modified carrier antigen preferentially provoking delayed-type hypersensitivity (DTH). II. DTH-reactivity and carrier-specific suppression of anti-DNP antibody response induced by priming with dodecanoyl-BSA are mediated by functionally distinct T cell subpopulations. Microbiol Immunol, 21, 439.

- 77. Mukkur TK, Fang WD. (1976) Interaction of epsilon-dinitrophenyl (DNP)-L-lysine with bovine colostral anti-DNP immunoglobulin G1 (IgG1): concentration independence. Anal Biochem, 75, 183.
- 78. Wie SI, Froese A, Dorrington KJ. (1976) Properties of bovine colostral IgG1 anti-DNP antibodies--II. Circular dichroism studies. Immunochemistry, 13, 697.
- 79. Kishimoto T, Hirai Y, Suemura M, Yamamura Y. (1976) Regulation of antibody response in different immunoglobulin classes. I. Selective suppression of anti-DNP IgE antibody response by preadministration of DNP-coupled mycobacterium. J Immunol, 117, 396.
- 80. Wie SI, Kelly KA, Froese A. (1976) Properties of bovine colostral IgG1 anti-DNP antibodies--I. Isolation and binding studies. Immunochemistry, 13, 689.
- 81. Chaichanawong S, Sirisinha S. (1976) Anti-DNP response in gibbons (Hylobates Iar). Immunochemistry, 13, 623.
- 82. Furuichi K, Kato M, Nakamura T, Koyama J. (1976) Further evidence for preferential production of IgG2 anti-DNP antibody in guinea pigs immunized with DNP-Escherichia coli. Immunochemistry, 13, 455.
- 83. Lahat N, Moroz C. (1976) A new T cell neoplasm expressing surface anti-DNP activity, developed from the thymus of mice bearing MOPC-315 plasma cell tumors. Adv Exp Med Biol, 66, 477.
- 84. Margni RA, Hajos SE, Cordal ME, Quiroga S. (1976) The haemagglutinating activity of different anti-DNP antibody populations when dinitrophenylated sheep and human red cells are used as agglutinogen. J Immunol Methods, 13, 51.
- 85. Mitchell GF, Lewers HM. (1976) Studies on immune responses to parasite antigens in mice. IV. Inhibition of an anti-DNP antibody response with the antigen, DNP-Ficoll containing phosphorylcholine. Int Arch Allergy Appl Immunol, 52, 235.
- 86. Chism GE, Woehler ME, Lovins RE. (1975) N-bromosuccinimide oxidation of anti-DNP and anti-DNP-p-aminobenzoylglutamate antibodies in the presence and absence of protecting hapten. Immunology, 29, 1153.
- 87. Lindeman JG, Woodard DK, Woehler ME, Chism GE, Lovins RE. (1975) Affinity labeling of anti-DNP, anti-DNP-glycylglycylglycine and anti-DNP-p-aminobenzoylglutamanate antibodies with 2,4-dinitrophenyl-epsilon-aminocaproyl diazoketone and 2,4-dinitrophenyl-p-aminobenzoyl diazoketone. Immunochemistry, 12, 849.
- 88. Montgomery PC, Rockey JH, Kahn RL, Skandera CA. (1975) Molecular restriction of anti-DNP antibodies induced by (DNP)2-gramicidin S. J Immunol, 115, 904.
- 89. Hoffmeister MJ, Voss EW, Jr. (1975) Hapten-binding capacity and population heterogeneity of chicken anti-Dnp IgG antibody. Immunochemistry, 12, 745.
- 90. Mitchell GF. (1975) Promotion of secondary anti-DNP antibody production in mice by type III pneumococcal polysaccharide (SIII) and dinitrophenylated rabbit antibody to SIII. Immunology, 29, 39.
- 91. Sharon R, McMaster PR, Kask AM, Owens JD, Paul WE. (1975) DNP-Lys-ficoll: a Tindependent antigen which elicits both IgM and IgG anti-DNP antibody-secreting cells. J Immunol, 114, 1585.
- 92. Willcox HN, McMichael AJ. (1975) Radioactive antigen suicide of an anti-DNP (2,4dinitrophenyl) clone. II. Follow-up of clones relatively resistant to radioactive antigen suicide when initially selected. Eur J Immunol, 5, 131.
- 93. McMichael AJ, Willcox N. (1975) Radioactive antigen suicide of an anti-DNP (2,4dinitrophenyl) clone. I. Recovery and escape from clonal dominance by suicide resistant precursors. Eur J Immunol, 5, 58.
- 94. Hoffmeister MJ, Voss EW, Jr. (1974) Binding of epsilon-DNP-L-lysine exceeding two moles by purified chicken IgG anti-DNP antibody. Immunochemistry, 11, 641.
- 95. Emmings FG, Genco RJ. (1974) Combined immunofluorescent staining for the simultaneous detection of anti-DNP antibody and immunoglobulin class in the same cell. J Immunol Methods, 5, 323.
- 96. Riesen W, Morell A. (1974) Multiple binding functions of sheep anti-DNP antibodies. Experientia, 30, 973.

- 97. Granato D, Braun DG, Vassalli P. (1974) Induction of anti-DNP antibodies: suppressive effect of circulating anti-idiotypic antibodies to mouse myeloma protein MOPC 315. J Immunol, 113, 416.
- 98. Montgomery PC, Rosner BR, Cohn J. (1974) The secretory antibody response. Anti-DNP antibodies induced by dinitrophenylated type 3 pneumococcus. Immunol Commun, 3, 143.
- 99. Mukkur TK, Tewari UJ. (1973) Physico-chemical and biological properties of the subunits of bovine colostral anti-DNP immunoglobulin M (IgM). Immunochemistry, 10, 477.
- 100. Montgomery PC, Pincus JH. (1973) Molecular restriction of anti-DNP antibodies induced by dinitrophenylated type 3 pneumococcus. J Immunol, 111, 42.
- 101. Werblin TP, Kim YT, Mage R, Benacerraf B, Siskind GW. (1973) The generation of antibody diversity. I. Studies on the population distribution of anti-DNP antibody affinities and on the influence of allotype on antibody affinity and concentration. Immunology, 25, 17.
- 102. Margni RA, Hajos S. (1973) Biological and physicochemical properties of purified anti-DNP guinea-pig non-precipitating antibodies. Immunology, 24, 435.
- 102. Malberg K. (1973) [The sensitivity of TNP and DNP sheep erythrocytes for the determination of anti-DNP plaque producing cells using Jerne's technic]. Acta Biol Med Ger, 30, 145.
- 104. Larralde C, Janof P. (1972) The effects of the DNP:HSA molar ratio on the quantity and the affinity of rat anti-DNP antibodies in the primary response. Immunochemistry, 9, 1209.
- 105. Trump GN. (1972) Preparation of dinitrofluorobenzene-treated sheep erythrocytes for detection of anti-DNP plaque-forming cells. J Immunol, 109, 754.
- 106. Larralde C, Farber S. (1972) Confidence intervals for affinity constants, heterogeneity indices and concentration of reactive sites estimated by the 50 percent ammonium sulphate method on rat's anti-DNP sera. Immunochemistry, 9, 699.
- 107. Miller GW, Segre D. (1972) Determination of relative affinity and heterogeneity of mouse anti-DNP antibodies by a plaque-inhibition technique. J Immunol, 109, 74.
- 108. Rosenquist GL, Hoffman RZ. (1972) The production of anti-DNP antibody in the bullfrog, Rana catesbiana. J Immunol, 108, 1499.
- 109. Leslie GA, Clem LW. (1972) Phylogeny of immunoglobulin structure and function. VI. 17S, 7.5S and 5.7S anti-DNP of the turtle, Pseudamys scripta. J Immunol, 108, 1656.
- 110. Benedict AA, Roholt OA, Yamaga K, Pressman D. (1972) Peptides from the site of chicken anti-DNP antibodies. Immunol Commun, 1, 279.
- 111. Segre M, Segre D. (1972) Anti-DNP hemolytic plaques by mouse spleen cells in diffusion chambers. Immunol Commun, 1, 143.
- 112. Ambrosius H, Frenzel EM. (1972) Anti-DNP antibodies in carps and tortoises. Immunochemistry, 9, 65.
- 113. Orr TS, Gwilliam J, Cox JS. (1971) Studies on passive cutaneous anaphylaxis in the rat with disodium cromoglycate. II. A comparison of the rat anti-dnp 7S 2 and rat reagin induced cutaneous reactions. Immunology, 21, 405.
- 114. Kulberg AI, Bartova LM, Shmelieva NE. (1971) Interaction of anti-DNP rabbit antibody with peptid Fab' fragment of homologous IgG. Immunochemistry, 8, 733.
- 115. Duke LJ, Harshman S. (1971) In vitro induction of anti-DNP antibody by immunogenic RNA from rabbit liver. Immunochemistry, 8, 431.
- 116. Comoglio PM. (1970) Affinity constant of anti-DNP secretory IgA. G Batteriol Virol Immunol, 63, 739.
- 117. Pinto M, More R, Rimon A. (1970) Enhancement of rabbit homologous skin sensitization by chemical modification of anti-DNP antibody. Immunology, 19, 481.
- 118. Orr TS, Gwilliam J, Cox JS. (1970) Studies on passive cutaneous anaphylaxis in the rat with disodium cromoglycate. I. Cutaneous reactions induced by an anti-DNP 7S-gamma-2 antibody. Immunology, 19, 469.
- 119. Ota Y, Gill TJ, 3rd. (1970) Evidence for the importance of tryptophan residues in the antibody-antigen reactions of anti-DNP and anti-poly Glu56Lys38Tyr6 antibodies. Immunochemistry, 7, 727.

- 120. Paul WE, Yoshida T, Benacerraf B. (1970) Genetic control of the specificity of anti-DNP antibodies. II. Differences in the specificity of anti-DNP antibody produced by several inbred strains of mice. J Immunol, 105, 314.
- 121. Yoshida T, Paul WE, Benacerraf B. (1970) Genetic control of the specificity of anti-DNP antibodies. I. Differences in the specificity of anti-DNP antibody produced by mammalian species. J Immunol, 105, 306.
- 122. Trump GN, Singer SJ. (1970) Electrophoretically homogeneous anti-DNP antibodies with restricted isoelectric points elicited in mice by immunization with the antigen papain-S-DNPL. Proc Natl Acad Sci U S A, 66, 411.
- 123. Grant JA, Lamm ME, Hood L. (1969) N-terminal sequence heterogeneity of guinea pig anti-DNP kappa chains. Immunochemistry, 6, 645.
- 124. Lamm ME, Lisowska-Bernstein B. (1968) Amino acid sequence at the C-terminus of guinea pig kappa chains obtained from anti-DNP antibodies. Nature, 220, 712.
- 125. Bloch KJ, Morse HC, 3rd, Austen KF. (1968) Biologic properties of rat antibodies. I. Antigen-binding by four classes of anti-DNP antibodies. J Immunol, 101, 650.
- 126. Lamm ME, Lisowska-Bernstein B, Green I, Benacerraf B. (1968) Peptide mapping study of anti-DNP-PLL antibodies produced by guinea pigs with and without the PLL gene. Proc Soc Exp Biol Med, 127, 1139.
- 127. Green I, Vasalli P, Benacerraf B. (1967) Cellular localization of anti-DNP-PLL and anticonveyor albumin antibodies in genetic nonresponder guinea pigs immunized with DNP-PLL albumin complexes. J Exp Med, 125, 527.
- 128. Lenard J, Singer SJ. (1966) Specificity of affinity labeling of anti-DNP antibodies. Immunochemistry, 3, 51.