

References for Products 21020-21029

1. Shao M, Wang HM, Liu ZH, Shen P, Cai RX. (2005) [Load of calcium probe Fura -2/AM in Escherichia coli cells]. Wei Sheng Wu Xue Bao, 45, 805.
2. Paredes-Gamero EJ, Franca JP, Moraes AA, Aguilar MO, Oshiro ME, Ferreira AT. (2004) Problems caused by high concentration of ATP on activation of the P2X7 receptor in bone marrow cells loaded with the Ca²⁺ fluorophore fura-2. J Fluoresc, 14, 711.
3. McConnell G, Riis E. (2004) Photonic crystal fibre enables short-wavelength two-photon laser scanning fluorescence microscopy with fura-2. Phys Med Biol, 49, 4757.
4. Xu T, Yang W, Huo XL, Song T. (2004) Abnormal spectra alteration observed in Triton calibration method for measuring [Ca²⁺]i with fluorescence indicator, fura-2. J Biochem Biophys Methods, 58, 219.
5. McConnell G, Smith GL, Girkin JM, Gurney AM, Ferguson AI. (2003) Two-photon microscopy of fura-2-loaded cardiac myocytes with an all-solid-state tunable and visible femtosecond laser source. Opt Lett, 28, 1742.
6. McHugh JM, Kenyon JL. (2004) An Excel-based model of Ca²⁺ diffusion and fura 2 measurements in a spherical cell. Am J Physiol Cell Physiol, 286, C342.
7. Fischer W, Franke H, Scheibler P, Allgaier C, Illes P. (2002) AMPA-induced Ca(2+) influx in cultured rat cortical nonpyramidal neurones: pharmacological characterization using fura-2 microfluorimetry. Eur J Pharmacol, 438, 53.
8. Yang J, Wang J. (1998) [Study on changing of intracellular free Ca²⁺ induced by ACh in outer hair cells of guinea pig using Fura-2 microfluorimetry]. Lin Chuang Er Bi Yan Hou Ke Za Zhi, 12, 271.
9. Palmer BM, Moore RL. (2000) Excitation wavelengths for fura 2 provide a linear relationship between [Ca(2+)] and fluorescence ratio. Am J Physiol Cell Physiol, 279, C1278.
10. Marrelli SP. (2000) Selective measurement of endothelial or smooth muscle [Ca(2+)](i) in pressurized/perfused cerebral arteries with fura-2. J Neurosci Methods, 97, 145.
11. Berts A, Minneman KP. (2000) Tyrosine kinase inhibitors and Ca²⁺ signaling: direct interactions with fura-2. Eur J Pharmacol, 389, 35.
12. Ikeda K, Kobayashi S, Suzuki M, Miyata K, Yamada T, Honda K. (1999) Ca²⁺ mobilization and activation of extracellular acidification by carbachol in acutely dispersed cells from guinea pig detrusor: Fura 2 fluorometry and microphysiometry using the cytosensor. Life Sci, 65, 1569.
13. Billing-Marczak K, Przybyszewska M, Kuznicki J. (1999) Measurements of [Ca²⁺] using fura-2 in glioma C6 cells expressing calretinin with GFP as a marker of transfection: no Ca²⁺-buffering provided by calretinin. Biochim Biophys Acta, 1449, 169.
14. Haworth RA, Redon D. (1998) Calibration of intracellular Ca transients of isolated adult heart cells labelled with fura-2 by acetoxymethyl ester loading. Cell Calcium, 24, 263.
15. Sekiguchi S, Ozawa A, Hanafusa Y, Andou S, Inoue K, Takaba T. (1998) [Effects of myocardial protection with ryanodine, measured with the intracellular calcium fluorescent indicator Fura-2]. Jpn J Thorac Cardiovasc Surg, 46, 622.
16. Hudson CA, Rojas JD, Sarvazyan N, Wesson DE, Martinez-Zaguilan R. (1998) Interactions between benzylamiloride and fura-2: studies in vitro and in cardiac myocytes. Arch Biochem Biophys, 356, 25.
17. Tanaka Y, Nakayama K. (1998) Measurement of intracellular Ca²⁺ concentration changes by use of fura-2 in the generation of myogenic contraction of dog cerebral artery in response to quick stretch. Res Commun Mol Pathol Pharmacol, 99, 169.
18. Struk A, Szucs G, Kemmer H, Melzer W. (1998) Fura-2 calcium signals in skeletal muscle fibres loaded with high concentrations of EGTA. Cell Calcium, 23, 23.
19. Helm PJ, Patwardhan A, Manders EM. (1997) A study of the precision of confocal, ratiometric, Fura-2-based [Ca²⁺] measurements. Cell Calcium, 22, 287.

20. Fowler CJ, Tiger G. (1997) Calibration of Fura-2 signals introduces errors into measurement of thrombin-stimulated calcium mobilisation in human platelets. *Clin Chim Acta*, 265, 247.
21. Jiang Y, Julian FJ. (1997) Pacing rate, halothane, and BDM affect fura 2 reporting of $[Ca^{2+}]_i$ in intact rat trabeculae. *Am J Physiol*, 273, C2046.
22. Tokimasa T, Shirasaki T, Kuba K. (1997) Evidence for the calcium-dependent potentiation of M-current obtained by the ratiometric measurement of the fura-2 fluorescence in bullfrog sympathetic neurons. *Neurosci Lett*, 236, 123.
23. Xu YJ, Shao Q, Dhalla NS. (1997) Fura-2 fluorescent technique for the assessment of Ca^{2+} homeostasis in cardiomyocytes. *Mol Cell Biochem*, 172, 149.
24. Bakker AJ, Head SI, Stephenson DG. (1997) Time course of calcium transients derived from Fura-2 fluorescence measurements in single fast twitch fibres of adult mice and rat myotubes developing in primary culture. *Cell Calcium*, 21, 359.
25. Mitcheson JS, Hancox JC, Levi AJ. (1997) Voltage dependence of the Fura-2 transient in rabbit left atrial myocytes at 37 degrees C. *Pflugers Arch*, 433, 817.
26. Lorenz B, Munkner J, Oliveira MP, Leitao JM, Muller WE, Schroder HC. (1997) A novel method for determination of inorganic polyphosphates using the fluorescent dye fura-2. *Anal Biochem*, 246, 176.
27. Petr MJ, Wurster RD. (1997) Determination of in situ dissociation constant for Fura-2 and quantitation of background fluorescence in astrocyte cell line U373-MG. *Cell Calcium*, 21, 233.
28. Kowalczyk A, Boens N, Meuwis K, Ameloot M. (1997) Potential misevaluation of the ground-state dissociation constant from fluorimetric titrations: application to the ion indicators SBFI, PBFI, and fura-2. *Anal Biochem*, 245, 28.
29. Hatae J, Fujishiro N, Kawata H. (1996) Spectroscopic properties of fluorescence dye fura-2 with various divalent cations. *Jpn J Physiol*, 46, 423.
30. Crenshaw HC, Salmon ED. (1996) Hydrostatic pressure to 400 atm does not induce changes in the cytosolic concentration of Ca^{2+} in mouse fibroblasts: measurements using fura-2 fluorescence. *Exp Cell Res*, 227, 277.
31. Henke W, Cetinsoy C, Jung K, Loening S. (1996) Non-hyperbolic calcium calibration curve of Fura-2: implications for the reliability of quantitative Ca^{2+} measurements. *Cell Calcium*, 20, 287.
32. Nakamura I, Nakai Y, Izumi H. (1996) Use of fura-2/AM to measure intracellular free calcium in *Selenomonas ruminantium*. *Tohoku J Exp Med*, 179, 291.
33. Snitsarev VA, McNulty TJ, Taylor CW. (1996) Endogenous heavy metal ions perturb fura-2 measurements of basal and hormone-evoked Ca^{2+} signals. *Biophys J*, 71, 1048.
34. Kirischuk S, Verkhratsky A. (1996) $[Ca^{2+}]_i$ recordings from neural cells in acutely isolated cerebellar slices employing differential loading of the membrane-permeant form of the calcium indicator fura-2. *Pflugers Arch*, 431, 977.
35. Grousselle M, Boudou A, Oreja-Erroz B. (1996) [Method of measurement of cadmium influx by fura-2 titration in MDCK cell evidenced. Fluorescence video-microscopy study]. *C R Acad Sci III*, 319, 277.
36. Konishi M, Watanabe M. (1995) Resting cytoplasmic free Ca^{2+} concentration in frog skeletal muscle measured with fura-2 conjugated to high molecular weight dextran. *J Gen Physiol*, 106, 1123.
37. Neher E. (1995) The use of fura-2 for estimating Ca buffers and Ca fluxes. *Neuropharmacology*, 34, 1423.
38. Tran NN, Leroy P, Bellucci L, Robert A, Nicolas A, Atkinson J, Capdeville-Atkinson C. (1995) Intracellular concentrations of fura-2 and fura-2/am in vascular smooth muscle cells following perfusion loading of fura-2/am in arterial segments. *Cell Calcium*, 18, 420.
39. Szmacinski H, Lakowicz JR. (1995) Possibility of simultaneously measuring low and high calcium concentrations using Fura-2 and lifetime-based sensing. *Cell Calcium*, 18, 64.
40. Best L, Elliott AC. (1995) Changes in 2',7'-bis(carboxyethyl) 5'(6')-carboxyfluorescein-fura-2 and autofluorescence in intact rat pancreatic islets in response to nutrients and non-nutrients. *Mol Cell Endocrinol*, 111, 191.

41. Simpson PB, Challiss RA, Nahorski SR. (1995) Divalent cation entry in cultured rat cerebellar granule cells measured using Mn²⁺ quench of fura 2 fluorescence. *Eur J Neurosci*, 7, 831.
42. Sipido KR, Callewaert G. (1995) How to measure intracellular [Ca²⁺] in single cardiac cells with fura-2 or indo-1. *Cardiovasc Res*, 29, 717.
43. Munsch T, Deitmer JW. (1995) Maintenance of Fura-2 fluorescence in glial cells and neurons of the leech central nervous system. *J Neurosci Methods*, 57, 195.
44. Helm PJ, Franksson O, Carlsson K. (1995) A confocal scanning laser microscope for quantitative ratiometric 3D measurements of [Ca²⁺] and Ca²⁺ diffusions in living cells stained with Fura-2. *Pflugers Arch*, 429, 672.
45. Van den Bergh V, Boens N, De Schryver FC, Ameloot M, Steels P, Gallay J, Vincent M, Kowalczyk A. (1995) Photophysics of the fluorescent Ca²⁺ indicator Fura-2. *Biophys J*, 68, 1110.
46. Hirano Y, Hiraoka M. (1994) Dual modulation of unitary L-type Ca²⁺ channel currents by [Ca²⁺]i in fura-2-loaded guinea-pig ventricular myocytes. *J Physiol*, 480 (Pt 3), 449.
47. Stevens T, Fouty B, Cornfield D, Rodman DM. (1994) Reduced PO₂ alters the behavior of Fura-2 and Indo-1 in bovine pulmonary artery endothelial cells. *Cell Calcium*, 16, 404.
48. McCarthy ST, Younger JP, Owen WG. (1994) Free calcium concentrations in bullfrog rods determined in the presence of multiple forms of Fura-2. *Biophys J*, 67, 2076.
49. Jenner S, Farndale RW, Sage SO. (1994) The effect of calcium-store depletion and refilling with various bivalent cations on tyrosine phosphorylation and Mn²⁺ entry in fura-2-loaded human platelets. *Biochem J*, 303 (Pt 2), 337.
50. Kass GE, Webb DL, Chow SC, Llopis J, Berggren PO. (1994) Receptor-mediated Mn²⁺ influx in rat hepatocytes: comparison of cells loaded with Fura-2 ester and cells microinjected with Fura-2 salt. *Biochem J*, 302 (Pt 1), 5.
51. Field ML, Azzawi A, Styles P, Henderson C, Seymour AM, Radda GK. (1994) Intracellular Ca²⁺ transients in isolated perfused rat heart: measurement using the fluorescent indicator Fura-2/AM. *Cell Calcium*, 16, 87.
52. Munsch T, Nett W, Deitmer JW. (1994) Fura-2 signals evoked by kainate in leech glial cells in the presence of different divalent cations. *Glia*, 11, 345.
53. Tatsumi H, Katayama Y. (1994) Calcium homeostasis in the presence of fura-2 in neurons dissociated from rat nucleus basalis: theoretical and experimental analysis of chelating action of fura-2. *J Neurosci Methods*, 53, 209.
54. Gillis JM, Gailly P. (1994) Measurements of [Ca²⁺]i with the diffusible Fura-2 AM: can some potential pitfalls be evaluated? *Biophys J*, 67, 476.
55. Castro E, Tome AR, Miras-Portugal MT, Rosario LM. (1994) Single-cell fura-2 microfluorometry reveals different purinoceptor subtypes coupled to Ca²⁺ influx and intracellular Ca²⁺ release in bovine adrenal chromaffin and endothelial cells. *Pflugers Arch*, 426, 524.
56. Chen DP, Jimenez E, Ataka K, Levitsky S, Feinberg H. (1994) Fura 2 determination of [Ca²⁺]i in isolated perfused heart using R wave-gated electromechanical shutters. *J Appl Physiol*, 76, 1394.
57. Geusz ME, Michel S, Block GD. (1994) Intracellular calcium responses of circadian pacemaker neurons measured with fura-2. *Brain Res*, 638, 109.
58. Hancox JC, Levi AJ, Brooksby P. (1994) Intracellular calcium transients recorded with Fura-2 in spontaneously active myocytes isolated from the atrioventricular node of the rabbit heart. *Proc Biol Sci*, 255, 99.
59. Sorimachi M, Nishimura S, Yamagami K. (1994) Inability of Ca²⁺ influx through nicotinic ACh receptor channels to stimulate catecholamine secretion in bovine adrenal chromaffin cells: studies with fura-2 and SBFI microfluorometry. *Jpn J Physiol*, 44, 343.
60. Parisi M, Dorr R, Bonnet R, Borgnia M, Rossi JP. (1993) Fura-2 transport in toad urinary bladder epithelium: effects of antidiuretic hormone, colchicine and osmotic gradients. *Biochim Biophys Acta*, 1151, 1.
61. Zottini M, Zannoni D. (1993) The Use of Fura-2 Fluorescence to Monitor the Movement of Free Calcium Ions into the Matrix of Plant Mitochondria (*Pisum sativum* and *Helianthus tuberosus*). *Plant Physiol*, 102, 573.

62. Lew VL, Etzion Z, Bookchin RM, daCosta R, Vaananen H, Sassaroli M, Eisinger J. (1993) The distribution of intracellular calcium chelator (fura-2) in a population of intact human red cells. *Biochim Biophys Acta*, 1148, 152.
63. Fasolato C, Hoth M, Penner R. (1993) Multiple mechanisms of manganese-induced quenching of fura-2 fluorescence in rat mast cells. *Pflugers Arch*, 423, 225.
64. Backx PH, Ter Keurs HE. (1993) Fluorescent properties of rat cardiac trabeculae microinjected with fura-2 salt. *Am J Physiol*, 264, H1098.
65. Nusse O, Lindau M. (1993) The calcium signal in human neutrophils and its relation to exocytosis investigated by patch-clamp capacitance and Fura-2 measurements. *Cell Calcium*, 14, 255.
66. Sorimachi M. (1993) Calcium permeability of non-N-methyl-D-aspartate receptor channels in immature cerebellar Purkinje cells: studies using fura-2 microfluorometry. *J Neurochem*, 60, 1236.
67. Berendes R, Burger A, Voges D, Demange P, Huber R. (1993) Calcium influx through annexin V ion channels into large unilamellar vesicles measured with fura-2. *FEBS Lett*, 317, 131.
68. Grapengiesser E. (1993) Cell photodamage, a potential hazard when measuring cytoplasmic Ca^{2+} with fura-2. *Cell Struct Funct*, 18, 13.
69. Shibuya I, Douglas WW. (1993) Indications from Mn-quenching of Fura-2 fluorescence in melanotrophs that dopamine and baclofen close Ca channels that are spontaneously open but not those opened by high $[\text{K}^+]_0$; and that Cd preferentially blocks the latter. *Cell Calcium*, 14, 33.
70. Shinozaki T, Ishide N, Miura M, Takishima T. (1993) The source of epifluorescence in isolated perfused heart loaded with fura 2-AM or indo 1-AM. *Heart Vessels*, 8, 79.
71. Yasui C, Koizumi H, Fukaya T, Kumakiri M, Ohkawara A, Ueda T. (1992) Adenylate cyclase induces intracellular calcium increase in single human epidermal keratinocytes measured by fluorescence microscopy using Fura 2-AM. *Br J Dermatol*, 127, 589.
72. Blumenfeld H, Zablow L, Sabatini B. (1992) Evaluation of cellular mechanisms for modulation of calcium transients using a mathematical model of fura-2 Ca^{2+} imaging in Aplysia sensory neurons. *Biophys J*, 63, 1146.
73. Shibuya I, Douglas WW. (1992) Calcium channels in rat melanotrophs are permeable to manganese, cobalt, cadmium, and lanthanum, but not to nickel: evidence provided by fluorescence changes in fura-2-loaded cells. *Endocrinology*, 131, 1936.
74. Bancel F, Salmon JM, Vigo J, Vo-Dinh T, Viallet P. (1992) Investigation of noncalcium interactions of fura-2 by classical and synchronous fluorescence spectroscopy. *Anal Biochem*, 204, 231.
75. Gustafson M, Magnusson KE. (1992) A novel principle for quantitation of fast intracellular calcium changes using Fura-2 and a modified image processing system--applications in studies of neutrophil motility and phagocytosis. *Cell Calcium*, 13, 473.
76. Tanaka Y, Hayashi N, Kaneko A, Ito T, Miyoshi E, Sasaki Y, Fusamoto H, Kamada T. (1992) Epidermal growth factor induces dose-dependent calcium oscillations in single fura-2-loaded hepatocytes. *Hepatology*, 16, 479.
77. Hollingsworth S, Harkins AB, Kurebayashi N, Konishi M, Baylor SM. (1992) Excitation-contraction coupling in intact frog skeletal muscle fibers injected with mmolar concentrations of fura-2. *Biophys J*, 63, 224.
78. Yates SL, Fluhler EN, Lippiello PM. (1992) Advances in the use of the fluorescent probe fura-2 for the estimation of intrasynaptosomal calcium. *J Neurosci Res*, 32, 255.
79. Schlatterer C, Knoll G, Malchow D. (1992) Intracellular calcium during chemotaxis of *Dictyostelium discoideum*: a new fura-2 derivative avoids sequestration of the indicator and allows long-term calcium measurements. *Eur J Cell Biol*, 58, 172.
80. Busa WB. (1992) Spectral characterization of the effect of viscosity on Fura-2 fluorescence: excitation wavelength optimization abolishes the viscosity artifact. *Cell Calcium*, 13, 313.
81. Allen CU, Herman B, Granger NA. (1992) Fura-2 measurement of cytosolic free Ca^{2+} concentration in corpus allatum cells of larval *Manduca sexta*. *J Exp Biol*, 166, 253.

82. Yano J, Kaura R, Shintani T, Kira T, Matsubara K, Kitagawa H, Matsuura S, Kaneko H. (1992) [Measurement of intracellular $[Ca]_{2+i}$ concentration in cultured human cytotrophoblast using fura-2 fluorescence]. *Nippon Sanka Fujinka Gakkai Zasshi*, 44, 359.
83. Monck JR, Oberhauser AF, Keating TJ, Fernandez JM. (1992) Thin-section ratiometric Ca^{2+} images obtained by optical sectioning of fura-2 loaded mast cells. *J Cell Biol*, 116, 745.
84. Jarlebark L, Heilbronn E. (1992) Tetrahydroaminoacridine and related compounds interfere with fura-2 and indo-1. *Eur J Pharmacol*, 225, 75.
85. Parisi M, Dorr R, Borgnia M, Rossi JP. (1992) Fura-2 handling in a polarized epithelial barrier: the toad urinary bladder. *Life Sci*, 51, 545.
86. Hajjar RJ, Bonventre JV. (1991) Oscillations of intracellular calcium induced by vasopressin in individual fura-2-loaded mesangial cells. Frequency dependence on basal calcium concentration, agonist concentration, and temperature. *J Biol Chem*, 266, 21589.
87. Hochstrate P, Juse A. (1991) Intracellular free calcium concentration in the blowfly retina studied by Fura-2. *Cell Calcium*, 12, 695.
88. Kudo Y, Nakamura T, Ito E. (1991) A 'macro' image analysis of fura-2 fluorescence to visualize the distribution of functional glutamate receptor subtypes in hippocampal slices. *Neurosci Res*, 12, 412.
89. Yodozawa S, Tsunoda Y, Funai T, Tashiro Y. (1991) Dynamics of Ca^{2+} transients in norepinephrine-stimulated individual H-35 hepatoma cells: fura-2 digital imaging microscopy and high time-resolution microspectrofluorometry. *J Histochem Cytochem*, 39, 1311.
90. Balwierczak JL. (1991) The relationship of KCl- and prostaglandin F2 alpha-mediated increases in tension of the porcine coronary artery with changes in intracellular Ca^{2+} measured with fura-2. *Br J Pharmacol*, 104, 373.
91. Hanai H, Kameyama M, Kaneko E, Fujita M. (1991) Properties of two calcium transport systems of isolated rat ileal epithelial cells: effects of Ca^{2+} channel modulators and membrane potential examined with fluorescent dye, fura-2. *Pflugers Arch*, 419, 184.
92. Gollnick F, Meyer R, Stockem W. (1991) Visualization and measurement of calcium transients in Amoeba proteus by fura-2 fluorescence. *Eur J Cell Biol*, 55, 262.
93. Gilbert EK, Weaver BA, Rembold CM. (1991) Depolarization decreases the $[Ca^{2+}]_i$ sensitivity of myosin light-chain kinase in arterial smooth muscle: comparison of aequorin and fura 2 $[Ca^{2+}]_i$ estimates. *Faseb J*, 5, 2593.
94. Cavallini L, Francesconi MA, Ruzzene M, Valente M, Deana R. (1991) A procedure allowing measurement of cytosolic Ca^{2+} in rat platelets. Inhibition of a plasma lipoprotein on fura 2-AM loading. *Thromb Res*, 63, 47.
95. Akerman SN, Zorec R, Cheek TR, Moreton RB, Berridge MJ, Mason WT. (1991) Fura-2 imaging of thyrotropin-releasing hormone and dopamine effects on calcium homeostasis of bovine lactotrophs. *Endocrinology*, 129, 475.
96. Owen CS. (1991) Spectra of intracellular Fura-2. *Cell Calcium*, 12, 385.
97. Groden DL, Guan Z, Stokes BT. (1991) Determination of Fura-2 dissociation constants following adjustment of the apparent Ca-EGTA association constant for temperature and ionic strength. *Cell Calcium*, 12, 279.
98. Regehr WG, Tank DW. (1991) Selective fura-2 loading of presynaptic terminals and nerve cell processes by local perfusion in mammalian brain slice. *J Neurosci Methods*, 37, 111.
99. Vranesic I, Knopfel T. (1991) Calculation of calcium dynamics from single wavelength fura-2 fluorescence recordings. *Pflugers Arch*, 418, 184.
100. Martinez-Zaguilan R, Martinez GM, Lattanzio F, Gillies RJ. (1991) Simultaneous measurement of intracellular pH and Ca^{2+} using the fluorescence of SNARF-1 and fura-2. *Am J Physiol*, 260, C297.
101. Requena J, Whittembury J, Scarpa A, Brinley JF, Jr., Mullins LJ. (1991) Intracellular ionized calcium changes in squid giant axons monitored by Fura-2 and aequorin. *Ann N Y Acad Sci*, 639, 112.

102. Scheuerlein R, Schmidt K, Poenie M, Roux SJ. (1991) Determination of cytoplasmic calcium concentration in *Dryopteris* spores: a developmentally non-disruptive technique for loading of the calcium indicator fura-2. *Planta*, 184, 166.
103. Osawa Y, Koizumi H, Fukaya T, Yasui C, Ohkawara A, Ueda T. (1991) Adenylate cyclase induces intracellular Ca²⁺ increase in single human epidermal keratinocytes of the epidermal sheet as measured by digital imaging microscopy using Fura 2-AM. *Arch Dermatol Res*, 283, 91.
104. Uto A, Arai H, Ogawa Y. (1991) Reassessment of Fura-2 and the ratio method for determination of intracellular Ca²⁺ concentrations. *Cell Calcium*, 12, 29.
105. Keating SM, Wensel TG. (1991) Nanosecond fluorescence microscopy. Emission kinetics of fura-2 in single cells. *Biophys J*, 59, 186.
106. Suda N, Kurihara S. (1991) Intracellular calcium signals measured with fura-2 and aequorin in frog skeletal muscle fibers. *Jpn J Physiol*, 41, 277.
107. Hillard CJ, Graf WK. (1990) Studies of the effect of nicotine on synaptosomal calcium accumulation using FURA-2. *NIDA Res Monogr*, 105, 331.
108. Blatter LA, Wier WG. (1990) Intracellular diffusion, binding, and compartmentalization of the fluorescent calcium indicators indo-1 and fura-2. *Biophys J*, 58, 1491.
109. Tomsig JL, Suszkiw JB. (1990) Pb²⁺(+)-induced secretion from bovine chromaffin cells: fura-2 as a probe for Pb²⁺. *Am J Physiol*, 259, C762.
110. Abe S, Kanaide H, Nakamura M. (1990) Front-surface fluorometry with fura-2 and effects of nitroglycerin on cytosolic calcium concentrations and on tension in the coronary artery of the pig. *Br J Pharmacol*, 101, 545.
111. Borzak S, Kelly RA, Kramer BK, Matoba Y, Marsh JD, Reers M. (1990) In situ calibration of fura-2 and BCECF fluorescence in adult rat ventricular myocytes. *Am J Physiol*, 259, H973.
112. Marchetti J, Taniguchi S, Lebrun F, Morel F. (1990) Cholinergic agonists increase cell calcium in rat medullary collecting tubules. A fura-2 study. *Pflugers Arch*, 416, 561.
113. Bals S, Bechem M, Paffhausen W, Pott L. (1990) Spontaneous and experimentally evoked [Ca²⁺]i-transients in cardiac myocytes measured by means of a fast Fura-2 technique. *Cell Calcium*, 11, 385.
114. Berlin JR, Wozniak MA, Cannell MB, Bloch RJ, Lederer WJ. (1990) Measurement of intracellular Ca²⁺ in BC3H-1 muscle cells with Fura-2: relationship to acetylcholine receptor synthesis. *Cell Calcium*, 11, 371.
115. Yamashita T, Amano H, Harada N, Su ZL, Kumazawa T, Tsunoda Y, Tashiro Y. (1990) Calcium distribution and mobilization during depolarization in single cochlear hair cells. Imaging microscopy and fura-2. *Acta Otolaryngol*, 109, 256.
116. Poenie M. (1990) Alteration of intracellular Fura-2 fluorescence by viscosity: a simple correction. *Cell Calcium*, 11, 85.
117. Williams DA, Fay FS. (1990) Intracellular calibration of the fluorescent calcium indicator Fura-2. *Cell Calcium*, 11, 75.
118. Goldman WF, Bova S, Blaustein MP. (1990) Measurement of intracellular Ca²⁺ in cultured arterial smooth muscle cells using Fura-2 and digital imaging microscopy. *Cell Calcium*, 11, 221.
119. Sage SO, Pintado E, Mahaut-Smith MP, Merritt JE. (1990) Rapid kinetics of agonist-evoked changes in cytosolic free Ca²⁺ concentration in fura-2-loaded human neutrophils. *Biochem J*, 265, 915.
120. Roe MW, Lemasters JJ, Herman B. (1990) Assessment of Fura-2 for measurements of cytosolic free calcium. *Cell Calcium*, 11, 63.