

## **References for Products 21150 to 21155**

1. Teranishi K. (2006) Luminescence of imidazo[1,2-a]pyrazin-3(7H)-one compounds. *Bioorg Chem.*
2. Inouye S. (2006) Expression, purification and characterization of calcium-triggered luciferin-binding protein of *Renilla reniformis*. *Protein Expr Purif.*
3. Otto-Duessel M, Khankaldyyan V, Laug WE, Rosol M, Gonzalez-Gomez I, Jensen MC. (2006) In vivo testing of *Renilla* luciferase substrate analogs in an orthotopic murine model of human glioblastoma. *Mol Imaging*, 5, 57.
4. McFalls EO, Sluiter W, Schoonderwoerd K, Manintveld OC, Lamers JM, Bezstarost K, van Beusekom HM, Sikora J, Ward HB, Merkus D, Duncker DJ. (2006) Mitochondrial adaptations within chronically ischemic swine myocardium. *J Mol Cell Cardiol*, 41, 980.
5. Cheung CY, Webb SE, Meng A, Miller AL. (2006) Transient expression of apoaequorin in zebrafish embryos: extending the ability to image calcium transients during later stages of development. *Int J Dev Biol*, 50, 561.
6. Inouye S, Sasaki S. (2006) Blue fluorescent protein from the calcium-sensitive photoprotein aequorin: catalytic properties for the oxidation of coelenterazine as an oxygenase. *FEBS Lett*, 580, 1977.
7. Frangioni JV. (2006) Self-illuminating quantum dots light the way. *Nat Biotechnol*, 24, 326.
8. Pfleger KD, Dromey JR, Dalrymple MB, Lim EM, Thomas WG, Eidne KA. (2006) Extended bioluminescence resonance energy transfer (eBRET) for monitoring prolonged protein-protein interactions in live cells. *Cell Signal*, 18, 1664.
9. Liu ZJ, Stepanyuk GA, Vysotski ES, Lee J, Markova SV, Malikova NP, Wang BC. (2006) Crystal structure of obelin after Ca<sup>2+</sup>-triggered bioluminescence suggests neutral coelenteramide as the primary excited state. *Proc Natl Acad Sci U S A*, 103, 2570.
10. Dubuisson ML, Rees JF, Marchand-Brynaert J. (2005) Coelenterazine (marine bioluminescent substrate): a source of inspiration for the discovery of novel antioxidants. *Drug Dev Ind Pharm*, 31, 827.
11. Tsuji FI. (2005) Role of molecular oxygen in the bioluminescence of the firefly squid, *Watasenia scintillans*. *Biochem Biophys Res Commun*, 338, 250.
12. Burbelo PD, Goldman R, Mattson TL. (2005) A simplified immunoprecipitation method for quantitatively measuring antibody responses in clinical sera samples by using mammalian-produced *Renilla* luciferase-antigen fusion proteins. *BMC Biotechnol*, 5, 22.
13. Guzik TJ, Channon KM. (2004) Measurement of vascular reactive oxygen species production by chemiluminescence. *Methods Mol Med*, 108, 73.
14. Guzik TJ, Channon KM. (2005) Measurement of vascular reactive oxygen species production by chemiluminescence. *Methods Mol Med*, 108, 73.
15. Wiles S, Ferguson K, Stefanidou M, Young DB, Robertson BD. (2005) Alternative luciferase for monitoring bacterial cells under adverse conditions. *Appl Environ Microbiol*, 71, 3427.
16. Tsuzuki K, Tricoire L, Courjean O, Gabelin N, Rossier J, Lambolez B. (2005) Thermostable mutants of the photoprotein aequorin obtained by in vitro evolution. *J Biol Chem*, 280, 34324.
17. Pichler A, Zelcer N, Prior JL, Kuil AJ, Piwnica-Worms D. (2005) In vivo RNA interference-mediated ablation of MDR1 P-glycoprotein. *Clin Cancer Res*, 11, 4487.
18. Ozumi K, Tasaki H, Takatsu H, Nakata S, Morishita T, Koide S, Yamashita K, Tsutsui M, Okazaki M, Sasaguri Y, Adachi T, Nakashima Y. (2005) Extracellular superoxide dismutase overexpression reduces cuff-induced arterial neointimal formation. *Atherosclerosis*, 181, 55.
19. Zmijewski JW, Moellering DR, Le Goffe C, Landar A, Ramachandran A, Darley-Usman VM. (2005) Oxidized LDL induces mitochondrially associated reactive oxygen/nitrogen species formation in endothelial cells. *Am J Physiol Heart Circ Physiol*, 289, H852.

20. Tannous BA, Kim DE, Fernandez JL, Weissleder R, Breakefield XO. (2005) Codon-optimized *Gaussia* luciferase cDNA for mammalian gene expression in culture and in vivo. *Mol Ther*, 11, 435.
21. Knight PJ, Grigliatti TA. (2004) Chimeric G proteins extend the range of insect cell-based functional assays for human G protein-coupled receptors. *J Recept Signal Transduct Res*, 24, 241.
22. Toma S, Chong KT, Nakagawa A, Teranishi K, Inouye S, Shimomura O. (2005) The crystal structures of semi-synthetic aequorins. *Protein Sci*, 14, 409.
23. Fuhrmann M, Hausherr A, Ferbitz L, Schodl T, Heitzer M, Hegemann P. (2004) Monitoring dynamic expression of nuclear genes in *Chlamydomonas reinhardtii* by using a synthetic luciferase reporter gene. *Plant Mol Biol*, 55, 869.
24. Dubuisson M, Marchand C, Rees JF. (2004) Fire fly luciferin as antioxidant and light emitter: the evolution of insect bioluminescence. *Luminescence*, 19, 339.
25. Inouye S. (2004) Blue fluorescent protein from the calcium-sensitive photoprotein aequorin is a heat resistant enzyme, catalyzing the oxidation of coelenterazine. *FEBS Lett*, 577, 105.
26. Oba Y, Tsuduki H, Kato S, Ojika M, Inouye S. (2004) Identification of the luciferin-luciferase system and quantification of coelenterazine by mass spectrometry in the deep-sea luminous ostracod *Conchoecia pseudodiscophora*. *ChemBioChem*, 5, 1495.
27. Francia P, dell' Gatti C, Bachschmid M, Martin-Padura I, Savoia C, Migliaccio E, Pelicci PG, Schiavoni M, Luscher TF, Volpe M, Cosentino F. (2004) Deletion of p66shc gene protects against age-related endothelial dysfunction. *Circulation*, 110, 2889.
28. Bhaumik S, Lewis XZ, Gambhir SS. (2004) Optical imaging of *Renilla* luciferase, synthetic *Renilla* luciferase, and firefly luciferase reporter gene expression in living mice. *J Biomed Opt*, 9, 578.
29. Deng L, Markova SV, Vysotski ES, Liu ZJ, Lee J, Rose J, Wang BC. (2004) Crystal structure of a Ca<sup>2+</sup>-discharged photoprotein: implications for mechanisms of the calcium trigger and bioluminescence. *J Biol Chem*, 279, 33647.
30. Zhao H, Doyle TC, Wong RJ, Cao Y, Stevenson DK, Piwnica-Worms D, Contag CH. (2004) Characterization of coelenterazine analogs for measurements of *Renilla* luciferase activity in live cells and living animals. *Mol Imaging*, 3, 43.
31. Dubuisson ML, Reesa JF, Marchand-Brynaert J. (2004) Discovery and validation of a new family of antioxidants: the aminopyrazine derivatives. *Mini Rev Med Chem*, 4, 421.
32. Daiber A, Oelze M, August M, Wendt M, Sydow K, Wieboldt H, Kleschyov AL, Munzel T. (2004) Detection of superoxide and peroxynitrite in model systems and mitochondria by the luminol analogue L-012. *Free Radic Res*, 38, 259.
33. de Wergifosse B, Dubuisson M, Marchand-Brynaert J, Trouet A, Rees JF. (2004) Coelenterazine: a two-stage antioxidant in lipid micelles. *Free Radic Biol Med*, 36, 278.
34. Deng L, Markova SV, Vysotski ES, Liu ZJ, Lee J, Rose J, Wang BC. (2004) Preparation and X-ray crystallographic analysis of the Ca<sup>2+</sup>-discharged photoprotein obelin. *Acta Crystallogr D Biol Crystallogr*, 60, 512.
35. Xia NS, Luo WX, Zhang J, Xie XY, Yang HJ, Li SW, Chen M, Ng MH. (2002) Bioluminescence of *Aequorea macrodactyla*, a common jellyfish species in the East China Sea. *Mar Biotechnol (NY)*, 4, 155.
36. Pichler A, Prior JL, Piwnica-Worms D. (2004) Imaging reversal of multidrug resistance in living mice with bioluminescence: MDR1 P-glycoprotein transports coelenterazine. *Proc Natl Acad Sci U S A*, 101, 1702.
37. Daiber A, August M, Baldus S, Wendt M, Oelze M, Sydow K, Kleschyov AL, Munzel T. (2004) Measurement of NAD(P)H oxidase-derived superoxide with the luminol analogue L-012. *Free Radic Biol Med*, 36, 101.
38. Kervinen M, Patsi J, Finel M, Hassinen IE. (2004) Lucigenin and coelenterazine as superoxide probes in mitochondrial and bacterial membranes. *Anal Biochem*, 324, 45.
39. Kaihara A, Kawai Y, Sato M, Ozawa T, Umezawa Y. (2003) Locating a protein-protein interaction in living cells via split *Renilla* luciferase complementation. *Anal Chem*, 75, 4176.

40. Liu ZJ, Vysotski ES, Deng L, Lee J, Rose J, Wang BC. (2003) Atomic resolution structure of obelin: soaking with calcium enhances electron density of the second oxygen atom substituted at the C2-position of coelenterazine. *Biochem Biophys Res Commun*, 311, 433.
41. Markova SV, Golz S, Frank LA, Kalthof B, Vysotski ES. (2004) Cloning and expression of cDNA for a luciferase from the marine copepod *Metridia longa*. A novel secreted bioluminescent reporter enzyme. *J Biol Chem*, 279, 3212.
42. Robison BH, Reisenbichler KR, Hunt JC, Haddock SH. (2003) Light production by the arm tips of the deep-sea cephalopod *Vampyroteuthis infernalis*. *Biol Bull*, 205, 102.
43. Masuda H, Takenaka Y, Shikamoto Y, Kagawa M, Mizuno H, Tsuji FI. (2003) Chromatography of isoforms of recombinant apoaequorin and method for the preparation of aequorin. *Protein Expr Purif*, 31, 181.
44. Shah K, Tang Y, Breakefield X, Weissleder R. (2003) Real-time imaging of TRAIL-induced apoptosis of glioma tumors *in vivo*. *Oncogene*, 22, 6865.
45. Knight PJ, Pfeifer TA, Grigliatti TA. (2003) A functional assay for G-protein-coupled receptors using stably transformed insect tissue culture cell lines. *Anal Biochem*, 320, 88.
46. Vysotski ES, Liu ZJ, Markova SV, Blinks JR, Deng L, Frank LA, Herko M, Malikova NP, Rose JP, Wang BC, Lee J. (2003) Violet bioluminescence and fast kinetics from W92F obelin: structure-based proposals for the bioluminescence triggering and the identification of the emitting species. *Biochemistry*, 42, 6013.
47. Issad T, Boute N, Boubekeur S, Lacasa D, Pernet K. (2003) Looking for an insulin pill? Use the BRET methodology! *Diabetes Metab*, 29, 111.
48. Kotarsky K, Antonsson L, Owman C, Olde B. (2003) Optimized reporter gene assays based on a synthetic multifunctional promoter and a secreted luciferase. *Anal Biochem*, 316, 208.
49. Dupriez VJ, Maes K, Le Poul E, Burgeon E, Detheux M. (2002) Aequorin-based functional assays for G-protein-coupled receptors, ion channels, and tyrosine kinase receptors. *Receptors Channels*, 8, 319.
50. Li WG, Stoll LL, Rice JB, Xu SP, Miller FJ, Jr., Chatterjee P, Hu L, Oberley LW, Spector AA, Weintraub NL. (2003) Activation of NAD(P)H oxidase by lipid hydroperoxides: mechanism of oxidant-mediated smooth muscle cytotoxicity. *Free Radic Biol Med*, 34, 937.
51. Burton M, De Tollenaire C, Cavalier JF, Marchand C, Dussart F, Marchand-Brynaert J, Rees JF. (2003) Synthesis, structure-activity relationship and *in vitro* evaluation of coelenterazine and coelenteramine derivatives as inhibitors of lipid peroxidation. *Free Radic Res*, 37, 145.
52. Arrault A, Dubuisson M, Gharbi S, Marchand C, Verbeuren T, Rupin A, Cordi A, Bouskela E, Rees JF, Marchand-Brynaert J. (2003) Protective effect of imidazolopyrazinone antioxidants on ischemia/reperfusion injury. *Bioorg Med Chem Lett*, 13, 653.
53. Alvarez J, Montero M. (2002) Measuring [Ca<sup>2+</sup>] in the endoplasmic reticulum with aequorin. *Cell Calcium*, 32, 251.
54. Burbelo PD, Kisailus AE, Peck JW. (2002) Detecting protein-protein interactions using Renilla luciferase fusion proteins. *Biotechniques*, 33, 1044.
55. Janssens BJ, Marchand-Brynaert J, Rees JF. (2002) Protection of peroxide-treated fish erythrocytes by coelenterazine and coelenteramine. *Free Radic Res*, 36, 967.
56. Munzel T, Afanas'ev IB, Kleschynov AL, Harrison DG. (2002) Detection of superoxide in vascular tissue. *Arterioscler Thromb Vasc Biol*, 22, 1761.
57. Wang Y, Yu YA, Shabahang S, Wang G, Szalay AA. (2002) Renilla luciferase- Aequorea GFP (Ruc-GFP) fusion protein, a novel dual reporter for real-time imaging of gene expression in cell cultures and in live animals. *Mol Genet Genomics*, 268, 160.
58. Verhaegent M, Christopoulos TK. (2002) Recombinant *Gaussia* luciferase. Overexpression, purification, and analytical application of a bioluminescent reporter for DNA hybridization. *Anal Chem*, 74, 4378.
59. Knight MR. (2002) Signal transduction leading to low-temperature tolerance in *Arabidopsis thaliana*. *Philos Trans R Soc Lond B Biol Sci*, 357, 871.

60. Verhaegen M, Christopoulos TK. (2002) Bacterial expression of in vivo-biotinylated aequorin for direct application to bioluminometric hybridization assays. *Anal Biochem*, 306, 314.
61. Tsuji FI. (2002) Bioluminescence reaction catalyzed by membrane-bound luciferase in the "firefly squid," *Watasenia scintillans*. *Biochim Biophys Acta*, 1564, 189.
62. Plieth C, Trewavas AJ. (2002) Reorientation of seedlings in the earth's gravitational field induces cytosolic calcium transients. *Plant Physiol*, 129, 786.
63. Le Poul E, Hisada S, Mizuguchi Y, Dupriez VJ, Burgeon E, Detheux M. (2002) Adaptation of aequorin functional assay to high throughput screening. *J Biomol Screen*, 7, 57.
64. Raha S, Myint AT, Johnstone L, Robinson BH. (2002) Control of oxygen free radical formation from mitochondrial complex I: roles for protein kinase A and pyruvate dehydrogenase kinase. *Free Radic Biol Med*, 32, 421.
65. Kakoi H. (2002) Synthesis of 2-amino-3-benzyl-5-(p-hydroxyphenyl)pyrazine. *Chem Pharm Bull (Tokyo)*, 50, 301.
66. Aslan M, Ryan TM, Adler B, Townes TM, Parks DA, Thompson JA, Tousson A, Gladwin MT, Patel RP, Tarpey MM, Batinic-Haberle I, White CR, Freeman BA. (2001) Oxygen radical inhibition of nitric oxide-dependent vascular function in sickle cell disease. *Proc Natl Acad Sci U S A*, 98, 15215.
67. Bhaumik S, Gambhir SS. (2002) Optical imaging of Renilla luciferase reporter gene expression in living mice. *Proc Natl Acad Sci U S A*, 99, 377.
68. Shimomura O, Flood PR, Inouye S, Bryan B, Shimomura A. (2001) Isolation and properties of the luciferase stored in the ovary of the scyphozoan medusa *Periphylla periphylla*. *Biol Bull*, 201, 339.
69. Furuchi T, Mori IC, Takahashi K, Muto S. (2001) Sugar-induced increase in cytosolic Ca(2+) in *Arabidopsis thaliana* whole plants. *Plant Cell Physiol*, 42, 1149.
70. Deng L, Vysotski ES, Liu ZJ, Markova SV, Malikova NP, Lee J, Rose J, Wang BC. (2001) Structural basis for the emission of violet bioluminescence from a W92F obelin mutant. *FEBS Lett*, 506, 281.
71. Haddock SH, Rivers TJ, Robison BH. (2001) Can coelenterates make coelenterazine? Dietary requirement for luciferin in cnidarian bioluminescence. *Proc Natl Acad Sci U S A*, 98, 11148.
72. Mitchell KJ, Pinton P, Varadi A, Tacchetti C, Ainscow EK, Pozzan T, Rizzuto R, Rutter GA. (2001) Dense core secretory vesicles revealed as a dynamic Ca(2+) store in neuroendocrine cells with a vesicle-associated membrane protein aequorin chimaera. *J Cell Biol*, 155, 41.
73. Devillers I, Dive G, De Tollenaere C, Falmagne B, de Wergifosse B, Rees JF, Marchand-Brynaert J. (2001) Imidazolopyrazinones as potential antioxidants. *Bioorg Med Chem Lett*, 11, 2305.
74. Meyer A, Puhler A, Niehaus K. (2001) The lipopolysaccharides of the phytopathogen *Xanthomonas campestris* pv. *campestris* induce an oxidative burst reaction in cell cultures of *Nicotiana tabacum*. *Planta*, 213, 214.
75. Nakamura H, Wu C, Inouye S, Murai A. (2001) Design, synthesis, and evaluation of the transition-state inhibitors of coelenterazine bioluminescence: probing the chiral environment of active site. *J Am Chem Soc*, 123, 1523.
76. Dubuisson ML, De Wergifosse B, Kremers P, Marchand-Brynaert J, Trouet A, Rees JF. (2001) Protection against nitrofuranoin-induced oxidative stress by coelenterazine analogues and their oxidation products in rat hepatocytes. *Free Radic Res*, 34, 285.
77. Wang Y, Wang G, O'Kane DJ, Szalay AA. (2001) A study of protein-protein interactions in living cells using luminescence resonance energy transfer (LRET) from *Renilla* luciferase to *Aequorea* GFP. *Mol Gen Genet*, 264, 578.
78. Hink U, Li H, Mollnau H, Oelze M, Matheis E, Hartmann M, Skatchkov M, Thaiss F, Stahl RA, Warnholtz A, Meinertz T, Griendlung K, Harrison DG, Forstermann U, Munzel T. (2001) Mechanisms underlying endothelial dysfunction in diabetes mellitus. *Circ Res*, 88, E14.

79. Liu ZJ, Vysotski ES, Chen CJ, Rose JP, Lee J, Wang BC. (2000) Structure of the Ca<sup>2+</sup>-regulated photoprotein obelin at 1.7 Å resolution determined directly from its sulfur substructure. *Protein Sci*, 9, 2085.
80. Inouye S. (2000) Fusions to imidazopyrazinone-type luciferases and aequorin as reporters. *Methods Enzymol*, 326, 165.
81. Inouye S, Watanabe K, Nakamura H, Shimomura O. (2000) Secretional luciferase of the luminous shrimp *Oplophorus gracilirostris*: cDNA cloning of a novel imidazopyrazinone luciferase(1). *FEBS Lett*, 481, 19.
82. Raha S, McEachern GE, Myint AT, Robinson BH. (2000) Superoxides from mitochondrial complex III: the role of manganese superoxide dismutase. *Free Radic Biol Med*, 29, 170.
83. Souza HP, Souza LC, Anastacio VM, Pereira AC, Junqueira ML, Krieger JE, da Luz PL, Augusto O, Laurindo FR. (2000) Vascular oxidant stress early after balloon injury: evidence for increased NAD(P)H oxidoreductase activity. *Free Radic Biol Med*, 28, 1232.
84. Dubuisson ML, de Wergifosse B, Trouet A, Baguet F, Marchand-Brynaert J, Rees JF. (2000) Antioxidative properties of natural coelenterazine and synthetic methyl coelenterazine in rat hepatocytes subjected to tert-butyl hydroperoxide-induced oxidative stress. *Biochem Pharmacol*, 60, 471.
85. Head JF, Inouye S, Teranishi K, Shimomura O. (2000) The crystal structure of the photoprotein aequorin at 2.3 Å resolution. *Nature*, 405, 372.
86. Duerrschmidt N, Wippich N, Goetsch W, Broemme HJ, Morawietz H. (2000) Endothelin-1 induces NAD(P)H oxidase in human endothelial cells. *Biochem Biophys Res Commun*, 269, 713.
87. Shimomura O, Teranishi K. (2000) Light-emitters involved in the luminescence of coelenterazine. *Luminescence*, 15, 51.
88. Lewis JC, Lopez-Moya JJ, Daunert S. (2000) Bioluminescence and secondary structure properties of aequorin mutants produced for site-specific conjugation and immobilization. *Bioconjug Chem*, 11, 65.
89. Jones K, Hibbert F, Keenan M. (1999) Glowing jellyfish, luminescence and a molecule called coelenterazine. *Trends Biotechnol*, 17, 477.
90. Ungrin MD, Singh LM, Stocco R, Sas DE, Abramovitz M. (1999) An automated aequorin luminescence-based functional calcium assay for G-protein-coupled receptors. *Anal Biochem*, 272, 34.
91. Tarpey MM, White CR, Suarez E, Richardson G, Radi R, Freeman BA. (1999) Chemiluminescent detection of oxidants in vascular tissue. Lucigenin but not coelenterazine enhances superoxide formation. *Circ Res*, 84, 1203.
92. Shimomura O, Inouye S. (1999) The *in situ* regeneration and extraction of recombinant aequorin from *Escherichia coli* cells and the purification of extracted aequorin. *Protein Expr Purif*, 16, 91.
93. Matveev SV, Lewis JC, Daunert S. (1999) Genetically engineered obelin as a bioluminescent label in an assay for a peptide. *Anal Biochem*, 270, 69.
94. Berestovskaya NG, Shaloiko LA, Gorokhovatsky AY, Bondar VS, Vysotski ES, Maximov JE, von Doehren H, Alakhov YB. (1999) Cotranslational formation of active photoprotein obelin in a cell-free translation system: direct ultrahigh sensitive measure of the translation course. *Anal Biochem*, 268, 72.
95. Isobe M, Kuse M, Yasuda Y, Takahashi H. (1998) Synthesis of 13C-dehydrocoelenterazine and model studies on *Symplectoteuthis* squid bioluminescence. *Bioorg Med Chem Lett*, 8, 2919.
96. Robert V, De Giorgi F, Massimino ML, Cantini M, Pozzan T. (1998) Direct monitoring of the calcium concentration in the sarcoplasmic and endoplasmic reticulum of skeletal muscle myotubes. *J Biol Chem*, 273, 30372.
97. Mori IC, Iida H, Tsuji FI, Isobe M, Uozumi N, Muto S. (1998) Salicylic acid induces a cytosolic Ca<sup>2+</sup> elevation in yeast. *Biosci Biotechnol Biochem*, 62, 986.
98. Rees JF, de Wergifosse B, Noiset O, Dubuisson M, Janssens B, Thompson EM. (1998) The origins of marine bioluminescence: turning oxygen defence mechanisms into deep-sea communication tools. *J Exp Biol*, 201, 1211.

99. Creton R, Steele ME, Jaffe LF. (1997) Expression of apo-aequorin during embryonic development; how much is needed for calcium imaging? *Cell Calcium*, 22, 439.
100. Jubin R, Murray MG. (1998) Activity screening of bacteria containing *Renilla luciferase* plasmids. *Biotechniques*, 24, 185.
101. Nebl T, Fisher PR. (1997) Intracellular Ca<sup>2+</sup> signals in *Dictyostelium* chemotaxis are mediated exclusively by Ca<sup>2+</sup> influx. *J Cell Sci*, 110 ( Pt 22), 2845.
102. Barrero MJ, Montero M, Alvarez J. (1997) Dynamics of [Ca<sup>2+</sup>] in the endoplasmic reticulum and cytoplasm of intact HeLa cells. A comparative study. *J Biol Chem*, 272, 27694.
103. Stables J, Green A, Marshall F, Fraser N, Knight E, Sautel M, Milligan G, Lee M, Rees S. (1997) A bioluminescent assay for agonist activity at potentially any G-protein-coupled receptor. *Anal Biochem*, 252, 115.
104. Shimomura O. (1997) Membrane permeability of coelenterazine analogues measured with fish eggs. *Biochem J*, 326 ( Pt 2), 297.
105. Teranishi K, Shimomura O. (1997) Coelenterazine analogs as chemiluminescent probe for superoxide anion. *Anal Biochem*, 249, 37.
106. Inouye S, Shimomura O. (1997) The use of *Renilla luciferase*, *Oplophorus luciferase*, and apoaequorin as bioluminescent reporter protein in the presence of coelenterazine analogues as substrate. *Biochem Biophys Res Commun*, 233, 349.
107. Thomson CM, Herring PJ, Campbell AK. (1997) The widespread occurrence and tissue distribution of the imidazopyrazine luciferins. *J Biolumin Chemilumin*, 12, 87.
108. Takahashi K, Isobe M, Knight MR, Trewavas AJ, Muto S. (1997) Hypoosmotic Shock Induces Increases in Cytosolic Ca<sup>2+</sup> in Tobacco Suspension-Culture Cells. *Plant Physiol*, 113, 587.
109. Rembold CM, Kendall JM, Campbell AK. (1997) Measurement of changes in sarcoplasmic reticulum [Ca<sup>2+</sup>] in rat tail artery with targeted apoaequorin delivered by an adenoviral vector. *Cell Calcium*, 21, 69.
110. Xiong ZH, Ruben L. (1996) Nuclear calcium flux in *Trypanosoma brucei* can be quantified with targeted aequorin. *Mol Biochem Parasitol*, 83, 57.
111. Gonzalez-Trueba G, Paradisi C, Zoratti M. (1996) Synthesis of coelenterazine. *Anal Biochem*, 240, 308.
112. Sanchez-Bueno A, Yoshida R, Tsuji FI. (1996) Regeneration and luminescence of aequorin in Chinese hamster ovary cells transformed with cDNA for apoaequorin. *Int J Biochem Cell Biol*, 28, 1045.
113. Kendall JM, Badminton MN, Sala-Newby GB, Campbell AK, Rembold CM. (1996) Recombinant apoaequorin acting as a pseudo-luciferase reports micromolar changes in the endoplasmic reticulum free Ca<sup>2+</sup> of intact cells. *Biochem J*, 318 ( Pt 2), 383.
114. Russell AJ, Knight MR, Cove DJ, Knight CD, Trewavas AJ, Wang TL. (1996) The moss, *Physcomitrella patens*, transformed with apoaequorin cDNA responds to cold shock, mechanical perturbation and pH with transient increases in cytoplasmic calcium. *Transgenic Res*, 5, 167.
115. Button D, Eidsath A. (1996) Aequorin targeted to the endoplasmic reticulum reveals heterogeneity in luminal Ca++ concentration and reports agonist- or IP3-induced release of Ca++. *Mol Biol Cell*, 7, 419.
116. Badminton MN, Sala-Newby GB, Kendall JM, Campbell AK. (1995) Differences in stability of recombinant apoaequorin within subcellular compartments. *Biochem Biophys Res Commun*, 217, 950.
117. Matveev SV, Illarionov BA, Vysotski ES, Bondar VS, Markova SV, Alakhov YB. (1995) Obelin mRNA--a new tool for studies of translation in cell-free systems. *Anal Biochem*, 231, 34.
118. Daguzan C, Nicolas MT, Mazars C, Leclerc C, Moreau M. (1995) Expression of membrane targeted aequorin in *Xenopus laevis* oocytes. *Int J Dev Biol*, 39, 653.
119. Rutter GA, White MR, Tavare JM. (1995) Involvement of MAP kinase in insulin signalling revealed by non-invasive imaging of luciferase gene expression in single living cells. *Curr Biol*, 5, 890.

120. Shimomura O. (1995) Cause of spectral variation in the luminescence of semisynthetic aequorins. *Biochem J*, 306 ( Pt 2), 537.
121. Vysotski ES, Trofimov CP, Bondar VS, Frank LA, Markova SV, Illarionov BA. (1995) Mn(2+)-activated luminescence of the photoprotein obelin. *Arch Biochem Biophys*, 316, 92.
122. Badminton MN, Kendall JM, Sala-Newby G, Campbell AK. (1995) Nucleoplasmin-targeted aequorin provides evidence for a nuclear calcium barrier. *Exp Cell Res*, 216, 236.
123. Price AH, Taylor A, Ripley SJ, Griffiths A, Trewavas AJ, Knight MR. (1994) Oxidative Signals in Tobacco Increase Cytosolic Calcium. *Plant Cell*, 6, 1301.
124. Kendall JM, Badminton MN, Dormer RL, Campbell AK. (1994) Changes in free calcium in the endoplasmic reticulum of living cells detected using targeted aequorin. *Anal Biochem*, 221, 173.
125. Saran S, Nakao H, Tasaka M, Iida H, Tsuji FI, Nanjundiah V, Takeuchi I. (1994) Intracellular free calcium level and its response to cAMP stimulation in developing Dictyostelium cells transformed with jellyfish apoaequorin cDNA. *FEBS Lett*, 337, 43.
126. Shimomura O, Kishi Y, Inouye S. (1993) The relative rate of aequorin regeneration from apoaequorin and coelenterazine analogues. *Biochem J*, 296 ( Pt 3), 549.
127. Button D, Brownstein M. (1993) Aequorin-expressing mammalian cell lines used to report Ca<sup>2+</sup> mobilization. *Cell Calcium*, 14, 663.
128. Watkins NJ, Campbell AK. (1993) Requirement of the C-terminal proline residue for stability of the Ca(2+)-activated photoprotein aequorin. *Biochem J*, 293 ( Pt 1), 181.
129. Knight MR, Read ND, Campbell AK, Trewavas AJ. (1993) Imaging calcium dynamics in living plants using semi-synthetic recombinant aequorins. *J Cell Biol*, 121, 83.
130. Sheu YA, Kricka LJ, Pritchett DB. (1993) Measurement of intracellular calcium using bioluminescent aequorin expressed in human cells. *Anal Biochem*, 209, 343.
131. Lucas M, Solano F. (1992) Coelenterazine is a superoxide anion-sensitive chemiluminescent probe: its usefulness in the assay of respiratory burst in neutrophils. *Anal Biochem*, 206, 273.
132. Rizzuto R, Simpson AW, Brini M, Pozzan T. (1992) Rapid changes of mitochondrial Ca<sup>2+</sup> revealed by specifically targeted recombinant aequorin. *Nature*, 358, 325.
133. Inouye S, Tsuji FI. (1992) Monitoring gene expression in Chinese hamster ovary cells using secreted apoaequorin. *Anal Biochem*, 201, 114.
134. Knight MR, Campbell AK, Smith SM, Trewavas AJ. (1991) Transgenic plant aequorin reports the effects of touch and cold-shock and elicitors on cytoplasmic calcium. *Nature*, 352, 524.
135. Nakajima-Shimada J, Iida H, Tsuji FI, Anraku Y. (1991) Monitoring of intracellular calcium in *Saccharomyces cerevisiae* with an apoaequorin cDNA expression system. *Proc Natl Acad Sci U S A*, 88, 6878.
136. Lorenz WW, McCann RO, Longiaru M, Cormier MJ. (1991) Isolation and expression of a cDNA encoding *Renilla reniformis* luciferase. *Proc Natl Acad Sci U S A*, 88, 4438.
137. Knight MR, Campbell AK, Smith SM, Trewavas AJ. (1991) Recombinant aequorin as a probe for cytosolic free Ca<sup>2+</sup> in *Escherichia coli*. *FEBS Lett*, 282, 405.
138. Shimomura O, Inouye S, Musicki B, Kishi Y. (1990) Recombinant aequorin and recombinant semi-synthetic aequorins. Cellular Ca<sup>2+</sup> ion indicators. *Biochem J*, 270, 309.
139. Muller T, Campbell AK. (1990) The chromophore of pholasin: a highly luminescent protein. *J Biolumin Chemilumin*, 5, 25.
140. Shimomura O, Musicki B, Kishi Y. (1989) Semi-synthetic aequorins with improved sensitivity to Ca<sup>2+</sup> ions. *Biochem J*, 261, 913.
141. Campbell AK, Patel A, Houston WA, Scolding NJ, Frith S, Morgan BP, Compston DA. (1989) Photoproteins as indicators of intracellular free Ca<sup>2+</sup>. *J Biolumin Chemilumin*, 4, 463.
142. Casadei J, Powell MJ, Kenten JH. (1989) Characterization of a chimeric aequorin molecule expressed in myeloma cells. *J Biolumin Chemilumin*, 4, 346.

143. Watanabe M, Kurihara S, Inouye S, Ohno T. (1989) Binding of murine monoclonal antibodies to the active and inactive configurations of aequorin. *FEBS Lett*, 246, 73.
144. Inouye S, Aoyama S, Miyata T, Tsuji FI, Sakaki Y. (1989) Overexpression and purification of the recombinant Ca<sup>2+</sup>-binding protein, apoaequorin. *J Biochem (Tokyo)*, 105, 473.
145. Kurose K, Inouye S, Sakaki Y, Tsuji FI. (1989) Bioluminescence of the Ca<sup>2+</sup>-binding photoprotein aequorin after cysteine modification. *Proc Natl Acad Sci U S A*, 86, 80.
146. Campbell AK, Patel AK, Razavi ZS, McCapra F. (1988) Formation of the Ca<sup>2+</sup>-activated photoprotein obelin from apo-obelin and mRNA inside human neutrophils. *Biochem J*, 252, 143.
147. Shimomura O, Musicki B, Kishi Y. (1988) Semi-synthetic aequorin. An improved tool for the measurement of calcium ion concentration. *Biochem J*, 251, 405.
148. Inouye S, Noguchi M, Sakaki Y, Takagi Y, Miyata T, Iwanaga S, Tsuji FI. (1985) Cloning and sequence analysis of cDNA for the luminescent protein aequorin. *Proc Natl Acad Sci U S A*, 82, 3154.
149. Shimomura O. (1985) Bioluminescence in the sea: photoprotein systems. *Symp Soc Exp Biol*, 39, 351.
150. Anctil M, Shimomura O. (1984) Mechanism of photoinactivation and re-activation in the bioluminescence system of the ctenophore Mnemiopsis. *Biochem J*, 221, 269.
151. Shimomura O, Johnson FH. (1978) Peroxidized coelenterazine, the active group in the photoprotein aequorin. *Proc Natl Acad Sci U S A*, 75, 2611.
152. Shimomura O, Masugi T, Johnson FH, Haneda Y. (1978) Properties and reaction mechanism of the bioluminescence system of the deep-sea shrimp *Oplophorus gracilorostris*. *Biochemistry*, 17, 994.