

References for Product 21252

1. Bai SZ, Liu XB, Xi YH, Wang TY, Fu GH. (2005) [Expression of band 3 protein on erythrocytes of malignant tumor patients and its impact on proliferation of K562 cells]. Ai Zheng, 24, 543.
2. Munkonge F, Alton EW, Andersson C, Davidson H, Dragomir A, Edelman A, Farley R, Hjelte L, McLachlan G, Stern M, Roomans GM. (2004) Measurement of halide efflux from cultured and primary airway epithelial cells using fluorescence indicators. J Cyst Fibros, 3 Suppl 2, 171.
3. Braunstein GM, Zsembery A, Tucker TA, Schwiebert EM. (2004) Purinergic signaling underlies CFTR control of human airway epithelial cell volume. J Cyst Fibros, 3, 99.
4. Mahlangu DA, Dix JA. (2004) Halide fluxes in epithelial cells measured with an automated cell plate reader. Anal Biochem, 325, 28.
5. Sermet-Gaudelus I, Vallee B, Urbin I, Torossi T, Marianovski R, Fajac A, Feuillet MN, Bresson JL, Lenoir G, Bernaudin JF, Edelman A. (2002) Normal function of the cystic fibrosis conductance regulator protein can be associated with homozygous (Delta)F508 mutation. Pediatr Res, 52, 628.
6. Ortiz PA, Hong NJ, Garvin JL. (2001) NO decreases thick ascending limb chloride absorption by reducing Na(+) -K(+) -2Cl(-) cotransporter activity. Am J Physiol Renal Physiol, 281, F819.
7. Clancy JP, Bebok Z, Ruiz F, King C, Jones J, Walker L, Greer H, Hong J, Wing L, Macaluso M, Lyrene R, Sorscher EJ, Bedwell DM. (2001) Evidence that systemic gentamicin suppresses premature stop mutations in patients with cystic fibrosis. Am J Respir Crit Care Med, 163, 1683.
8. Geddes CD, Apperson K, Karolin J, Birch DJ. (2001) Chloride-sensitive fluorescent indicators. Anal Biochem, 293, 60.
9. Zegarra-Moran O, Porcelli AM, Rugolo M. (2001) The phorbol ester PMA and cyclic AMP activate different Cl(-) and HCO3(-) fluxes in C127 cells expressing CFTR. Biochim Biophys Acta, 1535, 120.
10. Costa de Beauregard MA, Edelman A, Chesnoy-Marchais D, Tondelier D, Lapillonne A, El Marjou F, Robine S, Louvard D. (2000) Functional cystic fibrosis transmembrane conductance regulator tagged with an epitope of the vesicular stomatitis virus glycoprotein can be addressed to the apical domain of polarized cells. Eur J Cell Biol, 79, 795.
11. Soldati L, Adamo D, Spaventa R, Bianchi G, Vezzoli G. (2000) Chloride fluxes activated by parathyroid hormone in human erythrocytes. Biochem Biophys Res Commun, 269, 470.
12. Faurskov B, Bjerregaard HF. (2000) Chloride secretion in kidney distal epithelial cells (A6) evoked by cadmium. Toxicol Appl Pharmacol, 163, 267.
13. Greger R, Heitzmann D, Hug MJ, Hoffmann EK, Bleich M. (1999) The Na⁺-2Cl-K⁺ cotransporter in the rectal gland of *Squalus acanthias* is activated by cell shrinkage. Pflugers Arch, 438, 165.
14. Jiang C, Finkbeiner WE, Widdicombe JH, Fang SL, Wang KX, Nietupski JB, Hehir KM, Cheng SH. (1999) Restoration of cyclic adenosine monophosphate-stimulated chloride channel activity in human cystic fibrosis tracheobronchial submucosal gland cells by adenovirus-mediated and cationic lipid-mediated gene transfer. Am J Respir Cell Mol Biol, 20, 1107.
15. Mansoura MK, Biwersi J, Ashlock MA, Verkman AS. (1999) Fluorescent chloride indicators to assess the efficacy of CFTR cDNA delivery. Hum Gene Ther, 10, 861.
16. Srinivas SP, Guan Y, Bonanno JA. (1999) Swelling activated chloride channels in cultured bovine corneal endothelial cells. Exp Eye Res, 68, 165.
17. Garcia NH, Plato CF, Garvin JL. (1999) Fluorescent determination of chloride in nanoliter samples. Kidney Int, 55, 321.

18. Rubera I, Tauc M, Verheecke-Mauze C, Bidet M, Poujeol C, Touret N, Cuiller B, Poujeol P. (1999) Regulation of cAMP-dependent chloride channels in DC1 immortalized rabbit distal tubule cells in culture. *Am J Physiol*, 276, F104.
19. Rubera I, Tauc M, Bidet M, Poujeol C, Cuiller B, Watrin A, Touret N, Poujeol P. (1998) Chloride currents in primary cultures of rabbit proximal and distal convoluted tubules. *Am J Physiol*, 275, F651.
20. Srinivas SP, Bonanno JA, Hughes BA. (1998) Assessment of swelling-activated Cl⁻ channels using the halide-sensitive fluorescent indicator 6-methoxy-N-(3-sulfopropyl)quinolinium. *Biophys J*, 75, 115.
21. Shingles R, Roh MH, McCarty RE. (1997) Direct measurement of nitrite transport across erythrocyte membrane vesicles using the fluorescent probe, 6-methoxy-N-(3-sulfopropyl) quinolinium. *J Bioenerg Biomembr*, 29, 611.
22. Greco FA, Solomon AK. (1997) Kinetics of chloride-bicarbonate exchange across the human red blood cell membrane. *J Membr Biol*, 159, 197.
23. Dupuit F, Chinet T, Zahm JM, Pierrot D, Hinnrasky J, Kaplan H, Bonnet N, Puchelle E. (1997) Induction of a cAMP-stimulated chloride secretion in regenerating poorly differentiated airway epithelial cells by adenovirus-mediated CFTR gene transfer. *Hum Gene Ther*, 8, 1439.
24. Pilas B, Durack G. (1997) A flow cytometric method for measurement of intracellular chloride concentration in lymphocytes using the halide-specific probe 6-methoxy-N-(3-sulfopropyl) quinolinium (SPQ). *Cytometry*, 28, 316.
25. Bonanno JA, Srinivas SP. (1997) Cyclic AMP activates anion channels in cultured bovine corneal endothelial cells. *Exp Eye Res*, 64, 953.
26. MacVinish LJ, Gill DR, Hyde SC, Mofford KA, Evans MJ, Higgins CF, Colledge WH, Huang L, Sorgi F, Ratcliff R, Cuthbert AW. (1997) Chloride secretion in the trachea of null cystic fibrosis mice: the effects of transfection with pTrial10-CFTR2. *J Physiol*, 499 (Pt 3), 677.
27. Garcia L, Rigoulet M, Georgescauld D, Duffy B, Sartor P. (1997) Regulation of intracellular chloride concentration in rat lactotrophs: possible role of mitochondria. *FEBS Lett*, 400, 113.
28. Reifarth FW, Amasheh S, Clauss W, Weber W. (1997) The Ca²⁺-inactivated Cl⁻ channel at work: selectivity, blocker kinetics and transport visualization. *J Membr Biol*, 155, 95.
29. Woll E, Gschwendner M, Furst J, Hofer S, Buemberger G, Jungwirth A, Frick J, Deetjen P, Paulmichl M. (1996) Fluorescence-optical measurements of chloride movements in cells using the membrane-permeable dye diH-MEQ. *Pflugers Arch*, 432, 486.
30. Tauc M, Bidet M, Poujeol P. (1996) Chloride currents activated by calcitonin and cAMP in primary cultures of rabbit distal convoluted tubule. *J Membr Biol*, 150, 255.
31. El-Etri M, Cuppoletti J. (1996) Metalloporphyrin chloride ionophores: induction of increased anion permeability in lung epithelial cells. *Am J Physiol*, 270, L386.
32. Stern M, Munkonge FM, Caplen NJ, Sorgi F, Huang L, Geddes DM, Alton EW. (1995) Quantitative fluorescence measurements of chloride secretion in native airway epithelium from CF and non-CF subjects. *Gene Ther*, 2, 766.
33. McDonald F, Yettram AL. (1995) Loading of cells and a possible upper limit of load response with respect to strain energy density. *J Biomed Mater Res*, 29, 1577.
34. Xie J, Drumm ML, Ma J, Davis PB. (1995) Intracellular loop between transmembrane segments IV and V of cystic fibrosis transmembrane conductance regulator is involved in regulation of chloride channel conductance state. *J Biol Chem*, 270, 28084.
35. Calafut TM, Dix JA. (1995) Chloride-bicarbonate exchange through the human red cell ghost membrane monitored by the fluorescent probe 6-methoxy-N-(3-sulfopropyl)quinolinium. *Anal Biochem*, 230, 1.
36. Tepel M, Hahne G, Zidek W. (1995) Depletion of intracellular calcium stores triggers transplasmamembrane chloride influx in human lymphocytes: regulation by tyrosine kinase. *Biochem Biophys Res Commun*, 211, 432.
37. Leeves MA, McDonald F. (1995) The effect of mechanical deformation on the distribution of ions in fibroblasts. *Am J Orthod Dentofacial Orthop*, 107, 625.

38. Wolkoff LI, Perrone RD, Grubman SA, Lee DW, Soltoff SP, Rogers LC, Beinborn M, Fang SL, Cheng SH, Jefferson DM. (1995) Purinoceptor P2U identification and function in human intrahepatic biliary epithelial cell lines. *Cell Calcium*, 17, 375.
39. Nishikawa K, Ishihara H, Ozawa K, Tamura K. (1995) Chloride transport mechanism in swine tracheal submucosal gland cells. *Respiration*, 62, 274.
40. Ehring GR, Osipchuk YV, Cahalan MD. (1994) Swelling-activated chloride channels in multidrug-sensitive and -resistant cells. *J Gen Physiol*, 104, 1129.
41. Silvestro AM, Ashley RH. (1994) Solubilization, partial purification and functional reconstitution of a sheep brain endoplasmic reticulum anion channel. *Int J Biochem*, 26, 1129.
42. Sibille L, Pusey ML. (1994) Investigation of nucleating lysozyme solutions. *Acta Crystallogr D Biol Crystallogr*, 50, 396.
43. Biwersi J, Tulk B, Verkman AS. (1994) Long-wavelength chloride-sensitive fluorescent indicators. *Anal Biochem*, 219, 139.
44. Huang SJ, Chan HC, Wong PY. (1994) Adrenaline-regulated Cl⁻ transport in cultured single rat epididymal cells measured by an entrapped Cl(-)-sensitive fluorophore. *J Physiol*, 474, 183.
45. Orosz DE, Garlid KD. (1993) A sensitive new fluorescence assay for measuring proton transport across liposomal membranes. *Anal Biochem*, 210, 7.
46. Salomonsson M, Gonzalez E, Kornfeld M, Persson AE. (1993) The cytosolic chloride concentration in macula densa and cortical thick ascending limb cells. *Acta Physiol Scand*, 147, 305.
47. Brison DR, Leese HJ. (1993) Role of chloride transport in the development of the rat blastocyst. *Biol Reprod*, 48, 692.
48. Vasseur M, Frangne R, Alvarado F. (1993) Buffer-dependent pH sensitivity of the fluorescent chloride-indicator dye SPQ. *Am J Physiol*, 264, C27.
49. Geseck FA, Friedman PA. (1992) On the mechanism of parathyroid hormone stimulation of calcium uptake by mouse distal convoluted tubule cells. *J Clin Invest*, 90, 749.
50. Chu TC, Socci RR, Coca-Prados M, Green K. (1992) Comparative studies of furosemide effects on membrane potential and intracellular chloride activity in human and rabbit ciliary epithelium. *Ophthalmic Res*, 24, 83.
51. Biwersi J, Farah N, Wang YX, Ketcham R, Verkman AS. (1992) Synthesis of cell-impermeable Cl⁻sensitive fluorescent indicators with improved sensitivity and optical properties. *Am J Physiol*, 262, C242.
52. Engblom AC, Holopainen I, Akerman KE. (1991) Ethanol-induced Cl⁻ flux in rat cerebellar granule cells as measured by a fluorescent probe. *Brain Res*, 568, 55.
53. Cheng SH, Rich DP, Marshall J, Gregory RJ, Welsh MJ, Smith AE. (1991) Phosphorylation of the R domain by cAMP-dependent protein kinase regulates the CFTR chloride channel. *Cell*, 66, 1027.
54. Shi LB, Fushimi K, Verkman AS. (1991) Solvent drag measurement of transcellular and basolateral membrane NaCl reflection coefficient in kidney proximal tubule. *J Gen Physiol*, 98, 379.
55. Engblom AC, Akerman KE. (1991) Effect of ethanol on gamma-aminobutyric acid and glycine receptor-coupled Cl⁻ fluxes in rat brain synaptoneuroosomes. *J Neurochem*, 57, 384.
56. Salomonsson M, Gonzalez E, Westerlund P, Persson AE. (1991) Chloride concentration in macula densa and cortical thick ascending limb cells. *Kidney Int Suppl*, 32, S51.
57. Dwyer TM, Farley JM. (1991) Intracellular chloride in submucosal gland cells. *Life Sci*, 48, 2119.
58. Placchi P, Lombardo R, Tamanini A, Brusa P, Berton G, Cabrini G. (1991) cAMP-dependent protein kinase inhibits the chloride conductance in apical membrane vesicles of human placenta. *J Membr Biol*, 119, 25.
59. Foskett JK. (1990) [Ca²⁺]_i modulation of Cl⁻ content controls cell volume in single salivary acinar cells during fluid secretion. *Am J Physiol*, 259, C998.

60. Chao AC, Widdicombe JH, Verkman AS. (1990) Chloride conductive and cotransport mechanisms in cultures of canine tracheal epithelial cells measured by an entrapped fluorescent indicator. *J Membr Biol*, 113, 193.
61. Chao AC, Dix JA, Sellers MC, Verkman AS. (1989) Fluorescence measurement of chloride transport in monolayer cultured cells. Mechanisms of chloride transport in fibroblasts. *Biophys J*, 56, 1071.
62. Engblom AC, Holopainen I, Akerman KE. (1989) Determination of GABA receptor-linked Cl⁻ fluxes in rat cerebellar granule cells using a fluorescent probe SPQ. *Neurosci Lett*, 104, 326.
63. Garcia-Calvo M, Ruiz-Gomez A, Vazquez J, Morato E, Valdivieso F, Mayor F, Jr. (1989) Functional reconstitution of the glycine receptor. *Biochemistry*, 28, 6405.
64. Pearce D, Verkman AS. (1989) NaCl reflection coefficients in proximal tubule apical and basolateral membrane vesicles. Measurement by induced osmosis and solvent drag. *Biophys J*, 55, 1251.
65. Verkman AS, Takla R, Sefton B, Basbaum C, Widdicombe JH. (1989) Quantitative fluorescence measurement of chloride transport mechanisms in phospholipid vesicles. *Biochemistry*, 28, 4240.
66. Illsley NP, Glaubensklee C, Davis B, Verkman AS. (1988) Chloride transport across placental microvillous membranes measured by fluorescence. *Am J Physiol*, 255, C789.
67. Dechechchi MC, Cabrini G. (1988) Chloride conductance in membrane vesicles from human placenta using a fluorescent probe. Implications for cystic fibrosis. *Biochim Biophys Acta*, 945, 113.
68. Krapf R, Berry CA, Verkman AS. (1988) Estimation of intracellular chloride activity in isolated perfused rabbit proximal convoluted tubules using a fluorescent indicator. *Biophys J*, 53, 955.
69. Krapf R, Illsley NP, Tseng HC, Verkman AS. (1988) Structure-activity relationships of chloride-sensitive fluorescent indicators for biological application. *Anal Biochem*, 169, 142.
70. Chen PY, Verkman AS. (1988) Sodium-dependent chloride transport in basolateral membrane vesicles isolated from rabbit proximal tubule. *Biochemistry*, 27, 655.
71. Chen PY, Illsley NP, Verkman AS. (1988) Renal brush-border chloride transport mechanisms characterized using a fluorescent indicator. *Am J Physiol*, 254, F114.
72. Illsley NP, Verkman AS. (1987) Membrane chloride transport measured using a chloride-sensitive fluorescent probe. *Biochemistry*, 26, 1215.