

References for Products 21506 to 21510

1. Li Y, Duan Y, Li J, Zheng J, Yu H, Yang R. (2012) Simultaneous Nucleophilic-substituted and Electrostatic Interactions for Thermal Switching of Spiropyran: A New Approach for Rapid and Selective Colorimetric Detection of Thiol-containing Amino Acids. *Anal Chem*.
2. Peer CJ, Spencer SD, VanDenBerg DA, Pacanowski MA, Horenstein RB, Figg WD. (2012) A sensitive and rapid ultra HPLC-MS/MS method for the simultaneous detection of clopidogrel and its derivatized active thiol metabolite in human plasma. *J Chromatogr B Analyt Technol Biomed Life Sci*, 880, 132.
3. Guo XF, Zhao PX, Wang H, Zhang HS. (2011) Simple and rapid determination of thiol compounds by HPLC and fluorescence detection with 1,3,5,7-tetramethyl-8-phenyl-(2-maleimide) difluoroboradiaza-s-indacene. *J Chromatogr B Analyt Technol Biomed Life Sci*, 879, 3932.
4. Meziane D, Barras A, Kromka A, Houdkova J, Boukherroub R, Szunerits S. (2012) Thiol-yne reaction on boron-doped diamond electrodes: application for the electrochemical detection of DNA-DNA hybridization events. *Anal Chem*, 84, 194.
5. Izquierdo-Alvarez A, Martinez-Ruiz A. (2011) Thiol redox proteomics seen with fluorescent eyes: the detection of cysteine oxidative modifications by fluorescence derivatization and 2-DE. *J Proteomics*, 75, 329.
6. Lin Y, Tao Y, Ren J, Pu F, Qu X. (2011) Highly sensitive and selective detection of thiol-containing biomolecules using DNA-templated silver deposition. *Biosens Bioelectron*, 28, 339.
7. Lambert W, Soderberg CA, Rutsdottir G, Boelens WC, Emanuelsson C. (2011) Thiol-exchange in DTSSP crosslinked peptides is proportional to cysteine content and precisely controlled in crosslink detection by two-step LC-MALDI MSMS. *Protein Sci*, 20, 1682.
8. Onuegbu J, Fu A, Glembocki O, Pokes S, Alexson D, Hosten CM. (2011) Investigation of chemically modified barium titanate beads as surface-enhanced Raman scattering (SERS) active substrates for the detection of benzene thiol, 1,2-benzene dithiol, and rhodamine 6G. *Spectrochim Acta A Mol Biomol Spectrosc*, 79, 456.
9. Huang Y, Zhao S, Shi M, Liang H. (2011) A microchip electrophoresis strategy with online labeling and chemiluminescence detection for simultaneous quantification of thiol drugs. *J Pharm Biomed Anal*, 55, 889.
10. Dulay S, Lozano-Sanchez P, Iwuoha E, Katakis I, O'Sullivan CK. (2011) Electrochemical detection of celiac disease-related anti-tissue transglutaminase antibodies using thiol based surface chemistry. *Biosens Bioelectron*.
11. Hu B, Zhao Y, Zhu HZ, Yu SH. (2011) Selective chromogenic detection of thiol-containing biomolecules using carbonaceous nanospheres loaded with silver nanoparticles as carrier. *ACS Nano*, 5, 3166.
12. Huo FJ, Yang YT, Su J, Sun YQ, Yin CX, Yan XX. (2011) Indicator approach to develop a chemosensor for the colorimetric sensing of thiol-containing water and its application for the thiol detection in plasma. *Analyst*, 136, 1892.
13. Huang Z, Pu F, Lin Y, Ren J, Qu X. (2011) Modulating DNA-templated silver nanoclusters for fluorescence turn-on detection of thiol compounds. *Chem Commun (Camb)*, 47, 3487.
14. Martins VC, Cardoso FA, Freitas PP, Fonseca LP. (2010) Picomolar detection limit on a magnetoresistive biochip after optimization of a thiol-gold based surface chemistry. *J Nanosci Nanotechnol*, 10, 5994.
15. Mezour MA, Cornut R, Hussien EM, Morin M, Mauzeroll J. (2010) Detection of hydrogen peroxide produced during the oxygen reduction reaction at self-assembled thiol-porphyrin monolayers on gold using SECM and nanoelectrodes. *Langmuir*, 26, 13000.
16. Zuo QP, Li B, Pei Q, Li Z, Liu SK. (2010) A highly selective fluorescent probe for detection of biological samples thiol and its application in living cells. *J Fluoresc*, 20, 1307.

17. Murray D, Seo SS. (2009) Method for Detection of Thiol-containing Amino Acids Using Gold-Polystyrene Composites. *Ionics (Kiel)*, 15, 459.
18. Chouhan RS, Vinayaka AC, Thakur MS. (2010) Thiol-stabilized luminescent CdTe quantum dot as biological fluorescent probe for sensitive detection of methyl parathion by a fluoroimmunochemical technique. *Anal Bioanal Chem*, 397, 1467.
19. Loving G, Imperiali B. (2009) Thiol-reactive derivatives of the solvatochromic 4-N,N-dimethylamino-1,8-naphthalimide fluorophore: a highly sensitive toolset for the detection of biomolecular interactions. *Bioconjug Chem*, 20, 2133.
20. Dago A, Gonzalez-Garcia O, Arino C, Diaz-Cruz JM, Esteban M. (2009) Liquid chromatographic analysis of Hg(II) binding by thiol-rich peptides using both UV-vis and electrochemical detection. *J Chromatogr A*, 1216, 6752.
21. Rossi R, Giustarini D, Colombo G, Milzani A, Dalle-Donne I. (2009) Evidence against a role of ketone bodies in the generation of oxidative stress in human erythrocytes by the application of reliable methods for thiol redox form detection. *J Chromatogr B Analyt Technol Biomed Life Sci*, 877, 3467.
22. Marino SM, Gladyshev VN. (2009) A structure-based approach for detection of thiol oxidoreductases and their catalytic redox-active cysteine residues. *PLoS Comput Biol*, 5, e1000383.
23. Kusmierk K, Chwatko G, Glowacki R, Bald E. (2009) Determination of endogenous thiols and thiol drugs in urine by HPLC with ultraviolet detection. *J Chromatogr B Analyt Technol Biomed Life Sci*, 877, 3300.
24. Cuddihy SL, Baty JW, Brown KK, Winterbourn CC, Hampton MB. (2009) Proteomic detection of oxidized and reduced thiol proteins in cultured cells. *Methods Mol Biol*, 519, 363.
25. Toyo'oka T. (2009) Recent advances in separation and detection methods for thiol compounds in biological samples. *J Chromatogr B Analyt Technol Biomed Life Sci*, 877, 3318.
26. Zhang B, Jiang Y, Kuang H, Yao C, Huang Q, Xu S, Tang D, Fu W. (2008) Development of a spiral piezoelectric immunosensor based on thiol self-assembled monolayers for the detection of insulin. *J Immunol Methods*, 338, 7.
27. Yantasee W, Charnhattachakorn B, Fryxell GE, Lin Y, Timchalk C, Addleman RS. (2008) Detection of Cd, Pb, and Cu in non-pretreated natural waters and urine with thiol functionalized mesoporous silica and Nafion composite electrodes. *Anal Chim Acta*, 620, 55.
28. Owen TC. (2008) Thiol detection, derivatization and tagging at micromole to nanomole levels using propiolates. *Bioorg Chem*, 36, 156.
29. Cathell MD, Szewczyk JC, Bui FA, Weber CA, Wolever JD, Kang J, Schauer CL. (2008) Structurally colored thiol chitosan thin films as a platform for aqueous heavy metal ion detection. *Biomacromolecules*, 9, 289.
30. Ying J, Clavreul N, Sethuraman M, Adachi T, Cohen RA. (2007) Thiol oxidation in signaling and response to stress: detection and quantification of physiological and pathophysiological thiol modifications. *Free Radic Biol Med*, 43, 1099.
31. Li J, Ma H, Wang X, Xiong S, Dong S, Wang S. (2007) Enhanced detection of thiol peptides by matrix-assisted laser desorption/ionization mass spectrometry after selective derivatization with a tailor-made quaternary ammonium tag containing maleimidyl group. *Rapid Commun Mass Spectrom*, 21, 2608.
32. Sharma V, Chaudhary R, Khurana JM, Muralidhar K. (2008) In-gel detection of urease activity by nitroprusside-thiol reaction. *Phytochem Anal*, 19, 99.
33. Hurd TR, Prime TA, Harbour ME, Lilley KS, Murphy MP. (2007) Detection of reactive oxygen species-sensitive thiol proteins by redox difference gel electrophoresis: implications for mitochondrial redox signaling. *J Biol Chem*, 282, 22040.
34. Rogers LK, Leinweber BL, Smith CV. (2006) Detection of reversible protein thiol modifications in tissues. *Anal Biochem*, 358, 171.
35. Ogasawara Y, Mukai Y, Togawa T, Suzuki T, Tanabe S, Ishii K. (2007) Determination of plasma thiol bound to albumin using affinity chromatography and high-performance liquid

- chromatography with fluorescence detection: ratio of cysteinyl albumin as a possible biomarker of oxidative stress. *J Chromatogr B Analyt Technol Biomed Life Sci*, 845, 157.
36. Petrlova J, Mikelova R, Stejskal K, Kleckerova A, Zitka O, Petrek J, Havel L, Zehnalek J, Vojtech A, Trnkova L, Kizek R. (2006) Simultaneous determination of eight biologically active thiol compounds using gradient elution-liquid chromatography with Coul-Array detection. *J Sep Sci*, 29, 1166.
 37. Santa T, Aoyama C, Fukushima T, Imai K, Funatsu T. (2006) Suppression of thiol exchange reaction in the determination of reduced-form thiols by high-performance liquid chromatography with fluorescence detection after derivatization with fluorogenic benzofurazan reagent, 7-fluoro-2,1,3-benzoxadiazole-4-sulfonate and 4-aminosulfonyl-7-fluoro-2,1,3-benzoxadiazole. *Biomed Chromatogr*, 20, 656.
 38. Kruusma J, Benham AM, Williams JA, Katakly R. (2006) An introduction to thiol redox proteins in the endoplasmic reticulum and a review of current electrochemical methods of detection of thiols. *Analyst*, 131, 459.
 39. Nolan EM, Racine ME, Lippard SJ. (2006) Selective Hg(II) detection in aqueous solution with thiol derivatized fluoresceins. *Inorg Chem*, 45, 2742.
 40. Brewer SH, Allen AM, Lappi SE, Chasse TL, Briggman KA, Gorman CB, Franzen S. (2004) Infrared detection of a phenylboronic acid terminated alkane thiol monolayer on gold surfaces. *Langmuir*, 20, 5512.
 41. Zinellu A, Sotgia S, Usai MF, Chessa R, Deiana L, Carru C. (2005) Thiol redox status evaluation in red blood cells by capillary electrophoresis-laser induced fluorescence detection. *Electrophoresis*, 26, 1963.
 42. Baty JW, Hampton MB, Winterbourn CC. (2005) Proteomic detection of hydrogen peroxide-sensitive thiol proteins in Jurkat cells. *Biochem J*, 389, 785.
 43. Liang SC, Wang H, Zhang ZM, Zhang HS. (2005) Determination of thiol by high-performance liquid chromatography and fluorescence detection with 5-methyl-(2-(m-iodoacetylaminophenyl)benzoxazole). *Anal Bioanal Chem*, 381, 1095.
 44. Wang J, Zima J, Lawrence NS, Chatrathi MP, Mulchandani A, Collins GE. (2004) Microchip capillary electrophoresis with electrochemical detection of thiol-containing degradation products of V-type nerve agents. *Anal Chem*, 76, 4721.
 45. Koyama E, Ishida T, Tokuhisa H, Belaiassaoui A, Nagawa Y, Kanesato M. (2004) STM-based molecular detection of "catch-and-release" of protons for bipyridine bound to phenylene-ethynylene thiol. *Chem Commun (Camb)*, 1626.
 46. Ros-Lis JV, Garcia B, Jimenez D, Martinez-Manez R, Sancenon F, Soto J, Gonzalvo F, Valldecabres MC. (2004) Squaraines as fluoro-chromogenic probes for thiol-containing compounds and their application to the detection of biorelevant thiols. *J Am Chem Soc*, 126, 4064.
 47. Kurosaki H, Yasuzawa H, Yamaguchi Y, Jin W, Arakawa Y, Goto M. (2003) Detection of a metallo-beta-lactamase (IMP-1) by fluorescent probes having dansyl and thiol groups. *Org Biomol Chem*, 1, 17.
 48. Yantasee W, Lin Y, Zemanian TS, Fryxell GE. (2003) Voltammetric detection of lead(II) and mercury(II) using a carbon paste electrode modified with thiol self-assembled monolayer on mesoporous silica (SAMMS). *Analyst*, 128, 467.
 49. Johnson L, Gershon PD. (2002) Direct detection of protein thiol derivatization by PAGE. *Biotechniques*, 33, 1292.
 50. Baty JW, Hampton MB, Winterbourn CC. (2002) Detection of oxidant sensitive thiol proteins by fluorescence labeling and two-dimensional electrophoresis. *Proteomics*, 2, 1261.
 51. Garcia AJ, Apitz-Castro R. (2002) Plasma total homocysteine quantification: an improvement of the classical high-performance liquid chromatographic method with fluorescence detection of the thiol-SBD derivatives. *J Chromatogr B Analyt Technol Biomed Life Sci*, 779, 359.
 52. Mallis RJ, Hamann MJ, Zhao W, Zhang T, Hendrich S, Thomas JA. (2002) Irreversible thiol oxidation in carbonic anhydrase III: protection by S-glutathiolation and detection in aging rats. *Biol Chem*, 383, 649.

53. Zhang FX, Han L, Israel LB, Daras JG, Maye MM, Ly NK, Zhong CJ. (2002) Colorimetric detection of thiol-containing amino acids using gold nanoparticles. *Analyst*, 127, 462.
54. Hart JJ, Welch RM, Norvell WA, Kochian LV. (2002) Measurement of thiol-containing amino acids and phytochelatin (PC2) via capillary electrophoresis with laser-induced fluorescence detection. *Electrophoresis*, 23, 81.
55. Glatz Z, Maslanova H. (2000) Specific thiol determination by micellar electrokinetic chromatography and on-column detection reaction with 2,2'-dipyridyldisulfide. *J Chromatogr A*, 895, 179.
56. Prior IA, Clague MJ. (2000) Detection of thiol modification following generation of reactive nitrogen species: analysis of synaptic vesicle proteins. *Biochim Biophys Acta*, 1475, 281.
57. Dieguez-Acuna FJ, Woods JS. (2000) Inhibition of NF-kappaB-DNA binding by mercuric ion: utility of the non-thiol reductant, tris(2-carboxyethyl)phosphine hydrochloride (TCEP), on detection of impaired NF-kappaB-DNA binding by thiol-directed agents. *Toxicol In Vitro*, 14, 7.
58. Chassaing C, Gonin J, Wilcox CS, Wainer IW. (1999) Determination of reduced and oxidized homocysteine and related thiols in plasma by thiol-specific pre-column derivatization and capillary electrophoresis with laser-induced fluorescence detection. *J Chromatogr B Biomed Sci Appl*, 735, 219.
59. Oe T, Ohayagi T, Naganuma A. (1998) Determination of gamma-glutamylglutathione and other low-molecular-mass biological thiol compounds by isocratic high-performance liquid chromatography with fluorimetric detection. *J Chromatogr B Biomed Sci Appl*, 708, 285.
60. Kamiya T. (1997) A procedure for the detection of free thiol-containing proteins on a polyvinylidene difluoride membrane. *J Immunoassay*, 18, 111.
61. Heath TG, Massad DD, Carroll JI, Mathews BS, Chang J, Scott DO, Kuo BS, Toren PC. (1995) Quantification of a dual angiotensin I-converting enzyme-neutral endopeptidase inhibitor and the active thiol metabolite in dog plasma by high-performance liquid chromatography with ultraviolet absorbance detection. *J Chromatogr B Biomed Appl*, 670, 91.
62. Boppana VK, Miller-Stein C. (1994) Determination of a novel hemoregulatory peptide in dog plasma by reversed-phase high-performance liquid chromatography and an amine-selective o-phthalaldehyde-thiol post-column reaction with fluorescence detection. *J Chromatogr A*, 676, 161.
63. Ryvniak VV, Gudumak VS, Onia ES. (1992) [The electron-histochemical detection of the activity of thiol proteinases in normal and cirrhotically altered liver]. *Biull Eksp Biol Med*, 114, 212.
64. Sun YP, Smith DL, Shoup RE. (1991) Simultaneous detection of thiol- and disulfide-containing peptides by electrochemical high-performance liquid chromatography with identification by mass spectrometry. *Anal Biochem*, 197, 69.
65. Bednar RA. (1990) Reactivity and pH dependence of thiol conjugation to N-ethylmaleimide: detection of a conformational change in chalcone isomerase. *Biochemistry*, 29, 3684.
66. Leimeister-Wachter M, Chakraborty T. (1989) Detection of listeriolysin, the thiol-dependent hemolysin in *Listeria monocytogenes*, *Listeria ivanovii*, and *Listeria seeligeri*. *Infect Immun*, 57, 2350.
67. Wall GM, Baker JK. (1989) Determination of baclofen and alpha-baclofen in rat liver homogenate and human urine using solid-phase extraction, o-phthalaldehyde-tert.-butyl thiol derivatization and high-performance liquid chromatography with amperometric detection. *J Chromatogr*, 491, 151.
68. Abram U, Kampf G, Abram S, Munze R. (1988) Technetium mixed-ligand complexes containing bidentate phosphines and monodentate thiol ligands. Preparation, in vitro data and detection of a certain heart affinity. *Int J Rad Appl Instrum A*, 39, 385.
69. Shimada K, Oe T, Nambara T. (1987) Sensitive ferrocene reagents for derivatization of thiol compounds in high-performance liquid chromatography with dual-electrode coulometric detection. *J Chromatogr*, 419, 17.
70. Angelides KJ, Fink AL. (1979) Mechanism of thiol protease catalysis: detection and stabilization of a tetrahedral intermediate in papain catalysis. *Biochemistry*, 18, 2363.

71. Cronin JR, Pizzarello S, Gandy WE. (1979) Amino acid analysis with o-phthalaldehyde detection: effects of reaction temperature and thiol on fluorescence yields. *Anal Biochem*, 93, 174.
72. Baines BS, Brocklehurst K. (1978) A spectrophotometric method for the detection of contaminant chymopapains in preparations of papain. Selective modification of one type of thiol group in the chymopapains by a two-protonic-state reagent. *Biochem J*, 173, 345.
73. Rahn CH, Schlenk H. (1973) Detection of aldehydes with 4-amino-5-hydrazino-1,2,4-triazole-3-thiol as spray reagent. *Lipids*, 8, 612.
74. Cassoly R, Banerjee R. (1968) [Detection of an effect of thiol group blockade on heme in a single-chain hemoprotein: tunny myoglobin]. *Bull Soc Chim Biol (Paris)*, 50, 93.