

References for Product 22190

1. Sullivan H, Linz G, Clark L, Salman M. (2006) West Nile virus antibody prevalence in red-winged blackbirds (*Agelaius phoeniceus*) from North Dakota, USA (2003-2004). *Vector Borne Zoonotic Dis*, 6, 305.
2. Bell JA, Brewer CM, Mickelson NJ, Garman GW, Vaughan JA. (2006) West Nile virus epizootiology, central Red River Valley, North Dakota and Minnesota, 2002-2005. *Emerg Infect Dis*, 12, 1245.
3. Mukherjee S, Raghuraman H, Chattopadhyay A. (2006) Membrane localization and dynamics of Nile Red: Effect of cholesterol. *Biochim Biophys Acta*.
4. Ferrer ML, del Monte F. (2005) Enhanced emission of nile red fluorescent nanoparticles embedded in hybrid sol-gel glasses. *J Phys Chem B Condens Matter Mater Surf Interfaces Biophys*, 109, 80.
5. Thomas KJ, Sherman DB, Amiss TJ, Andaluz SA, Pitner JB. (2006) A long-wavelength fluorescent glucose biosensor based on bioconjugates of galactose/glucose binding protein and Nile Red derivatives. *Diabetes Technol Ther*, 8, 261.
6. Morgan EJ, Rippey JM, Tucker SA. (2006) Spectroscopic characterization of poly(amidoamine) dendrimers as selective uptake devices: Phenol blue versus Nile red. *Appl Spectrosc*, 60, 551.
7. Polverini E, Cugini G, Annoni F, Abbruzzetti S, Viappiani C, Gensch T. (2006) Molten globule formation in apomyoglobin monitored by the fluorescent probe Nile Red. *Biochemistry*, 45, 5111.
8. Feitosa E, Alves FR, Niemiec A, Real Oliveira ME, Castanheira EM, Baptista AL. (2006) Cationic liposomes in mixed didodecyldimethylammonium bromide and dioctadecyldimethylammonium bromide aqueous dispersions studied by differential scanning calorimetry, nile red fluorescence, and turbidity. *Langmuir*, 22, 3579.
9. Huang YF, Chang HT. (2006) Nile Red-adsorbed gold nanoparticle matrixes for determining aminothiols through surface-assisted laser desorption/ionization mass spectrometry. *Anal Chem*, 78, 1485.
10. Pham NA, Gal MR, Bagshaw RD, Mohr AJ, Chue B, Richardson T, Callahan JW. (2005) A comparative study of cytoplasmic granules imaged by the real-time microscope, Nile Red and Filipin in fibroblasts from patients with lipid storage diseases. *J Inherit Metab Dis*, 28, 991.
11. Hungerford G, Castanheira EM, Baptista AL, Coutinho PJ, Oliveira ME. (2005) Domain formation in DODAB-cholesterol mixed systems monitored via Nile Red anisotropy. *J Fluoresc*, 15, 835.
12. Hungerford G, Rei A, Ferreira MI. (2005) Studies on the interaction of Nile red with horseradish peroxidase in solution. *Febs J*, 272, 6161.
13. Halstead BW, Zwickl CM, Morgan RE, Monteith DK, Thomas CE, Bowers RK, Berridge BR. (2006) A clinical flow cytometric biomarker strategy: validation of peripheral leukocyte phospholipidosis using Nile red. *J Appl Toxicol*, 26, 169.
14. Tseng WL, Lee KH, Chang HT. (2005) Using nile red-adsorbed gold nanoparticles to locate glutathione within erythrocytes. *Langmuir*, 21, 10676.
15. Sebok-Nagy K, Miskolczy Z, Biczok L. (2005) Interaction of 2-hydroxy-substituted Nile red fluorescent probe with organic nitrogen compounds. *Photochem Photobiol*, 81, 1212.
16. Vejux A, Kahn E, Dumas D, Bessede G, Menetrier F, Athias A, Riedinger JM, Frouin F, Stoltz JF, Ogier-Denis E, Todd-Pokropek A, Lizard G. (2005) 7-Ketocholesterol favors lipid accumulation and colocalizes with Nile Red positive cytoplasmic structures formed during 7-ketocholesterol-induced apoptosis: analysis by flow cytometry, FRET biphoton spectral imaging microscopy, and subcellular fractionation. *Cytometry A*, 64, 87.
17. Genicot G, Leroy JL, Soom AV, Donnay I. (2005) The use of a fluorescent dye, Nile red, to evaluate the lipid content of single mammalian oocytes. *Theriogenology*, 63, 1181.
18. Kahn E, Vejux A, Dumas D, Montange T, Frouin F, Robert V, Riedinger JM, Stoltz JF, Gambert P, Todd-Pokropek A, Lizard G. (2004) FRET multiphoton spectral imaging

- microscopy of 7-ketcholesterol and Nile Red in U937 monocytic cells loaded with 7-ketcholesterol. *Anal Quant Cytol Histol*, 26, 304.
19. Leroy JL, Genicot G, Donnay I, Van Soom A. (2005) Evaluation of the lipid content in bovine oocytes and embryos with nile red: a practical approach. *Reprod Domest Anim*, 40, 76.
20. Castro GR, Larson BK, Panilaitis B, Kaplan DL. (2005) Emulsan quantitation by Nile red quenching fluorescence assay. *Appl Microbiol Biotechnol*, 67, 767.
21. Wunschmann A, Shivers J, Bender J, Carroll L, Fuller S, Saggese M, van Wettere A, Redig P. (2004) Pathologic findings in red-tailed hawks (*Buteo jamaicensis*) and Cooper's hawks (*Accipiter cooperii*) naturally infected with West Nile virus. *Avian Dis*, 48, 570.
22. Yablon DG, Schilowitz AM. (2004) Solvatochromism of Nile Red in nonpolar solvents. *Appl Spectrosc*, 58, 843.
23. Chen SJ, Chang HT. (2004) Nile red-adsorbed gold nanoparticles for selective determination of thiols based on energy transfer and aggregation. *Anal Chem*, 76, 3727.
24. Anandan S, Yoon M. (2004) Photoinduced electron transfer studies of Nile red in the presence of TiO₂ colloidal nanoparticles. *Spectrochim Acta A Mol Biomol Spectrosc*, 60, 885.
25. Kimura K, Yamaoka M, Kamisaka Y. (2004) Rapid estimation of lipids in oleaginous fungi and yeasts using Nile red fluorescence. *J Microbiol Methods*, 56, 331.
26. Sheu HM, Tsai JC, Lin TK, Wong TW, Lee JY. (2003) Modified Nile red staining method for improved visualization of neutral lipid depositions in stratum corneum. *J Formos Med Assoc*, 102, 656.
27. Nusbaum KE, Wright JC, Johnston WB, Allison AB, Hilton CD, Staggs LA, Stallknecht DE, Shelnutt JL. (2003) Absence of humoral response in flamingos and red-tailed hawks to experimental vaccination with a killed West Nile virus vaccine. *Avian Dis*, 47, 750.
28. Mohanty J, Pal H, Sapre AV. (2003) Excited singlet (S1)-state interactions of Nile red with aromatic amines. *Photochem Photobiol*, 78, 153.
29. Soto CY, Andreu N, Gibert I, Luquin M. (2002) Simple and rapid differentiation of *Mycobacterium tuberculosis* H37Ra from *M. tuberculosis* clinical isolates through two cytochemical tests using neutral red and nile blue stains. *J Clin Microbiol*, 40, 3021.
30. El-Arabi Ael G, Khalifa IH. (2002) Application of multivariate statistical analyses in the interpretation of geochemical behaviour of uranium in phosphatic rocks in the Red Sea, Nile Valley and Western Desert, Egypt. *J Environ Radioact*, 61, 169.
31. Hendriks J, Gensch T, Hviid L, van Der Horst MA, Hellingwerf KJ, van Thor JJ. (2002) Transient exposure of hydrophobic surface in the photoactive yellow protein monitored with Nile Red. *Biophys J*, 82, 1632.
32. McMillian MK, Grant ER, Zhong Z, Parker JB, Li L, Zivin RA, Burczynski ME, Johnson MD. (2001) Nile Red binding to HepG2 cells: an improved assay for in vitro studies of hepatosteatosis. *In Vitr Mol Toxicol*, 14, 177.
33. Vidal-Mas J, Resina P, Haba E, Comas J, Manresa A, Vives-Rego J. (2001) Rapid flow cytometry--Nile red assessment of PHA cellular content and heterogeneity in cultures of *Pseudomonas aeruginosa* 47T2 (NCIB 40044) grown in waste frying oil. *Antonie Van Leeuwenhoek*, 80, 57.
34. Levitsky I, Krivoshlykov SG, Grate JW. (2001) Rational design of a Nile Red/polymer composite film for fluorescence sensing of organophosphonate vapors using hydrogen bond acidic polymers. *Anal Chem*, 73, 3441.
35. Ghoneim N. (2000) Photophysics of Nile red in solution: steady state spectroscopy. *Spectrochim Acta A Mol Biomol Spectrosc*, 56, 1003.
36. Daban JR. (2001) Fluorescent labeling of proteins with nile red and 2-methoxy-2,4-diphenyl-3(2H)-furanone: physicochemical basis and application to the rapid staining of sodium dodecyl sulfate polyacrylamide gels and Western blots. *Electrophoresis*, 22, 874.
37. Chen QY, Li DH, Zhao Y, Yang HH, Zhu QZ, Xu JG. (1999) Interaction of a novel red-region fluorescent probe, Nile blue, with DNA and its application to nucleic acids assay. *Analyst*, 124, 901.

38. Gorenflo V, Steinbuchel A, Marose S, Rieseberg M, Scheper T. (1999) Quantification of bacterial polyhydroxyalkanoic acids by Nile red staining. *Appl Microbiol Biotechnol*, 51, 765.
39. Spiekermann P, Rehm BH, Kalscheuer R, Baumeister D, Steinbuchel A. (1999) A sensitive, viable-colony staining method using Nile red for direct screening of bacteria that accumulate polyhydroxyalkanoic acids and other lipid storage compounds. *Arch Microbiol*, 171, 73.
40. Ira, Krishnamoorthy G. (1998) Probing the dynamics of planar supported membranes by Nile red fluorescence lifetime distribution. *Biochim Biophys Acta*, 1414, 255.
41. Le Moyec L, Millot G, Tatoud R, Calvo F, Eugene M. (1997) Lipid signals detected by NMR proton spectroscopy of whole cells are not correlated to lipid droplets evidenced by the Nile red staining. *Cell Mol Biol (Noisy-le-grand)*, 43, 703.
42. Xia Z, Appelkvist EL, DePierre JW, Nassberger L. (1997) Tricyclic antidepressant-induced lipidosis in human peripheral monocytes in vitro, as well as in a monocyte-derived cell line, as monitored by spectrofluorimetry and flow cytometry after staining with Nile red. *Biochem Pharmacol*, 53, 1521.
43. Alba FJ, Bermudez A, Bartolome S, Daban JR. (1996) Detection of five nanograms of protein by two-minute nile red staining of unfixed SDS gels. *Biotechniques*, 21, 625.
44. Ramoino P, Margallo E, Nicolo G. (1996) Age-related changes in neutral lipid content of *Paramecium primaurelia* as revealed by nile red. *J Lipid Res*, 37, 1207.
45. Brown MB, Miller JN, Seare NJ. (1995) An investigation of the use of nile red as a long-wavelength fluorescent probe for the study of alpha 1-acid glycoprotein-drug interactions. *J Pharm Biomed Anal*, 13, 1011.
46. Ruvinov SB, Yang XJ, Parris KD, Banik U, Ahmed SA, Miles EW, Sackett DL. (1995) Ligand-mediated changes in the tryptophan synthase indole tunnel probed by nile red fluorescence with wild type, mutant, and chemically modified enzymes. *J Biol Chem*, 270, 6357.
47. Bermudez A, Daban JR, Garcia JR, Mendez E. (1994) Direct blotting, sequencing and immunodetection of proteins after five-minute staining of SDS and SDS-treated IEF gels with Nile red. *Biotechniques*, 16, 621.
48. Canitrot Y, Lautier D, Lahmy S, Vigo J, Viallet P, Salmon JM. (1993) Nile red labeling of single living cells for contour delineation to quantify and evaluate the distribution of rhodamine 123 with fluorescence image cytometry. *J Histochem Cytochem*, 41, 1785.
49. Greenspan P, Lou P. (1993) Spectrofluorometric studies of nile red treated native and oxidized low density lipoprotein. *Int J Biochem*, 25, 987.
50. Gavrilov VB, Konev SV, Orekhova TA, Gorilenko A. (1993) [Prevention of binding of Nile red with hydrophobic proteins and surface cuvettes using detergents]. *Biofizika*, 38, 644.
51. Greenspan P, Gutman RL. (1993) Detection by nile red of agarose gel electrophoresed native and modified low density lipoprotein. *Electrophoresis*, 14, 65.
52. Schops K, Menzel G. (1993) [Labeling of yeast protoplasts by neutral red and nile blue for fusion experiments]. *Zentralbl Mikrobiol*, 148, 11.
53. Brown WJ, Sullivan TR, Greenspan P. (1992) Nile red staining of lysosomal phospholipid inclusions. *Histochemistry*, 97, 349.
54. Daban JR, Samso M, Bartolome S. (1991) Use of nile red as a fluorescent probe for the study of the hydrophobic properties of protein-sodium dodecyl sulfate complexes in solution. *Anal Biochem*, 199, 162.
55. Daban JR, Bartolome S, Samso M. (1991) Use of the hydrophobic probe Nile red for the fluorescent staining of protein bands in sodium dodecyl sulfate-polyacrylamide gels. *Anal Biochem*, 199, 169.
56. Mirejovsky D, Patel AS, Rodriguez DD, Hunt TJ. (1991) Lipid adsorption onto hydrogel contact lens materials. Advantages of Nile red over oil red O in visualization of lipids. *Optom Vis Sci*, 68, 858.
57. Sackett DL, Knutson JR, Wolff J. (1990) Hydrophobic surfaces of tubulin probed by time-resolved and steady-state fluorescence of nile red. *J Biol Chem*, 265, 14899.

58. Herman TS, Teicher BA, Pfeffer MR, Khandekar VS, Korbut TT. (1990) Interaction with hyperthermia of tetrachloroplatinum(II)(Nile blue)2 and tetrachloroplatinum(II)(neutral red)2 in EMT6 murine cells and the murine FSaIIc fibrosarcoma. *Cancer Res*, 50, 3826.
59. Teicher BA, Herman TS, Kaufmann ME. (1989) DNA interaction, cytotoxicity, and radiosensitization with PtCl₄(Nile Blue)2 and PtCl₄(Neutral Red)2. *Radiat Res*, 120, 129.
60. Haban P, Stanova E. (1989) [The effect of dietary proteins on the fluorescence of Nile red in the aortic arch in guinea pigs]. *Bratisl Lek Listy*, 90, 120.
61. Santilli I, Prell A, Geremia L, Scarlato G, Meola G. (1989) Nile red simultaneous staining of intracellular lipids and membrane network in human muscle cultures. *Basic Appl Histochem*, 33, 49.
62. Haban P, Mesarosova A. (1989) Nile red fluorescence response from the aortic arch to serum cholesterol changes. *Cor Vasa*, 31, 419.
63. Brown WJ, Warfel J, Greenspan P. (1988) Use of Nile red stain in the detection of cholesteryl ester accumulation in acid lipase-deficient fibroblasts. *Arch Pathol Lab Med*, 112, 295.
64. Sackett DL, Wolff J. (1987) Nile red as a polarity-sensitive fluorescent probe of hydrophobic protein surfaces. *Anal Biochem*, 167, 228.
65. Fowler SD, Brown WJ, Warfel J, Greenspan P. (1987) Use of nile red for the rapid in situ quantitation of lipids on thin-layer chromatograms. *J Lipid Res*, 28, 1225.
66. Bonilla E, Prell A. (1987) Application of nile blue and nile red, two fluorescent probes, for detection of lipid droplets in human skeletal muscle. *J Histochem Cytochem*, 35, 619.
67. Fowler SD, Greenspan P. (1985) Application of Nile red, a fluorescent hydrophobic probe, for the detection of neutral lipid deposits in tissue sections: comparison with oil red O. *J Histochem Cytochem*, 33, 833.
68. Greenspan P, Fowler SD. (1985) Spectrofluorometric studies of the lipid probe, nile red. *J Lipid Res*, 26, 781.
69. Greenspan P, Mayer EP, Fowler SD. (1985) Nile red: a selective fluorescent stain for intracellular lipid droplets. *J Cell Biol*, 100, 965.
70. Kirschner MW, Hara K. (1980) A new method of local vital staining of amphibian embryos using ficoll and "crystals" of Nile Red. *Mikroskopie*, 36, 12.
71. Draganescu N, Duca M, Girjabu E, Popescu-Pretor I, Raducanu S, Deleanu L, Totescu E. (1977) Epidemic outbreak caused by West Nile virus in the crew of a Romanian cargo ship passing the Suez Canal and the Red Sea on route to Yokohama. *Virologie*, 28, 259.
72. Hirsch A, Cattaneo C. (1958) [Mycobacterium: chemical composition & virulence. I. Basic problems of Dubos-Middlebrook (neutral red) & Desbordes (nile blue) virulence tests.]. *Zentralbl Bakteriol [Orig]*, 171, 470.
73. Da Santiago AC. (1956) [Staining reaction with neutral red and Nile blue and virulence of mycobacteria.]. *Rev Bras Tuberc Doencas Torac*, 24, 549.
74. Paraf, Desbordes, Fournier. (1953) [Value of studying the virulence of tuberculosis bacilli by cytochemical tests: reactions to neutral red, Nile blue and dichlorophenol-indophenol.]. *Rev Tuberc*, 17, 849.
75. Dollander A, Melnotte JP. (1952) [Topographical variations in stainability of the cortex of the symmetrized egg of Triturus alpestris with Nile blue and neutral red.]. *C R Seances Soc Biol Fil*, 146, 1614.