References for Product 22660

- von Wegner F, Ober T, Weber C, Schurmann S, Winter R, Friedrich O, Fink RH, Vogel M. (2008) Velocity distributions of single F-actin trajectories from a fluorescence image series using trajectory reconstruction and optical flow mapping. J Biomed Opt, 13, 054018.
- Okamoto K, Hayashi Y. (2006) Visualization of F-actin and G-actin equilibrium using fluorescence resonance energy transfer (FRET) in cultured cells and neurons in slices. Nat Protoc, 1, 911.
- 3. Conibear PB, Malnasi-Csizmadia A, Bagshaw CR. (2004) The effect of F-actin on the relay helix position of myosin II, as revealed by tryptophan fluorescence, and its implications for mechanochemical coupling. Biochemistry, 43, 15404.
- 4. Moens PD, dos Remedios CG. (2001) Analysis of models of F-actin using fluorescence resonance energy transfer spectroscopy. Results Probl Cell Differ. 32, 59.
- 5. Bartegi A, Roustan C, Kassab R, Fattoum A. (1999) Fluorescence studies of the carboxyl-terminal domain of smooth muscle calponin effects of F-actin and salts. Eur J Biochem, 262, 335.
- 6. Katanaev VL, Wymann MP. (1998) Microquantification of cellular and in vitro F-actin by rhodamine phalloidin fluorescence enhancement. Anal Biochem, 264, 185.
- 7. Ishiwata S, Miki M, Shin I, Funatsu T, Yasuda K, dos Remedios CG. (1997) Interhead distances in myosin attached to F-actin estimated by fluorescence energy transfer spectroscopy. Biophys J, 73, 895.
- 8. Moens PD, dos Remedios CG. (1997) A conformational change in F-actin when myosin binds: fluorescence resonance energy transfer detects an increase in the radial coordinate of Cys-374. Biochemistry, 36, 7353.
- 9. Kim E, Miller CJ, Motoki M, Seguro K, Muhlrad A, Reisler E. (1996) Myosin-induced changes in F-actin: fluorescence probing of subdomain 2 by dansyl ethylenediamine attached to Gln-41. Biophys J, 70, 1439.
- 10. Allen PG, Janmey PA. (1994) Gelsolin displaces phalloidin from actin filaments. A new fluorescence method shows that both Ca2+ and Mg2+ affect the rate at which gelsolin severs F-actin. J Biol Chem, 269, 32916.
- 11. Kanbe T, Akashi T, Tanaka K. (1994) Changes in the distribution of F-actin in the fission yeast Schizosaccharomyces pombe by arresting growth in distilled water: correlative studies with fluorescence and electron microscopy. J Electron Microsc (Tokyo), 43, 20.
- 12. Moens PD, Yee DJ, dos Remedios CG. (1994) Determination of the radial coordinate of Cys-374 in F-actin using fluorescence resonance energy transfer spectroscopy: effect of phalloidin on polymer assembly. Biochemistry, 33, 13102.
- 13. Henderson E, Sakaguchi DS. (1993) Imaging F-actin in fixed glial cells with a combined optical fluorescence/atomic force microscope. Neuroimage, 1, 145.
- 14. Knowles GC, McCulloch CA. (1992) Simultaneous localization and quantification of relative G and F actin content: optimization of fluorescence labeling methods. J Histochem Cvtochem. 40. 1605.
- 15. Ylikoski J, Pirvola U, Lehtonen E. (1992) Distribution of F-actin and fodrin in the hair cells of the guinea pig cochlea as revealed by confocal fluorescence microscopy. Hear Res, 60, 80.
- Bengtsson T. (1990) Correlation between chemotactic peptide-induced changes in chlorotetracycline fluorescence and F-actin content in human neutrophils: a role for membrane-associated calcium in the regulation of actin polymerization? Exp Cell Res, 191, 57.
- 17. Miki M, dos Remedios CG. (1990) A determination of the radial coordinate of Tyr-69 in F-actin using fluorescence energy transfer. Biochem Int, 22, 125.
- 18. Persky B, McGarvey T. (1990) A quantitative assessment of F-actin content and distribution in untreated and butyric acid treated murine melanoma B16a tumour cells: a fluorescence image analysis study. Histochem J, 22, 624.

- 19. Simon JR, Gough A, Urbanik E, Wang F, Lanni F, Ware BR, Taylor DL. (1988) Analysis of rhodamine and fluorescein-labeled F-actin diffusion in vitro by fluorescence photobleaching recovery. Biophys J, 54, 801.
- 20. Borovikov Yu S, Wrotek M, Aksenova NB, Lebedeva NN, Kakol I. (1987) Influence of Mg2+ and Ca2+ bound to 1,5-IAEDANS-labeled phosphorylated and dephosphorylated heavy meromyosin complexed with F-actin on polarized fluorescence of the fluorophore. FEBS Lett, 223, 409.
- 21. Del Priore LV, Lewis A, Tan S, Carley WW, Webb WW. (1987) Fluorescence light microscopy of F-actin in retinal rods and glial cells. Invest Ophthalmol Vis Sci, 28, 633.
- 22. Kosmehl I, Kiss F, Langbein L. (1987) [Stromal tumor of the testis with Leydig cell components. Light and electron microscopy analysis and fluorescence microscopy demonstration of F-actin]. Zentralbl Allg Pathol, 133, 557.
- 23. Borovikov Iu S, Lebedeva NN, Karandashov EA, Polishchuk EV, Kirillina VP. (1986) [Structural changes in the contractile proteins of muscle fiber studied by polarization ultraviolet fluorescence microscopy. IX. The effect of the pH and ionic strength of the solution on the conformational restructurings of F-actin induced by the binding of heavy meromyosin]. Tsitologiia, 28, 451.
- 24. Miki M, Barden JA, dos Remedios CG. (1986) Fluorescence resonance energy transfer between the nucleotide binding site and Cys-10 in G-actin and F-actin. Biochim Biophys Acta, 872, 76.
- 25. Miki M, Barden JA, Hambly BD, dos Remedios CG. (1986) Fluorescence energy transfer between Cys-10 residues in F-actin filaments. Biochem Int, 12, 725.
- 26. Miki M, Hambly BD, dos Remedios CG. (1986) Fluorescence energy transfer between nucleotide binding sites in an F-actin filament. Biochim Biophys Acta, 871, 137.
- 27. Watanabe S, Takehara Y, Fujii Y, Okimasu E, Moromizato Y, Sasaki J. (1986)
 Fluorescence and electron microscopic study of intracellular F-actin in concanavalin A-treated and cytochalasin B-treated Ehrlich ascites tumor cells. Acta Med Okayama, 40, 301.
- 28. Borovikov Yu S, Levitsky DI. (1985) Fluorescence polarization study on Ca2+-sensitivity of conformational changes in F-actin induced by the formation of F-actin-subfragment-1 complex. Gen Physiol Biophys, 4, 457.
- 29. Ishii Y, Lehrer SS. (1985) Fluorescence studies of the conformation of pyrene-labeled tropomyosin: effects of F-actin and myosin subfragment 1. Biochemistry, 24, 6631.
- 30. Borovikov Iu S. (1984) [Structural changes in muscle fiber contractile proteins studied by polarization ultraviolet fluorescence microscopy. VIII. The effect of glutaraldehyde and phalloidine on F-actin conformation]. Tsitologija. 26. 1262.
- 31. Borovikov Iu S, Karandashov EA. (1984) [Structural changes in the contractile proteins of muscle fiber studied by polarization ultraviolet fluorescence microscopy. VII. The effect of Ca2+ on the nature of the conformational changes in F-actin induced by the binding of heavy meromyosin]. Tsitologiia, 26, 432.
- 32. Trayer HR, Trayer IP. (1983) Fluorescence energy transfer between the myosin subfragment-1 isoenzymes and F-actin in the absence and presence of nucleotides. Eur J Biochem, 135, 47.
- Borovikov Iu S, Kirillina VP, Filatova LG. (1982) [Structural changes in muscle fiber contractile proteins studied by polarization ultraviolet fluorescence microscopy. VI. Conformational restructurings of F-actin induced by the binding of heavy meromyosin]. Tsitologiia, 24, 555.
- 34. Miki M, Wahl P, Auchet JC. (1982) Fluorescence anisotropy of labelled F-actin. Influence of Ca2+ on the flexibility of F-actin. Biophys Chem, 16, 165.
- Miki M, Wahl P, Auchet JC. (1982) Fluorescence anisotropy of labeled F-actin: influence of divalent cations on the interaction between F-actin and myosin heads. Biochemistry, 21, 3661.
- 36. Borovikov YS. (1980) Studies on structural changes of F-actin and myosin in living, intact and damaged muscle fibres by means of polarized ultraviolet fluorescence microscopy. Microsc Acta, 82, 379.

- 37. Borovikov YS, Chernogriadskaia NA. (1979) Studies on conformational changes in Factin of glycerinated muscle fibers during relaxation by means of polarized ultraviolet fluorescence microscopy. Microsc Acta, 81, 383.
- 38. Mihashi K, Nakabayashi M, Yoshimura H, Ohnuma H. (1979) Absorption, fluorescence, and linear dichroism spectra of fluorescein mercuric acetate (FMA) bound to F-actin. Two kinds of effects of divalent cations. J Biochem, 85, 359.
- Miki M. (1979) Conformation change in reconstituted thin filament studied with fluorescence energy transfer between epsilon-ADP bound to F-actin and NBD-Cl bound to troponin-C. Biochim Biophys Acta, 578, 96.
- 40. Wadzinski L, Botts J, Wang A, Woodward J, Highsmith S. (1979) Time-resolved fluorescence depolarization measurements of F-actin binding to myosin subfragments-1 bearing different alkali light chains. Arch Biochem Biophys, 198, 397.
- 41. Yanagida T, Oosawa F. (1978) Polarized fluorescence from epsilon-ADP incorporated into F-actin in a myosin-free single fiber: conformation of F-actin and changes induced in it by heavy meromyosin. J Mol Biol, 126, 507.
- 42. Harvey SC, Cheung HC, Thames KE. (1977) Cooperativity in F-actin filaments on binding of myosin subfragments, demonstrated by fluorescence of 1, N6- ethenoadenosine diphosphate. Arch Biochem Biophys, 179, 391.
- 43. Borovikov Iu S, Bogdanova MS, Chernogriadskaia NA, Rozanov Iu M, Kirillina VP. (1976) [Study of structural changes in muscle fiber contractile proteins using polarization ultraviolet fluorescence microscopy. II. Effect of troponin-tropomyosin complex on the conformation of F-actin in muscle fibers]. Tsitologiia, 18, 1502.
- 44. Borovikov Iu S, Chernogriadskaia NA, Bogdanova MS, Rozanov Iu M, Kirillina VP. (1976) [Study of structural changes of contractile muscle proteins with the aid of polarization ultraviolet fluorescence microscopy. 1. Conformational changes of F-actin in the muscle fiber caused by ATP and its analogs]. Tsitologiia, 18, 1371.
- 45. Highsmith S, Mendelson RA, Morales MF. (1976) Affinity of myosin S-1 for F-actin, measured by time-resolved fluorescence anisotropy. Proc Natl Acad Sci U S A, 73, 133.
- 46. Kawasaki Y, Mihashi K, Tanaka H, Ohnuma H. (1976) Fluorescence study of N-(3-pyrene)maleimide conjugated to rabbit skeletal F-actin and plasmodium actin polymers. Biochim Biophys Acta, 446, 166.
- 47. Miki M, Mihashi K. (1976) Fluorescence and flow dichroism of F-actin-epsilon-ADP; the orientation of the admine plane relative to the long axis of F-actin. Biophys Chem, 6, 101.
- 48. Cheung HC, Cooke R, Smith L. (1971) The G-actin is greater than F-actin transformation as studied by the fluorescence of bound dansyl cystine. Arch Biochem Biophys, 142, 333.