## References for Products 22790 to 22794

- 1. Bae ON, Lim KM, Noh JY, Chung SM, Kim SH, Chung JH. (2009) Trivalent methylated arsenical-induced phosphatidylserine exposure and apoptosis in platelets may lead to increased thrombus formation. Toxicol Appl Pharmacol, 239, 144.
- 2. Burtea C, Laurent S, Lancelot E, Ballet S, Murariu O, Rousseaux O, Port M, Vander Elst L, Corot C, Muller RN. (2009) Peptidic targeting of phosphatidylserine for the MRI detection of apoptosis in atherosclerotic plaques. Mol Pharm, 6, 1903.
- 3. Dong HP, Holth A, Kleinberg L, Ruud MG, Elstrand MB, Trope CG, Davidson B, Risberg B. (2009) Evaluation of cell surface expression of phosphatidylserine in ovarian carcinoma effusions using the annexin-V/7-AAD assay: clinical relevance and comparison with other apoptosis parameters. Am J Clin Pathol, 132, 756.
- 4. Liu T, Zhu W, Yang X, Chen L, Yang R, Hua Z, Li G. (2009) Detection of apoptosis based on the interaction between annexin V and phosphatidylserine. Anal Chem, 81, 2410.
- 5. Mirnikjoo B, Balasubramanian K, Schroit AJ. (2009) Suicidal membrane repair regulates phosphatidylserine externalization during apoptosis. J Biol Chem, 284, 22512.
- 6. Mirnikjoo B, Balasubramanian K, Schroit AJ. (2009) Mobilization of lysosomal calcium regulates the externalization of phosphatidylserine during apoptosis. J Biol Chem, 284, 6918.
- 7. Thapa N, Kim S, So IS, Lee BH, Kwon IC, Choi K, Kim IS. (2008) Discovery of a phosphatidylserine-recognizing peptide and its utility in molecular imaging of tumour apoptosis. J Cell Mol Med, 12, 1649.
- 8. Aires V, Hichami A, Filomenko R, Ple A, Rebe C, Bettaieb A, Khan NA. (2007) Docosahexaenoic acid induces increases in [Ca2+]i via inositol 1,4,5-triphosphate production and activates protein kinase C gamma and -delta via phosphatidylserine binding site: implication in apoptosis in U937 cells. Mol Pharmacol, 72, 1545.
- 9. Balasubramanian K, Mirnikjoo B, Schroit AJ. (2007) Regulated externalization of phosphatidylserine at the cell surface: implications for apoptosis. J Biol Chem, 282, 18357.
- 10. Cauchon N, Langlois R, Rousseau JA, Tessier G, Cadorette J, Lecomte R, Hunting DJ, Pavan RA, Zeisler SK, van Lier JE. (2007) PET imaging of apoptosis with (64)Cu-labeled streptavidin following pretargeting of phosphatidylserine with biotinylated annexin-V. Eur J Nucl Med Mol Imaging, 34, 247.
- 11. Krieser RJ, Moore FE, Dresnek D, Pellock BJ, Patel R, Huang A, Brachmann C, White K. (2007) The Drosophila homolog of the putative phosphatidylserine receptor functions to inhibit apoptosis. Development, 134, 2407.
- 12. Lock EA, Reed CJ, Kinsey GR, Schnellmann RG. (2007) Caspase-dependent and independent induction of phosphatidylserine externalization during apoptosis in human renal carcinoma Cak(1)-1 and A-498 cells. Toxicology, 229, 79.
- 13. Zullig S, Neukomm LJ, Jovanovic M, Charette SJ, Lyssenko NN, Halleck MS, Reutelingsperger CP, Schlegel RA, Hengartner MO. (2007) Aminophospholipid translocase TAT-1 promotes phosphatidylserine exposure during C. elegans apoptosis. Curr Biol, 17, 994.
- 14. Akbar M, Baick J, Calderon F, Wen Z, Kim HY. (2006) Ethanol promotes neuronal apoptosis by inhibiting phosphatidylserine accumulation. J Neurosci Res, 83, 432.
- 15. Hossain Z, Konishi M, Hosokawa M, Takahashi K. (2006) Effect of polyunsaturated fatty acid-enriched phosphatidylcholine and phosphatidylserine on butyrate-induced growth inhibition, differentiation and apoptosis in Caco-2 cells. Cell Biochem Funct, 24, 159.
- 16. Mourdjeva M, Popova Z, Kyurkchiev D, Kontinopoulou K, Altankova I, Kehayov I, Kyurkchiev S. (2006) Progesterone-modulated phosphatidylserine externalization in apoptosis and activation of Jurkat cells. Am J Reprod Immunol, 56, 249.
- 17. Fabisiak JP, Borisenko GG, Kagan VE. (2005) Quantitative method of measuring phosphatidylserine externalization during apoptosis using electron paramagnetic resonance spectroscopy and annexin-conjugated iron. Methods Mol Biol, 291, 457.

- 18. Fabisiak JP, Tyurina YY, Tyurin VA, Kagan VE. (2005) Quantification of selective phosphatidylserine oxidation during apoptosis. Methods Mol Biol, 291, 449.
- 19. Hanshaw RG, Smith BD. (2005) New reagents for phosphatidylserine recognition and detection of apoptosis. Bioorg Med Chem, 13, 5035.
- 20. Martin G, Sabido O, Durand P, Levy R. (2005) Phosphatidylserine externalization in human sperm induced by calcium ionophore A23187: relationship with apoptosis, membrane scrambling and the acrosome reaction. Hum Reprod, 20, 3459.
- 21. Mourdjeva M, Kyurkchiev D, Mandinova A, Altankova I, Kehayov I, Kyurkchiev S. (2005) Dynamics of membrane translocation of phosphatidylserine during apoptosis detected by a monoclonal antibody. Apoptosis, 10, 209.
- 22. Beckman M, Kihlmark M, Iverfeldt K, Hallberg E. (2004) Degradation of GFP-labelled POM121, a non-invasive sensor of nuclear apoptosis, precedes clustering of nuclear pores and externalisation of phosphatidylserine. Apoptosis, 9, 363.
- 23. Botto M. (2004) Phosphatidylserine receptor and apoptosis: consequences of a non-ingested meal. Arthritis Res Ther, 6, 147.
- 24. Forsberg AJ, Kagan VE, Schroit AJ. (2004) Thiol oxidation enforces phosphatidylserine externalization in apoptosis-sensitive and -resistant cells through a deltapsim/cytochrome C release-dependent mechanism. Antioxid Redox Signal, 6, 203.
- 25. Grandmaison PA, Nanowski TS, Vance JE. (2004) Externalization of phosphatidylserine during apoptosis does not specifically require either isoform of phosphatidylserine synthase. Biochim Biophys Acta, 1636, 1.
- Jiang J, Kini V, Belikova N, Serinkan BF, Borisenko GG, Tyurina YY, Tyurin VA, Kagan VE. (2004) Cytochrome c release is required for phosphatidylserine peroxidation during Fas-triggered apoptosis in lung epithelial A549 cells. Lipids, 39, 1133.
- 27. Kagan VE, Borisenko GG, Tyurina YY, Tyurin VA, Jiang J, Potapovich AI, Kini V, Amoscato AA, Fujii Y. (2004) Oxidative lipidomics of apoptosis: redox catalytic interactions of cytochrome c with cardiolipin and phosphatidylserine. Free Radic Biol Med. 37, 1963.
- 28. Matsura T, Kai M, Jiang J, Babu H, Kini V, Kusumoto C, Yamada K, Kagan VE. (2004) Endogenously generated hydrogen peroxide is required for execution of melphalan-induced apoptosis as well as oxidation and externalization of phosphatidylserine. Chem Res Toxicol, 17, 685.
- 29. Nusbaum P, Laine C, Seveau S, Lesavre P, Halbwachs-Mecarelli L. (2004) Early membrane events in polymorphonuclear cell (PMN) apoptosis: membrane blebbing and vesicle release, CD43 and CD16 down-regulation and phosphatidylserine externalization. Biochem Soc Trans, 32, 477.
- 30. Serinkan BF, Tyurina YY, Babu H, Djukic M, Quinn PJ, Schroit A, Kagan VE. (2004) Vitamin E inhibits anti-Fas-induced phosphatidylserine oxidation but does not affect its externalization during apoptosis in Jurkat T cells and their phagocytosis by J774A.1 macrophages. Antioxid Redox Signal, 6, 227.
- 31. Tyurina YY, Kawai K, Tyurin VA, Liu SX, Kagan VE, Fabisiak JP. (2004) The plasma membrane is the site of selective phosphatidylserine oxidation during apoptosis: role of cytochrome C. Antioxid Redox Signal, 6, 209.
- 32. Tyurina YY, Tyurin VA, Zhao Q, Djukic M, Quinn PJ, Pitt BR, Kagan VE. (2004) Oxidation of phosphatidylserine: a mechanism for plasma membrane phospholipid scrambling during apoptosis? Biochem Biophys Res Commun, 324, 1059.
- 33. Yu A, McMaster CR, Byers DM, Ridgway ND, Cook HW. (2004) Resistance to UV-induced apoptosis in Chinese-hamster ovary cells overexpressing phosphatidylserine synthases. Biochem J, 381, 609.
- 34. Cima F, Basso G, Ballarin L. (2003) Apoptosis and phosphatidylserine-mediated recognition during the take-over phase of the colonial life-cycle in the ascidian Botryllus schlosseri. Cell Tissue Res, 312, 369.
- 35. Das P, Estephan R, Banerjee P. (2003) Apoptosis is associated with an inhibition of aminophospholipid translocase (APTL) in CNS-derived HN2-5 and HOG cells and phosphatidylserine is a recognition molecule in microglial uptake of the apoptotic HN2-5 cells. Life Sci, 72, 2617.

- 36. Dias-Baruffi M, Zhu H, Cho M, Karmakar S, McEver RP, Cummings RD. (2003) Dimeric galectin-1 induces surface exposure of phosphatidylserine and phagocytic recognition of leukocytes without inducing apoptosis. J Biol Chem, 278, 41282.
- 37. Elliott JI, Higgins CF. (2003) IKCa1 activity is required for cell shrinkage, phosphatidylserine translocation and death in T lymphocyte apoptosis. EMBO Rep, 4, 189.
- 38. Fadok VA, Henson PM. (2003) Apoptosis: giving phosphatidylserine recognition an assist--with a twist. Curr Biol, 13, R655.
- Yu A, McMaster CR, Byers DM, Ridgway ND, Cook HW. (2003) Stimulation of phosphatidylserine biosynthesis and facilitation of UV-induced apoptosis in Chinese hamster ovary cells overexpressing phospholipid scramblase 1. J Biol Chem, 278, 9706.
- 40. Arroyo A, Modriansky M, Serinkan FB, Bello RI, Matsura T, Jiang J, Tyurin VA, Tyurina YY, Fadeel B, Kagan VE. (2002) NADPH oxidase-dependent oxidation and externalization of phosphatidylserine during apoptosis in Me2SO-differentiated HL-60 cells. Role in phagocytic clearance. J Biol Chem, 277, 49965.
- 41. Azuma Y, Inami Y, Matsumoto K. (2002) Alterations in cell surface phosphatidylserine and sugar chains during apoptosis and their time-dependent role in phagocytosis by macrophages. Biol Pharm Bull, 25, 1277.
- 42. Barroso Villa G, Karchmer Krivitzky S, Castelazo Morales E, Carballo Mondragon E, Kably Ambe A. (2002) [Changes in mitochondrial membrane potentials and its exponential relation with phosphatidylserine translocation in the plasma membrane as markers in the initial events of apoptosis: evaluation in different spermatic fractions]. Ginecol Obstet Mex, 70, 182.
- 43. Buratta S, Fettucciari K, Mambrini R, Fetriconi I, Marconi P, Mozzi R. (2002) Group B streptococcus (GBS) modifies macrophage phosphatidylserine metabolism during induction of apoptosis. FEBS Lett, 520, 68.
- 44. Emoto K, Umeda M. (2002) Apoptosis by phosphatidylserine in mammalian cells. Subcell Biochem, 36, 61.
- 45. Ferraro-Peyret C, Quemeneur L, Flacher M, Revillard JP, Genestier L. (2002) Caspase-independent phosphatidylserine exposure during apoptosis of primary T lymphocytes. J Immunol, 169, 4805.
- 46. Kagan VE, Gleiss B, Tyurina YY, Tyurin VA, Elenstrom-Magnusson C, Liu SX, Serinkan FB, Arroyo A, Chandra J, Orrenius S, Fadeel B. (2002) A role for oxidative stress in apoptosis: oxidation and externalization of phosphatidylserine is required for macrophage clearance of cells undergoing Fas-mediated apoptosis. J Immunol, 169, 487.
- 47. Koty PP, Tyurina YY, Tyurin VA, Li SX, Kagan VE. (2002) Depletion of Bcl-2 by an antisense oligonucleotide induces apoptosis accompanied by oxidation and externalization of phosphatidylserine in NCI-H226 lung carcinoma cells. Mol Cell Biochem, 234-235, 125.
- 48. Maillet G, Breard E, Benhaim A, Leymarie P, Feral C. (2002) Hormonal regulation of apoptosis in rabbit granulosa cells in vitro: evaluation by flow cytometric detection of plasma membrane phosphatidylserine externalization. Reproduction, 123, 243.
- 49. Matsura T, Serinkan BF, Jiang J, Kagan VE. (2002) Phosphatidylserine peroxidation/externalization during staurosporine-induced apoptosis in HL-60 cells. FEBS Lett, 524, 25.
- 50. Ramirez CD, Catchpoole DR. (2002) Etoposide-induced apoptosis in lymphoblastoid leukaemic MOLT-4 cells: evidence that chromatin condensation, loss of phosphatidylserine asymmetry and apoptotic body formation can occur independently. Apoptosis, 7, 59.
- Tonon G, Luo X, Greco NJ, Chen W, Shi Y, Jamieson GA. (2002) Weak platelet agonists and U46619 induce apoptosis-like events in platelets, in the absence of phosphatidylserine exposure. Thromb Res, 107, 345.
- Tyurina YY, Tyurin VA, Liu SX, Smith CA, Shvedova AA, Schor NF, Kagan VE. (2002) Phosphatidylserine peroxidation during apoptosis. A signaling pathway for phagocyte clearance. Subcell Biochem, 36, 79.

- 53. Wang X, Becker FF, Gascoyne PR. (2002) Membrane dielectric changes indicate induced apoptosis in HL-60 cells more sensitively than surface phosphatidylserine expression or DNA fragmentation. Biochim Biophys Acta, 1564, 412.
- 54. Droin N, Rebe C, Bichat F, Hammann A, Bertrand R, Solary E. (2001) Modulation of apoptosis by procaspase-2 short isoform: selective inhibition of chromatin condensation, apoptotic body formation and phosphatidylserine externalization. Oncogene, 20, 260.
- Huigsloot M, Tijdens IB, Mulder GJ, van de Water B. (2001) Differential regulation of phosphatidylserine externalization and DNA fragmentation by caspases in anticancer drug-induced apoptosis of rat mammary adenocarcinoma MTLn3 cells. Biochem Pharmacol, 62, 1087.
- 56. Iguchi K, Hirano K, Hamatake M, Ishida R. (2001) Phosphatidylserine induces apoptosis in adherent cells. Apoptosis, 6, 263.
- 57. Miyato Y, Ibuki Y, Ohyama H, Yamada T, Goto R. (2001) Phosphatidylserine induces apoptosis in CHO cells without mitochondrial dysfunction in a manner dependent on caspases other than caspases-1, -3, -8 and -9. FEBS Lett, 504, 73.
- Peng L, Jiang H, Bradley C. (2001) [Annexin V for flow cytometric detection of phosphatidylserine expression on lymphoma cells undergoing apoptosis]. Hua Xi Yi Ke Da Xue Xue Bao, 32, 602.
- 59. Buratta S, Migliorati G, Marchetti C, Mambrini R, Riccardi C, Mozzi R. (2000)

  Dexamethasone increases the incorporation of [3H]serine into phosphatidylserine and the activity of serine base exchange enzyme in mouse thymocytes: a possible relation between serine base exchange enzyme and apoptosis. Mol Cell Biochem, 211, 61.
- 60. Clodi K, Kliche KO, Zhao S, Weidner D, Schenk T, Consoli U, Jiang S, Snell V, Andreeff M. (2000) Cell-surface exposure of phosphatidylserine correlates with the stage of fludarabine-induced apoptosis in chronic lymphocytic leukemia and expression of apoptosis-regulating genes. Cytometry, 40, 19.
- 61. Corfe BM, Dive C, Garrod DR. (2000) Changes in intercellular junctions during apoptosis precede nuclear condensation or phosphatidylserine exposure on the cell surface. Cell Death Differ, 7, 234.
- 62. Fabisiak JP, Tyurin VA, Tyurina YY, Sedlov A, Lazo JS, Kagan VE. (2000) Nitric oxide dissociates lipid oxidation from apoptosis and phosphatidylserine externalization during oxidative stress. Biochemistry, 39, 127.
- 63. Kagan VE, Fabisiak JP, Shvedova AA, Tyurina YY, Tyurin VA, Schor NF, Kawai K. (2000) Oxidative signaling pathway for externalization of plasma membrane phosphatidylserine during apoptosis. FEBS Lett, 477, 1.
- 64. Kim HY, Akbar M, Lau A, Edsall L. (2000) Inhibition of neuronal apoptosis by docosahexaenoic acid (22:6n-3). Role of phosphatidylserine in antiapoptotic effect. J Biol Chem, 275, 35215.
- 65. King MA, Radicchi-Mastroianni MA, Wells JV. (2000) There is substantial nuclear and cellular disintegration before detectable phosphatidylserine exposure during the camptothecin-induced apoptosis of HL-60 cells. Cytometry, 40, 10.
- 66. Martin S, Pombo I, Poncet P, David B, Arock M, Blank U. (2000) Immunologic stimulation of mast cells leads to the reversible exposure of phosphatidylserine in the absence of apoptosis. Int Arch Allergy Immunol, 123, 249.
- 67. Pelassy C, Breittmayer JP, Aussel C. (2000) Regulation of phosphatidylserine exposure at the cell surface by the serine--base exchange enzyme system during CD95-induced apoptosis. Biochem Pharmacol, 59, 855.
- 68. Tyurina YY, Shvedova AA, Kawai K, Tyurin VA, Kommineni C, Quinn PJ, Schor NF, Fabisiak JP, Kagan VE. (2000) Phospholipid signaling in apoptosis: peroxidation and externalization of phosphatidylserine. Toxicology, 148, 93.
- 69. Diaz C, Lee AT, McConkey DJ, Schroit AJ. (1999) Phosphatidylserine externalization during differentiation-triggered apoptosis of erythroleukemic cells. Cell Death Differ, 6, 218.
- 70. Fadeel B, Gleiss B, Hogstrand K, Chandra J, Wiedmer T, Sims PJ, Henter JI, Orrenius S, Samali A. (1999) Phosphatidylserine exposure during apoptosis is a cell-type-specific

- event and does not correlate with plasma membrane phospholipid scramblase expression. Biochem Biophys Res Commun, 266, 504.
- 71. Rucker-Martin C, Henaff M, Hatem SN, Delpy E, Mercadier JJ. (1999) Early redistribution of plasma membrane phosphatidylserine during apoptosis of adult rat ventricular myocytes in vitro. Basic Res Cardiol, 94, 171.
- 72. Schor NF, Tyurina YY, Fabisiak JP, Tyurin VA, Lazo JS, Kagan VE. (1999) Selective oxidation and externalization of membrane phosphatidylserine: Bcl-2-induced potentiation of the final common pathway for apoptosis. Brain Res, 831, 125.
- 73. Adayev T, Estephan R, Meserole S, Mazza B, Yurkow EJ, Banerjee P. (1998)
  Externalization of phosphatidylserine may not be an early signal of apoptosis in neuronal cells, but only the phosphatidylserine-displaying apoptotic cells are phagocytosed by microglia. J Neurochem, 71, 1854.
- 74. Fabisiak JP, Kagan VE, Tyurina YY, Tyurin VA, Lazo JS. (1998) Paraquat-induced phosphatidylserine oxidation and apoptosis are independent of activation of PLA2. Am J Physiol, 274, L793.
- 75. Fabisiak JP, Tyurina YY, Tyurin VA, Lazo JS, Kagan VE. (1998) Random versus selective membrane phospholipid oxidation in apoptosis: role of phosphatidylserine. Biochemistry, 37, 13781.
- 76. Maulik N, Kagan VE, Tyurin VA, Das DK. (1998) Redistribution of phosphatidylethanolamine and phosphatidylserine precedes reperfusion-induced apoptosis. Am J Physiol, 274, H242.
- 77. Stuart MC, Damoiseaux JG, Frederik PM, Arends JW, Reutelingsperger CP. (1998) Surface exposure of phosphatidylserine during apoptosis of rat thymocytes precedes nuclear changes. Eur J Cell Biol, 76, 77.
- 78. Uchida K, Emoto K, Daleke DL, Inoue K, Umeda M. (1998) Induction of apoptosis by phosphatidylserine. J Biochem, 123, 1073.
- 79. Van Blerkom J, Davis PW. (1998) DNA strand breaks and phosphatidylserine redistribution in newly ovulated and cultured mouse and human oocytes: occurrence and relationship to apoptosis. Hum Reprod, 13, 1317.
- 80. van den Eijnde SM, Boshart L, Baehrecke EH, De Zeeuw CI, Reutelingsperger CP, Vermeij-Keers C. (1998) Cell surface exposure of phosphatidylserine during apoptosis is phylogenetically conserved. Apoptosis, 3, 9.
- 81. van Engeland M, Nieland LJ, Ramaekers FC, Schutte B, Reutelingsperger CP. (1998) Annexin V-affinity assay: a review on an apoptosis detection system based on phosphatidylserine exposure. Cytometry, 31, 1.
- 82. Fabisiak JP, Kagan VE, Ritov VB, Johnson DE, Lazo JS. (1997) Bcl-2 inhibits selective oxidation and externalization of phosphatidylserine during paraquat-induced apoptosis. Am J Physiol, 272, C675.
- 83. Mansat V, Laurent G, Levade T, Bettaieb A, Jaffrezou JP. (1997) The protein kinase C activators phorbol esters and phosphatidylserine inhibit neutral sphingomyelinase activation, ceramide generation, and apoptosis triggered by daunorubicin. Cancer Res, 57, 5300.
- 84. Naito M, Nagashima K, Mashima T, Tsuruo T. (1997) Phosphatidylserine externalization is a downstream event of interleukin-1 beta-converting enzyme family protease activation during apoptosis. Blood, 89, 2060.
- 85. Reutelingsperger CP, van Heerde WL. (1997) Annexin V, the regulator of phosphatidylserine-catalyzed inflammation and coagulation during apoptosis. Cell Mol Life Sci. 53, 527.
- 86. Rimon G, Bazenet CE, Philpott KL, Rubin LL. (1997) Increased surface phosphatidylserine is an early marker of neuronal apoptosis. J Neurosci Res, 48, 563.
- 87. Van den Eijnde SM, Boshart L, Reutelingsperger CP, De Zeeuw CI, Vermeij-Keers C. (1997) Phosphatidylserine plasma membrane asymmetry in vivo: a pancellular phenomenon which alters during apoptosis. Cell Death Differ, 4, 311.
- 88. Hampton MB, Vanags DM, Porn-Ares MI, Orrenius S. (1996) Involvement of extracellular calcium in phosphatidylserine exposure during apoptosis. FEBS Lett, 399, 277.

- 89. Martin SJ, Finucane DM, Amarante-Mendes GP, O'Brien GA, Green DR. (1996) Phosphatidylserine externalization during CD95-induced apoptosis of cells and cytoplasts requires ICE/CED-3 protease activity. J Biol Chem, 271, 28753.
- 90. Vanags DM, Porn-Ares MI, Coppola S, Burgess DH, Orrenius S. (1996) Protease involvement in fodrin cleavage and phosphatidylserine exposure in apoptosis. J Biol Chem, 271, 31075.
- 91. Martin SJ, Reutelingsperger CP, McGahon AJ, Rader JA, van Schie RC, LaFace DM, Green DR. (1995) Early redistribution of plasma membrane phosphatidylserine is a general feature of apoptosis regardless of the initiating stimulus: inhibition by overexpression of Bcl-2 and Abl. J Exp Med, 182, 1545.
- 92. Vermes I, Haanen C, Steffens-Nakken H, Reutelingsperger C. (1995) A novel assay for apoptosis. Flow cytometric detection of phosphatidylserine expression on early apoptotic cells using fluorescein labelled Annexin V. J Immunol Methods, 184, 39.
- 93. Koopman G, Reutelingsperger CP, Kuijten GA, Keehnen RM, Pals ST, van Oers MH. (1994) Annexin V for flow cytometric detection of phosphatidylserine expression on B cells undergoing apoptosis. Blood, 84, 1415.