

References for Products 22799 and 22813

1. Kemnitzer W, Kuemmerle J, Jiang S, Sirisoma N, Kasibhatla S, Crogan-Grundy C, Tseng B, Drewe J, Cai SX. (2009) Discovery of 1-benzoyl-3-cyanopyrrolo[1,2-a]quinolines as a new series of apoptosis inducers using a cell- and caspase-based high-throughput screening assay. 2: Structure-activity relationships of the 4-, 5-, 6-, 7- and 8-positions. *Bioorg Med Chem Lett*, 19, 3481.
2. Kemnitzer W, Sirisoma N, Nguyen B, Jiang S, Kasibhatla S, Crogan-Grundy C, Tseng B, Drewe J, Cai SX. (2009) Discovery of N-aryl-9-oxo-9H-fluorene-1-carboxamides as a new series of apoptosis inducers using a cell- and caspase-based high-throughput screening assay. 1. Structure-activity relationships of the carboxamide group. *Bioorg Med Chem Lett*, 19, 3045.
3. Schmidt MF, El-Dahshan A, Keller S, Rademann J. (2009) Selective identification of cooperatively binding fragments in a high-throughput ligation assay enables development of a picomolar caspase-3 inhibitor. *Angew Chem Int Ed Engl*, 48, 6346.
4. Sirisoma N, Pervin A, Drewe J, Tseng B, Cai SX. (2009) Discovery of substituted N'-(2-oxoindolin-3-ylidene)benzohydrazides as new apoptosis inducers using a cell- and caspase-based HTS assay. *Bioorg Med Chem Lett*, 19, 2710.
5. Sirisoma N, Pervin A, Nguyen B, Crogan-Grundy C, Kasibhatla S, Tseng B, Drewe J, Cai SX. (2009) Discovery of substituted 4-anilino-2-arylpyrimidines as a new series of apoptosis inducers using a cell- and caspase-based high throughput screening assay. 2. Structure-activity relationships of the 2-aryl group. *Bioorg Med Chem Lett*, 19, 2305.
6. Cursio R, Colosetti P, Auberger P, Gugenheim J. (2008) Liver apoptosis following normothermic ischemia-reperfusion: in vivo evaluation of caspase activity by FLIVO assay in rats. *Transplant Proc*, 40, 2038.
7. Jiang S, Crogan-Grundy C, Drewe J, Tseng B, Cai SX. (2008) Discovery of (naphthalen-4-yl)(phenyl)methanones and N-methyl-N-phenylnaphthalen-1-amines as new apoptosis inducers using a cell- and caspase-based HTS assay. *Bioorg Med Chem Lett*, 18, 5725.
8. Kemnitzer W, Drewe J, Jiang S, Zhang H, Crogan-Grundy C, Labreque D, Bubenick M, Attardo G, Denis R, Lamothe S, Gourdeau H, Tseng B, Kasibhatla S, Cai SX. (2008) Discovery of 4-aryl-4H-chromenes as a new series of apoptosis inducers using a cell- and caspase-based high throughput screening assay. 4. Structure-activity relationships of N-alkyl substituted pyrrole fused at the 7,8-positions. *J Med Chem*, 51, 417.
9. Kemnitzer W, Jiang S, Wang Y, Kasibhatla S, Crogan-Grundy C, Bubenick M, Labreque D, Denis R, Lamothe S, Attardo G, Gourdeau H, Tseng B, Drewe J, Cai SX. (2008) Discovery of 4-aryl-4H-chromenes as a new series of apoptosis inducers using a cell- and caspase-based HTS assay. Part 5: modifications of the 2- and 3-positions. *Bioorg Med Chem Lett*, 18, 603.
10. Kemnitzer W, Jiang S, Zhang H, Kasibhatla S, Crogan-Grundy C, Blais C, Attardo G, Denis R, Lamothe S, Gourdeau H, Tseng B, Drewe J, Cai SX. (2008) Discovery of 4-aryl-2-oxo-2H-chromenes as a new series of apoptosis inducers using a cell- and caspase-based high-throughput screening assay. *Bioorg Med Chem Lett*, 18, 5571.
11. Kemnitzer W, Kuemmerle J, Jiang S, Zhang HZ, Sirisoma N, Kasibhatla S, Crogan-Grundy C, Tseng B, Drewe J, Cai SX. (2008) Discovery of 1-benzoyl-3-cyanopyrrolo[1,2-a]quinolines as a new series of apoptosis inducers using a cell- and caspase-based high-throughput screening assay. Part 1: Structure-activity relationships of the 1- and 3-positions. *Bioorg Med Chem Lett*, 18, 6259.
12. Valanne A, Malmi P, Appelblom H, Niemela P, Soukka T. (2008) A dual-step fluorescence resonance energy transfer-based quenching assay for screening of caspase-3 inhibitors. *Anal Biochem*, 375, 71.
13. Welkos S, Norris S, Adamovicz J. (2008) Modified caspase-3 assay indicates correlation of caspase-3 activity with immunity of nonhuman primates to *Yersinia pestis* infection. *Clin Vaccine Immunol*, 15, 1134.

14. Chun W, Waldo GS, Johnson GV. (2007) Split GFP complementation assay: a novel approach to quantitatively measure aggregation of tau in situ: effects of GSK3beta activation and caspase 3 cleavage. *J Neurochem*, 103, 2529.
15. Drewe J, Kasibhatla S, Tseng B, Shelton E, Sperandio D, Yee RM, Litvak J, Sendzik M, Spencer JR, Cai SX. (2007) Discovery of 5-(4-hydroxy-6-methyl-2-oxo-2H-pyran-3-yl)-7-phenyl-(E)-2,3,6,7-tetrahydro -1,4-thiazepines as a new series of apoptosis inducers using a cell- and caspase-based HTS assay. *Bioorg Med Chem Lett*, 17, 4987.
16. Kemnitzer W, Drewe J, Jiang S, Zhang H, Zhao J, Crogan-Grundy C, Xu L, Lamothe S, Gourdeau H, Denis R, Tseng B, Kasibhatla S, Cai SX. (2007) Discovery of 4-aryl-4H-chromenes as a new series of apoptosis inducers using a cell- and caspase-based high-throughput screening assay. 3. Structure-activity relationships of fused rings at the 7,8-positions. *J Med Chem*, 50, 2858.
17. Sirisoma N, Kasibhatla S, Nguyen B, Pervin A, Wang Y, Claassen G, Tseng B, Drewe J, Cai SX. (2006) Discovery of substituted 4-anilino-2-(2-pyridyl)pyrimidines as a new series of apoptosis inducers using a cell- and caspase-based high throughput screening assay. Part 1: structure-activity relationships of the 4-anilino group. *Bioorg Med Chem*, 14, 7761.
18. Tawa P, Giroux A, Grimm E, Han Y, Nicholson DW, Xanthoudakis S. (2006) Correlating the fractional inhibition of caspase-3 in NT2 cells with apoptotic markers using an active-caspase-3 enzyme-linked immunosorbent assay. *Anal Biochem*, 350, 32.
19. Gehring ME, Koty PP. (2005) Detection of programmed cell death in cells exposed to genotoxic agents using a caspase activation assay. *Methods Mol Biol*, 291, 465.
20. He L, Hakimi J, Salha D, Miron I, Dunn P, Radvanyi L. (2005) A sensitive flow cytometry-based cytotoxic T-lymphocyte assay through detection of cleaved caspase 3 in target cells. *J Immunol Methods*, 304, 43.
21. Kemnitzer W, Kasibhatla S, Jiang S, Zhang H, Zhao J, Jia S, Xu L, Crogan-Grundy C, Denis R, Barriault N, Vaillancourt L, Charron S, Dodd J, Attardo G, Labrecque D, Lamothe S, Gourdeau H, Tseng B, Drewe J, Cai SX. (2005) Discovery of 4-aryl-4H-chromenes as a new series of apoptosis inducers using a cell- and caspase-based high-throughput screening assay. 2. Structure-activity relationships of the 7- and 5-, 6-, 8-positions. *Bioorg Med Chem Lett*, 15, 4745.
22. Wang ZQ, Liao J, Diwu Z. (2005) N-DEVD-N'-morpholinecarbonyl-rhodamine 110: novel caspase-3 fluorogenic substrates for cell-based apoptosis assay. *Bioorg Med Chem Lett*, 15, 2335.
23. Karvinen J, Elomaa A, Makinen ML, Hakala H, Mikkala VM, Peuralahti J, Hurskainen P, Hovinen J, Hemmila I. (2004) Caspase multiplexing: simultaneous homogeneous time-resolved quenching assay (TruPoint) for caspases 1, 3, and 6. *Anal Biochem*, 325, 317.
24. Kemnitzer W, Drewe J, Jiang S, Zhang H, Wang Y, Zhao J, Jia S, Herich J, Labrecque D, Storer R, Meerovitch K, Bouffard D, Rej R, Denis R, Blais C, Lamothe S, Attardo G, Gourdeau H, Tseng B, Kasibhatla S, Cai SX. (2004) Discovery of 4-aryl-4H-chromenes as a new series of apoptosis inducers using a cell- and caspase-based high-throughput screening assay. 1. Structure-activity relationships of the 4-aryl group. *J Med Chem*, 47, 6299.
25. Cai SX, Nguyen B, Jia S, Herich J, Guastella J, Reddy S, Tseng B, Drewe J, Kasibhatla S. (2003) Discovery of substituted N-phenyl nicotinamides as potent inducers of apoptosis using a cell- and caspase-based high throughput screening assay. *J Med Chem*, 46, 2474.
26. Carrasco RA, Stamm NB, Patel BK. (2003) One-step cellular caspase-3/7 assay. *Biotechniques*, 34, 1064.
27. Jerome KR, Sloan DD, Aubert M. (2003) Measurement of CTL-induced cytotoxicity: the caspase 3 assay. *Apoptosis*, 8, 563.
28. Karvinen J, Hurskainen P, Gopalakrishnan S, Burns D, Warrior U, Hemmila I. (2002) Homogeneous time-resolved fluorescence quenching assay (LANCE) for caspase-3. *J Biomol Screen*, 7, 223.
29. Preaudat M, Ouled-Diaf J, Alpha-Bazin B, Mathis G, Mitsugi T, Aono Y, Takahashi K, Takemoto H. (2002) A homogeneous caspase-3 activity assay using HTRF technology. *J Biomol Screen*, 7, 267.

30. Smolewski P, Grabarek J, Halicka HD, Darzynkiewicz Z. (2002) Assay of caspase activation in situ combined with probing plasma membrane integrity to detect three distinct stages of apoptosis. *J Immunol Methods*, 265, 111.
31. Zeng L, Smith LD. (2002) Caspase-3 colorimetric assay. *Biotechniques*, 33, 1196.
32. Cai SX, Zhang HZ, Guastella J, Drewe J, Yang W, Weber E. (2001) Design and synthesis of rhodamine 110 derivative and caspase-3 substrate for enzyme and cell-based fluorescent assay. *Bioorg Med Chem Lett*, 11, 39.
33. Gunyuzlu PL, White WH, Davis GL, Hollis GF, Toyn JH. (2000) A yeast genetic assay for caspase cleavage of the amyloid-beta precursor protein. *Mol Biotechnol*, 15, 29.
34. Jones J, Heim R, Hare E, Stack J, Pollok BA. (2000) Development and application of a GFP-FRET intracellular caspase assay for drug screening. *J Biomol Screen*, 5, 307.
35. Gorman AM, Hirt UA, Zhivotovsky B, Orrenius S, Ceccatelli S. (1999) Application of a fluorometric assay to detect caspase activity in thymus tissue undergoing apoptosis in vivo. *J Immunol Methods*, 226, 43.
36. Chu W, Rothfuss J, Zhou D, Mach RH. Synthesis and evaluation of isatin analogs as caspase-3 inhibitors: introduction of a hydrophilic group increases potency in a whole cell assay. *Bioorg Med Chem Lett*, 21, 2192.
37. Kemnitzer W, Sirisoma N, Jiang S, Kasibhatla S, Crogan-Grundy C, Tseng B, Drewe J, Cai SX. Discovery of N-aryl-9-oxo-9H-fluorene-1-carboxamides as a new series of apoptosis inducers using a cell- and caspase-based high-throughput screening assay. 2. Structure-activity relationships of the 9-oxo-9H-fluorene ring. *Bioorg Med Chem Lett*, 20, 1288.