

References for Product 36350

1. Bregestovski P, Waseem T, Mukhtarov M. (2009) Genetically encoded optical sensors for monitoring of intracellular chloride and chloride-selective channel activity. *Front Mol Neurosci*, 2, 15.
2. Caputo A, Hinzpeter A, Caci E, Pedemonte N, Arous N, Di Duca M, Zegarra-Moran O, Fanen P, Galietta LJ. (2009) Mutation-specific potency and efficacy of cystic fibrosis transmembrane conductance regulator chloride channel potentiators. *J Pharmacol Exp Ther*, 330, 783.
3. Cateni F, Zacchigna M, Pedemonte N, Galietta LJ, Mazzei MT, Fossa P, Giampieri M, Mazzei M. (2009) Synthesis of 4-thiophen-2'-yl-1,4-dihydropyridines as potentiators of the CFTR chloride channel. *Bioorg Med Chem*, 17, 7894.
4. Chalothorn D, Zhang H, Smith JE, Edwards JC, Faber JE. (2009) Chloride intracellular channel-4 is a determinant of native collateral formation in skeletal muscle and brain. *Circ Res*, 105, 89.
5. Goodchild SC, Howell MW, Cordina NM, Littler DR, Breit SN, Curmi PM, Brown LJ. (2009) Oxidation promotes insertion of the CLIC1 chloride intracellular channel into the membrane. *Eur Biophys J*, 39, 129.
6. Li Y, O'Neill C, Day ML. (2009) Activation of a chloride channel by a trophic ligand is required for development of the mouse preimplantation embryo in vitro. *Biol Reprod*, 81, 759.
7. Ma H, Jo YJ, Ma Y, Hong JT, Kwon BM, Oh KW. (2009) Obovatol isolated from Magnolia obovata enhances pentobarbital-induced sleeping time: Possible involvement of GABA_A receptors/chloride channel activation. *Phytomedicine*, 16, 308.
8. McCavera S, Rogers AT, Yates DM, Woods DJ, Wolstenholme AJ. (2009) An ivermectin-sensitive glutamate-gated chloride channel from the parasitic nematode *Haemonchus contortus*. *Mol Pharmacol*, 75, 1347.
9. Pierno S, Camerino GM, Cippone V, Rolland JF, Desaphy JF, De Luca A, Liantonio A, Bianco G, Kunic JD, George AL, Jr., Conte Camerino D. (2009) Statins and fenofibrate affect skeletal muscle chloride conductance in rats by differently impairing CIC-1 channel regulation and expression. *Br J Pharmacol*, 156, 1206.
10. Pirri JK, McPherson AD, Donnelly JL, Francis MM, Alkema MJ. (2009) A tyramine-gated chloride channel coordinates distinct motor programs of a *Caenorhabditis elegans* escape response. *Neuron*, 62, 526.
11. Ponsioen B, van Zeijl L, Langeslag M, Berryman M, Littler D, Jalink K, Moolenaar WH. (2009) Spatiotemporal regulation of chloride intracellular channel protein CLIC4 by RhoA. *Mol Biol Cell*, 20, 4664.
12. Saint-Martin C, Gauvain G, Teodorescu G, Gourfinkel-An I, Fedirko E, Weber YG, Maljevic S, Ernst JP, Garcia-Olivares J, Fahlke C, Nababout R, LeGuern E, Lerche H, Poncer JC, Depienne C. (2009) Two novel CLCN2 mutations accelerating chloride channel deactivation are associated with idiopathic generalized epilepsy. *Hum Mutat*, 30, 397.
13. Song J, Zhang X, Qi Z, Sun G, Chi S, Zhu Z, Ren J, Qiu Z, Liu K, Myatt L, Ma RZ. (2009) Cloning and characterization of a calcium-activated chloride channel in rat uterus. *Biol Reprod*, 80, 788.
14. Stephan AB, Shum EY, Hirsh S, Cygnar KD, Reisert J, Zhao H. (2009) ANO2 is the ciliary calcium-activated chloride channel that may mediate olfactory amplification. *Proc Natl Acad Sci U S A*, 106, 11776.
15. Ulmasov B, Bruno J, Gordon N, Hartnett ME, Edwards JC. (2009) Chloride intracellular channel protein-4 functions in angiogenesis by supporting acidification of vacuoles along the intracellular tubulogenic pathway. *Am J Pathol*, 174, 1084.
16. Wang JW, Peng SY, Li JT, Wang Y, Zhang ZP, Cheng Y, Cheng DQ, Weng WH, Wu XS, Fei XZ, Quan ZW, Li JY, Li SG, Liu YB. (2009) Identification of metastasis-associated

- proteins involved in gallbladder carcinoma metastasis by proteomic analysis and functional exploration of chloride intracellular channel 1. *Cancer Lett*, 281, 71.
17. Wu WL, Zhen HT, Gao M. (2009) [Effects of glucocorticoid on calcium-activated chloride channel expression in nasal mucosa in allergic rhinitis rats]. *Zhonghua Er Bi Yan Hou Tou Jing Wai Ke Za Zhi*, 44, 242.
18. Yang JY, Jung JY, Cho SW, Choi HJ, Kim SW, Kim SY, Kim HJ, Jang CH, Lee MG, Han J, Shin CS. (2009) Chloride intracellular channel 1 regulates osteoblast differentiation. *Bone*, 45, 1175.
19. Bergler T, Stoelcker B, Jeblick R, Reinhold SW, Wolf K, Riegger GA, Kramer BK. (2008) High osmolality induces the kidney-specific chloride channel CLC-K1 by a serum and glucocorticoid-inducible kinase 1 MAPK pathway. *Kidney Int*, 74, 1170.
20. Caputo A, Caci E, Ferrera L, Pedemonte N, Barsanti C, Sondo E, Pfeffer U, Ravazzolo R, Zegarra-Moran O, Galietta LJ. (2008) TMEM16A, a membrane protein associated with calcium-dependent chloride channel activity. *Science*, 322, 590.
21. De La Fuente R, Namkung W, Mills A, Verkman AS. (2008) Small-molecule screen identifies inhibitors of a human intestinal calcium-activated chloride channel. *Mol Pharmacol*, 73, 758.
22. Forrester SG, Siddiqui SZ. (2008) A novel member of the ligand-gated chloride channel gene family from *Haemonchus contortus*. *Parasitology*, 135, 539.
23. Gene GG, Llobet A, Larriba S, de Semir D, Martinez I, Escalada A, Solsona C, Casals T, Aran JM. (2008) N-terminal CFTR missense variants severely affect the behavior of the CFTR chloride channel. *Hum Mutat*, 29, 738.
24. Grudzinska J, Schumann T, Schemm R, Betz H, Laube B. (2008) Mutations within the agonist-binding site convert the homomeric alpha1 glycine receptor into a Zn²⁺-activated chloride channel. *Channels (Austin)*, 2, 13.
25. Kang MK, Kang SK. (2008) Pharmacologic blockade of chloride channel synergistically enhances apoptosis of chemotherapeutic drug-resistant cancer stem cells. *Biochem Biophys Res Commun*, 373, 539.
26. Lisal J, Maduke M. (2008) The CIC-0 chloride channel is a 'broken' Cl⁻/H⁺ antiporter. *Nat Struct Mol Biol*, 15, 805.
27. Miyakawa H, Kumano M, Hoshi M, Takeda N, Matsumoto M. (2008) A chloride ion channel in *Halocynthia roretzi* hemocytes is associated with PO activity but not pigmentation during the contact reaction. *Zoolog Sci*, 25, 1130.
28. Papponen H, Nissinen M, Kaisto T, Myllyla VV, Myllyla R, Metsikko K. (2008) F413C and A531V but not R894X myotonia congenita mutations cause defective endoplasmic reticulum export of the muscle-specific chloride channel CLC-1. *Muscle Nerve*, 37, 317.
29. Paradisi S, Matteucci A, Fabrizi C, Denti MA, Abeti R, Breit SN, Malchiodi-Albedi F, Mazzanti M. (2008) Blockade of chloride intracellular ion channel 1 stimulates Abeta phagocytosis. *J Neurosci Res*, 86, 2488.
30. Petrova DT, Asif AR, Armstrong VW, Dimova I, Toshev S, Yaramov N, Oellerich M, Toncheva D. (2008) Expression of chloride intracellular channel protein 1 (CLIC1) and tumor protein D52 (TPD52) as potential biomarkers for colorectal cancer. *Clin Biochem*, 41, 1224.
31. Sonawane ND, Zegarra-Moran O, Namkung W, Galietta LJ, Verkman AS. (2008) Alpha-aminoazaheterocyclic-methylglyoxal adducts do not inhibit cystic fibrosis transmembrane conductance regulator chloride channel activity. *J Pharmacol Exp Ther*, 325, 529.
32. Xu LN, Na WL, Liu X, Hou SG, Lin S, Yang H, Ma TH. (2008) Identification of natural coumarin compounds that rescue defective DeltaF508-CFTR chloride channel gating. *Clin Exp Pharmacol Physiol*, 35, 878.
33. Zhou JJ, Fatehi M, Linsdell P. (2008) Identification of positive charges situated at the outer mouth of the CFTR chloride channel pore. *Pflugers Arch*, 457, 351.
34. Al-Jumaily M, Kozlenkov A, Mechaly I, Fichard A, Matha V, Scamps F, Valmier J, Carroll P. (2007) Expression of three distinct families of calcium-activated chloride channel genes in the mouse dorsal root ganglion. *Neurosci Bull*, 23, 293.

35. Blanz J, Schweizer M, Auberson M, Maier H, Muenscher A, Hubner CA, Jentsch TJ. (2007) Leukoencephalopathy upon disruption of the chloride channel CIC-2. *J Neurosci*, 27, 6581.
36. Chang TY, Kuo HC, Hsiao KM, Huang CC. (2007) Phenotypic variability of autosomal dominant myotonia congenita in a Taiwanese family with muscle chloride channel (CLCN1) mutation. *Acta Neurol Taiwan*, 16, 214.
37. Cromer BA, Gorman MA, Hansen G, Adams JJ, Coggan M, Board PG, Parker MW. (2007) Expression, purification, crystallization and preliminary X-ray diffraction analysis of chloride intracellular channel 2 (CLIC2). *Acta Crystallogr Sect F Struct Biol Cryst Commun*, 63, 961.
38. Fialho D, Schorge S, Pucovska U, Davies NP, Labrum R, Haworth A, Stanley E, Sud R, Wakeling W, Davis MB, Kullmann DM, Hanna MG. (2007) Chloride channel myotonia: exon 8 hot-spot for dominant-negative interactions. *Brain*, 130, 3265.
39. Mounsey KE, Dent JA, Holt DC, McCarthy J, Currie BJ, Walton SF. (2007) Molecular characterisation of a pH-gated chloride channel from Sarcoptes scabiei. *Invert Neurosci*, 7, 149.
40. Oddon DM, Diatloff E, Roberts SK. (2007) A CLC chloride channel plays an essential role in copper homeostasis in Aspergillus nidulans at increased extracellular copper concentrations. *Biochim Biophys Acta*, 1768, 2466.
41. Pall H, Zielinski J, Jonas MM, DaSilva DA, Potvin KM, Yuan XW, Huang Q, Freedman SD. (2007) Primary sclerosing cholangitis in childhood is associated with abnormalities in cystic fibrosis-mediated chloride channel function. *J Pediatr*, 151, 255.
42. Tang CH, Lee TH. (2007) The effect of environmental salinity on the protein expression of Na⁺/K⁺-ATPase, Na⁺/K⁺/2Cl⁻ cotransporter, cystic fibrosis transmembrane conductance regulator, anion exchanger 1, and chloride channel 3 in gills of a euryhaline teleost, *Tetraodon nigroviridis*. *Comp Biochem Physiol A Mol Integr Physiol*, 147, 521.
43. Tribble ND, Burka JF, Kibenge FS. (2007) Identification of the genes encoding for putative gamma aminobutyric acid (GABA) and glutamate-gated chloride channel (GluCl) alpha receptor subunits in sea lice (*Lepeophtheirus salmonis*). *J Vet Pharmacol Ther*, 30, 163.
44. Wang K, Feng YL, Wen FQ, Chen XR, Ou XM, Xu D, Yang J, Deng ZP. (2007) Increased expression of human calcium-activated chloride channel 1 is correlated with mucus overproduction in the airways of Chinese patients with chronic obstructive pulmonary disease. *Chin Med J (Engl)*, 120, 1051.
45. Wang K, Wen FQ, Feng YL, Ou XM, Xu D, Yang J, Deng ZP. (2007) Increased expression of human calcium-activated chloride channel 1 gene is correlated with mucus overproduction in Chinese asthmatic airway. *Cell Biol Int*, 31, 1388.
46. Wongsamitkul N, Sirianant L, Muanprasat C, Chatsudthipong V. A Plant-Derived Hydrolysable Tannin Inhibits CFTR Chloride Channel: A Potential Treatment of Diarrhea. *Pharm Res*.