

References for Product 51

1. Lepore DA, Jokubaitis VJ, Simmons PJ, Roeszler KN, Rossi R, Bauer K, Thomas PQ. (2006) A role for Angiotensin-converting enzyme in the characterization, enrichment, and proliferation potential of adult murine pituitary colony-forming cells. *Stem Cells*, 24, 2382.
2. Maynard HD, Hubbell JA. (2005) Discovery of a sulfated tetrapeptide that binds to vascular endothelial growth factor. *Acta Biomater*, 1, 451.
3. Suzuki S, Fujimori T, Yodoshi M. (2006) Recovery of free oligosaccharides from derivatives labeled by reductive amination. *Anal Biochem*, 354, 94.
4. Blandini F, Sinforiani E, Pacchetti C, Samuele A, Bazzini E, Zangaglia R, Nappi G, Martignoni E. (2006) Peripheral proteasome and caspase activity in Parkinson disease and Alzheimer disease. *Neurology*, 66, 529.
5. Takahashi S, Ogasawara H, Hiwatashi K, Hori K, Hata K, Tachibana T, Itoh Y, Sugiyama T. (2006) Paenidase, a Novel D-Aspartyl Endopeptidase from *Paenibacillus* sp. B38: Purification and Substrate Specificity. *J Biochem (Tokyo)*, 139, 197.
6. Serveau-Avesque C, Martino MF, Herve-Grepinet V, Hazouard E, Gauthier F, Diot E, Lalmanach G. (2006) Active cathepsins B, H, K, L and S in human inflammatory bronchoalveolar lavage fluids. *Biol Cell*, 98, 15.
7. Patett F, Fischer L. (2005) delta-(D -alpha-Aminoadipoyl)-cleaving amidase of *Ochrobactrum anthropi*. *Biotechnol Lett*, 27, 1915.
8. Heltweg B, Trapp J, Jung M. (2005) In vitro assays for the determination of histone deacetylase activity. *Methods*, 36, 332.
9. Herter S, Piper DE, Aaron W, Gabriele T, Cutler G, Cao P, Bhatt AS, Choe Y, Craik CS, Walker N, Meininger D, Hoey T, Austin RJ. (2005) Hepatocyte growth factor is a preferred in vitro substrate for human hepsin, a membrane-anchored serine protease implicated in prostate and ovarian cancers. *Biochem J*, 390, 125.
10. Langwaldt JH, Munster U, Puhakka JA. (2005) Characterization and microbial utilization of dissolved organic carbon in groundwater contaminated with chlorophenols. *Chemosphere*, 59, 983.
11. Borra MT, Smith BC, Denu JM. (2005) Mechanism of human SIRT1 activation by resveratrol. *J Biol Chem*, 280, 17187.
12. Keeton RA, Runge SW, Moran WM. (2004) Constitutive apical membrane recycling in *Aplysia* enterocytes. *J Exp Zool A Comp Exp Biol*, 301, 857.
13. Baechle D, Cansier A, Fischer R, Brandenburg J, Burster T, Driessen C, Kalbacher H. (2005) Biotinylated fluorescent peptide substrates for the sensitive and specific determination of cathepsin D activity. *J Pept Sci*, 11, 166.
14. Schultz BE, Misialek S, Wu J, Tang J, Conn MT, Tahiramani R, Wong L. (2004) Kinetics and comparative reactivity of human class I and class IIb histone deacetylases. *Biochemistry*, 43, 11083.
15. Nguyen KT, Hu X, Pei D. (2004) Slow-binding inhibition of peptide deformylase by cyclic peptidomimetics as revealed by a new spectrophotometric assay. *Bioorg Chem*, 32, 178.
16. Li H, He L, Zhong B, Li Y, Wu S, Liu J, Yang G. (2004) High pressure effects on the emission properties and crystal structure of coumarin 120. *Chemphyschem*, 5, 124.
17. Kasili PM, Song JM, Vo-Dinh T. (2004) Optical sensor for the detection of caspase-9 activity in a single cell. *J Am Chem Soc*, 126, 2799.
18. Wegener D, Hildmann C, Riester D, Schwienhorst A. (2003) Improved fluorogenic histone deacetylase assay for high-throughput-screening applications. *Anal Biochem*, 321, 202.
19. Kaul S, Kanthasamy A, Kitazawa M, Anantharam V, Kanthasamy AG. (2003) Caspase-3 dependent proteolytic activation of protein kinase C delta mediates and regulates 1-methyl-4-phenylpyridinium (MPP⁺)-induced apoptotic cell death in dopaminergic cells: relevance to oxidative stress in dopaminergic degeneration. *Eur J Neurosci*, 18, 1387.
20. Kurokawa M, Brown J, Kagawa Y, Shiraki K. (2003) Cytokine-regulatory activity and therapeutic efficacy of cinnamyl derivatives in endotoxin shock. *Eur J Pharmacol*, 474, 283.

21. Wilson CL, Shirras AD, Isaac RE. (2002) Extracellular peptidases of imaginal discs of *Drosophila melanogaster*. *Peptides*, 23, 2007.
22. Tuler TR, Callanan MJ, Klaenhammer TR. (2002) Overexpression of peptidases in *Lactococcus* and evaluation of their release from leaky cells. *J Dairy Sci*, 85, 2438.
23. Konopka A, Zakharova T. (2002) Evaluation of methods to solubilize and analyze cell-associated ectoenzymes. *J Microbiol Methods*, 51, 273.
24. Venalainen JI, Juvonen RO, Forsberg MM, Garcia-Horsman A, Poso A, Wallen EA, Gynther J, Mannisto PT. (2002) Substrate-dependent, non-hyperbolic kinetics of pig brain prolyl oligopeptidase and its tight binding inhibition by JTP-4819. *Biochem Pharmacol*, 64, 463.
25. Tran TV, Ellis KA, Kam CM, Hudig D, Powers JC. (2002) Dipeptidyl peptidase I: importance of proenzyme activation sequences, other dipeptide sequences, and the N-terminal amino group of synthetic substrates for enzyme activity. *Arch Biochem Biophys*, 403, 160.
26. Kondratovich AY, Pokhilko AV, Ataulakhanov FI. (2002) Spatiotemporal dynamics of contact activation factors of blood coagulation. *Biochim Biophys Acta*, 1569, 86.
27. Stewart MQ, van Dijk R, Veenhuis M, Goodman JM. (2002) Monomeric alcohol oxidase is preferentially digested by a novel protease from *Candida boidinii*. *Biochim Biophys Acta*, 1542, 160.
28. Qi S, Zhan RZ, Wu C, Fujihara H, Yamakura T, Baba H, Taga K, Shimoji K. (2001) Sublethal cerebral ischemia inhibits caspase-3 activation induced by subsequent prolonged ischemia in the C57Black/Crj6 strain mouse. *Neurosci Lett*, 315, 133.
29. Laube F, Gohring B, Sann H, Willhardt I. (2001) Cell surface antigens in renal tumour cells: detection by immunoluminescence and enzymatic analysis. *Br J Cancer*, 85, 924.
30. Choolani M, O'Donnell H, Campagnoli C, Kumar S, Roberts I, Bennett PR, Fisk NM. (2001) Simultaneous fetal cell identification and diagnosis by epsilon-globin chain immunophenotyping and chromosomal fluorescence in situ hybridization. *Blood*, 98, 554.
31. Birney YA, O'Connor BF. (2001) Purification and characterization of a Z-pro-prolinal-insensitive Z-Gly-Pro-7-amino-4-methyl coumarin-hydrolyzing peptidase from bovine serum--a new proline-specific peptidase. *Protein Expr Purif*, 22, 286.
32. Denmeade SR, Lovgren J, Khan SR, Lilja H, Isaacs JT. (2001) Activation of latent protease function of pro-hK2, but not pro-PSA, involves autoprocessing. *Prostate*, 48, 122.
33. Powers JC, Kam CM, Ricketts KM, Casillas RP. (2000) Cutaneous protease activity in the mouse ear vesicant model. *J Appl Toxicol*, 20 Suppl 1, S177.
34. Stroeve EA, Bulaeva NN, Kochukov MY. (2001) Intracellular distribution and regulation of calpains in the thyroid gland. *Bull Exp Biol Med*, 131, 124.
35. Liu Y, Schepartz A. (2001) Kinetic preference for oriented DNA binding by the yeast TATA-binding protein TBP. *Biochemistry*, 40, 6257.
36. Ninkovic M, Riester D, Wirsching F, Dietrich R, Schwienhorst A. (2001) Fluorogenic assay for penicillin G acylase activity. *Anal Biochem*, 292, 228.
37. Rockwell NC, Fuller RS. (2001) Direct measurement of acylenzyme hydrolysis demonstrates rate-limiting deacylation in cleavage of physiological sequences by the processing protease Kex2. *Biochemistry*, 40, 3657.
38. Shimoke K, Chiba H. (2001) Nerve growth factor prevents 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine-induced cell death via the Akt pathway by suppressing caspase-3-like activity using PC12 cells: relevance to therapeutic application for Parkinson's disease. *J Neurosci Res*, 63, 402.
39. Herrmann JM, Gonzales JR, Boedeker RH, Vonholdt J, Meyle J. (2001) Microassay for the detection of elastase activity in the gingival crevice. *J Clin Periodontol*, 28, 31.
40. Berthonneau J, Rodier MH, El Moudni B, Jacquemin JL. (2000) *Toxoplasma gondii*: purification and characterization of an immunogenic metallopeptidase. *Exp Parasitol*, 95, 158.
41. Ray SK, Schaecher KE, Shields DC, Hogan EL, Banik NL. (2000) Combined TUNEL and double immunofluorescent labeling for detection of apoptotic mononuclear phagocytes in autoimmune demyelinating disease. *Brain Res Brain Res Protoc*, 5, 305.

42. Harris JL, Backes BJ, Leonetti F, Mahrus S, Ellman JA, Craik CS. (2000) Rapid and general profiling of protease specificity by using combinatorial fluorogenic substrate libraries. *Proc Natl Acad Sci U S A*, 97, 7754.
43. Coolen MJ, Overmann J. (2000) Functional exoenzymes as indicators of metabolically active bacteria in 124,000-year-Old sapropel layers of the eastern Mediterranean Sea. *Appl Environ Microbiol*, 66, 2589.
44. Ylikangas P, Mononen I. (2000) A fluorometric assay for L-asparaginase activity and monitoring of L-asparaginase therapy. *Anal Biochem*, 280, 42.
45. Muller MR, Lennartz K, Baack B, Heim MM, Seeber S, Scheulen ME. (2000) Simultaneous measurement of cellular P-glycoprotein content and function by multiparametric flow-cytometry. *Int J Clin Pharmacol Ther*, 38, 180.
46. Krasotkina YV, Sinauridze EI, Ataulkhanov FI. (2000) Spatiotemporal dynamics of fibrin formation and spreading of active thrombin entering non-recalcified plasma by diffusion. *Biochim Biophys Acta*, 1474, 337.
47. Davy A, Thomsen KK, Juliano MA, Alves LC, Svendsen I, Simpson DJ. (2000) Purification and characterization of barley dipeptidyl peptidase IV. *Plant Physiol*, 122, 425.
48. Imaizumi T, Jyonouchi K, Kato T, Chikuma T, Tanaka A. (2000) Anterograde axonal transport of Boc-Arg-Val-Arg-Arg-MCA hydrolyzing enzyme in rat sciatic nerves: cleavage occurs between basic residues. *Biochim Biophys Acta*, 1476, 337.
49. Backes BJ, Harris JL, Leonetti F, Craik CS, Ellman JA. (2000) Synthesis of positional-scanning libraries of fluorogenic peptide substrates to define the extended substrate specificity of plasmin and thrombin. *Nat Biotechnol*, 18, 187.
50. Howl J. (1999) Fluorescent and biotinylated probes for B2 bradykinin receptors: agonists and antagonists. *Peptides*, 20, 515.
51. Chan VJ, Selzer PM, McKerrow JH, Sakanari JA. (1999) Expression and alteration of the S2 subsite of the *Leishmania major* cathepsin B-like cysteine protease. *Biochem J*, 340 (Pt 1), 113.
52. Callaci S, Heyduk E, Heyduk T. (1999) Core RNA polymerase from *E. coli* induces a major change in the domain arrangement of the sigma 70 subunit. *Mol Cell*, 3, 229.
53. Vinogradov E, Bock K. (1998) Structural determination of some new oligosaccharides and analysis of the branching pattern of isomaltooligosaccharides from beer. *Carbohydr Res*, 309, 57.
54. Acosta D, Goni F, Carmona C. (1998) Characterization and partial purification of a leucine aminopeptidase from *Fasciola hepatica*. *J Parasitol*, 84, 1.
55. Tijssen MJ, Peters SM, Bindels RJ, van Os CH, Wetzels JF. (1997) Glycine protection against hypoxic injury in isolated rat proximal tubules: the role of proteases. *Nephrol Dial Transplant*, 12, 2549.
56. Bonneau PR, Plouffe C, Pelletier A, Wernic D, Poupart MA. (1998) Design of fluorogenic peptide substrates for human cytomegalovirus protease based on structure-activity relationship studies. *Anal Biochem*, 255, 59.
57. Dai Y, Whittall RM, Bridges CA, Isogai Y, Hindsgaul O, Li L. (1997) Matrix-assisted laser desorption ionization mass spectrometry for the analysis of monosulfated oligosaccharides. *Carbohydr Res*, 304, 1.
58. Sajid M, Isaac RE, Harrow ID. (1997) Purification and properties of a membrane aminopeptidase from *Ascaris suum* muscle that degrades neuropeptides AF1 and AF2. *Mol Biochem Parasitol*, 89, 225.
59. Chiba K, Sato E, Hoshi M. (1997) Detection of in vivo proteasome activity in a starfish oocyte using membrane-impermeant substrate. *J Biochem (Tokyo)*, 122, 286.
60. Gallagher SP, O'Leary RM, O'Connor B. (1997) The development of two fluorimetric assays for the determination of pyroglutamyl aminopeptidase type-II activity. *Anal Biochem*, 250, 1.
61. Muraro PA, Vergelli M, Kalbus M, Banks DE, Nagle JW, Tranquill LR, Nepom GT, Biddison WE, McFarland HF, Martin R. (1997) Immunodominance of a low-affinity major histocompatibility complex-binding myelin basic protein epitope (residues 111-129) in

- HLA-DR4 (B1*0401) subjects is associated with a restricted T cell receptor repertoire. *J Clin Invest*, 100, 339.
62. Heyduk E, Heyduk T. (1997) Thiol-reactive, luminescent Europium chelates: luminescence probes for resonance energy transfer distance measurements in biomolecules. *Anal Biochem*, 248, 216.
 63. Nerli B, Romanini D, Pico G. (1997) Structural specificity requirements in the binding of beta lactam antibiotics to human serum albumin. *Chem Biol Interact*, 104, 179.
 64. Botchkarev VA, Eichmuller S, Peters EM, Pietsch P, Johansson O, Maurer M, Paus R. (1997) A simple immunofluorescence technique for simultaneous visualization of mast cells and nerve fibers reveals selectivity and hair cycle--dependent changes in mast cell--nerve fiber contacts in murine skin. *Arch Dermatol Res*, 289, 292.
 65. Butenas S, Kalafatis M, Mann KG. (1997) Analysis of tissue plasminogen activator specificity using peptidyl fluorogenic substrates. *Biochemistry*, 36, 2123.
 66. Chun J, Blackall LL, Kang SO, Hah YC, Goodfellow M. (1997) A proposal to reclassify *Nocardia pinensis* Blackall et al. as *Skermania piniformis* gen. nov., comb. nov. *Int J Syst Bacteriol*, 47, 127.
 67. Hartig W, Bruckner G, Brauer K, Seeger G, Bigl V. (1996) Triple immunofluorescence labelling of parvalbumin, calbindin-D28k and calretinin in rat and monkey brain. *J Neurosci Methods*, 67, 89.
 68. Zicane D, Petrova M, Tetere Z, Kreishman G, Brooks E, Karlson J, Kalejs U. (1996) Side reactions in the pyroglutamic acid-7-amino-4-methylcoumarin synthesis. *Int J Pept Protein Res*, 48, 56.
 69. Otto C, tom Dieck S, Bauer K. (1996) Dipeptide uptake by adenohipophysial folliculostellate cells. *Am J Physiol*, 271, C210.
 70. Alves LC, Almeida PC, Franzoni L, Juliano L, Juliano MA. (1996) Synthesis of N alpha-protected aminoacyl 7-amino-4-methyl-coumarin amide by phosphorous oxychloride and preparation of specific fluorogenic substrates for papain. *Pept Res*, 9, 92.
 71. Davenpeck KL, Chrest FJ, Sterbinsky SA, Bickel CA, Bochner BS. (1995) Carboxyfluorescein diacetate labeling does not affect adhesion molecule expression or function in human neutrophils or eosinophils. *J Immunol Methods*, 188, 79.
 72. Feng K, Mahdavi-Anary F, Partch RE, Li Y. (1995) Photochemical reactions of azidocoumarins. *Photochem Photobiol*, 62, 813.
 73. el Moudni B, Rodier MH, Barrault C, Ghazali M, Jacquemin JL. (1995) Purification and characterisation of a metallopeptidase of *Candida albicans*. *J Med Microbiol*, 43, 282.
 74. Jean F, Boudreault A, Basak A, Seidah NG, Lazure C. (1995) Fluorescent peptidyl substrates as an aid in studying the substrate specificity of human prohormone convertase PC1 and human furin and designing a potent irreversible inhibitor. *J Biol Chem*, 270, 19225.
 75. Ulbricht B, Spiess E, Schwartz-Albiez R, Ebert W. (1995) Quantification of intracellular cathepsin activities in human lung tumor cell lines by flow cytometry. *Biol Chem Hoppe Seyler*, 376, 407.
 76. Jean F, Basak A, DiMaio J, Seidah NG, Lazure C. (1995) An internally quenched fluorogenic substrate of prohormone convertase 1 and furin leads to a potent prohormone convertase inhibitor. *Biochem J*, 307 (Pt 3), 689.
 77. Warren DJ, Andersen A, Slordal L. (1995) Quantitation of 6-thioguanine residues in peripheral blood leukocyte DNA obtained from patients receiving 6-mercaptopurine-based maintenance therapy. *Cancer Res*, 55, 1670.
 78. Yamamoto A, Wenthold RJ, Jr., Zhang J, Herman EH, Ferrans VJ. (1995) Immunofluorescence techniques for the identification of immune effector cells in rat heart: applications to the study of the myocarditis induced by interleukin-2. *J Mol Cell Cardiol*, 27, 307.
 79. Duckworth WC, Bennett RG, Hamel FG. (1994) A direct inhibitory effect of insulin on a cytosolic proteolytic complex containing insulin-degrading enzyme and multicatalytic proteinase. *J Biol Chem*, 269, 24575.

80. Mononen I, Mononen T, Ylikangas P, Kaartinen V, Savolainen K. (1994) Enzymatic diagnosis of aspartylglycosaminuria by fluorometric assay of glycosylasparaginase in serum, plasma, or lymphocytes. *Clin Chem*, 40, 385.
81. Hamid ME, Chun J, Magee JG, Minnikin DE, Goodfellow M. (1994) Rapid characterisation and identification of mycobacteria using fluorogenic enzyme tests. *Zentralbl Bakteriol*, 280, 476.
82. Brumback BG, Farthing PG, Castellino SN. (1993) Simultaneous detection of and differentiation between herpes simplex and varicella-zoster viruses with two fluorescent probes in the same test system. *J Clin Microbiol*, 31, 3260.
83. Carmona C, Dowd AJ, Smith AM, Dalton JP. (1993) Cathepsin L proteinase secreted by *Fasciola hepatica* in vitro prevents antibody-mediated eosinophil attachment to newly excysted juveniles. *Mol Biochem Parasitol*, 62, 9.
84. Salvucci ME. (1993) Covalent modification of a highly reactive and essential lysine residue of ribulose-1,5-bisphosphate carboxylase/oxygenase activase. *Plant Physiol*, 103, 501.
85. Bronk SF, Powers SP, Gores GJ. (1993) Dynamic measurements of intracellular aminopeptidase activity in hepatocytes using multiparameter digitized video fluorescent microscopy. *Anal Biochem*, 210, 219.
86. Mononen IT, Kaartinen VM, Williams JC. (1993) A fluorometric assay for glycosylasparaginase activity and detection of aspartylglycosaminuria. *Anal Biochem*, 208, 372.
87. Stefanova HI, Mata AM, East JM, Gore MG, Lee AG. (1993) Reactivity of lysyl residues on the (Ca²⁺)-Mg²⁺-ATPase to 7-amino-4-methylcoumarin-3-acetic acid succinimidyl ester. *Biochemistry*, 32, 356.
88. Zhou JY, Dauphin C, Hamon M. (1993) [Use of 7-amino-4-methylcoumarin for the spectrophotometric determination of nitrites]. *Ann Pharm Fr*, 51, 94.
89. Olbricht CJ. (1992) Distribution of cathepsins B and L in the kidney and their role in tubular protein absorption. *Eur J Clin Chem Clin Biochem*, 30, 675.
90. Newkirk RF, Mack J. (1992) Improved indirect fluorescence immunocytochemical method using counterstains. *Biotechniques*, 13, 536.
91. Hermiston ML, Latham CB, Gordon JI, Roth KA. (1992) Simultaneous localization of six antigens in single sections of transgenic mouse intestine using a combination of light and fluorescence microscopy. *J Histochem Cytochem*, 40, 1283.
92. Abuknesha RA, al-Mazeedi HM, Price RG. (1992) AMC-anti-FITC conjugates: novel reagents for amplified immunochemical techniques. *Immunofluorescent staining of human fibroblasts. Histochem J*, 24, 655.
93. Goodfellow M, Ferguson EV, Sanglier JJ. (1992) Numerical classification and identification of *Streptomyces* species--a review. *Gene*, 115, 225.
94. Goossens F, De Meester I, Vanhoof G, Scharpe S. (1992) A sensitive method for the assay of serum prolyl endopeptidase. *Eur J Clin Chem Clin Biochem*, 30, 235.
95. Linn CP, Mize PD, Hoke RA, Quante JM, Pitner JB. (1992) Synthesis of serine-AMC-carbamate: a fluorogenic tryptophanase substrate. *Anal Biochem*, 200, 400.
96. Kundu GC, Wilson IB. (1992) Identification of endothelin converting enzyme in bovine lung membranes using a new fluorogenic substrate. *Life Sci*, 50, 965.
97. Ulfhake B, Carlsson K, Mossberg K, Arvidsson U, Helm PJ. (1991) Imaging of fluorescent neurons labelled with fluoro-gold and fluorescent axon terminals labelled with AMCA (7-amino-4-methylcoumarine-3-acetic acid) conjugated antiserum using a UV-laser confocal scanning microscope. *J Neurosci Methods*, 40, 39.
98. Shiiian SD, Nasonov VV, Bovin NV, Novikova LI, Aleshkin VA. (1991) [Molecular forms of alpha-1-acid glycoprotein in human blood serum. Differences in levels of di-, tri-, and tetra-antennary N-linked carbohydrate chains]. *Bioorg Khim*, 17, 663.
99. Eichler E, Kihlberg J, Bundle DR. (1991) Access to fluorescent probes via allyl glycosides: the synthesis of a *Brucella* trisaccharide epitope linked to a coumarin. *Glycoconj J*, 8, 69.

100. Delia D, Martinez E, Fontanella E, Aiello A. (1991) Two- and three-color immunofluorescence using aminocoumarin, fluorescein, and phycoerythrin-labelled antibodies and single laser flow cytometry. *Cytometry*, 12, 537.
101. Goodfellow M, Thomas EG, Ward AC, James AL. (1990) Classification and identification of rhodococci. *Zentralbl Bakteriologie*, 274, 299.
102. Wessendorf MW, Appel NM, Molitor TW, Elde RP. (1990) A method for immunofluorescent demonstration of three coexisting neurotransmitters in rat brain and spinal cord, using the fluorophores fluorescein, lissamine rhodamine, and 7-amino-4-methylcoumarin-3-acetic acid. *J Histochem Cytochem*, 38, 1859.
103. Pozdnev VF, Rabinovich SE, Pashkina TS. (1990) [Photometric method of determination of the amidase activity of proteinases using 4-methylcoumaryl-7-amide substrates]. *Bioorg Khim*, 16, 590.
104. Aubry JP, Durand I, De Paoli P, Banchereau J. (1990) 7-amino-4-methylcoumarin-3-acetic acid-conjugated streptavidin permits simultaneous flow cytometry analysis of either three cell surface antigens or one cell surface antigen as a function of RNA and DNA content. *J Immunol Methods*, 128, 39.
105. Irvine GB, Ennis M, Williams CH. (1990) Visual detection of peptidase activity using fluorogenic substrates in a microtiter plate assay. *Anal Biochem*, 185, 304.
106. Yasuhara T, Yokosawa H, Ishii S. (1990) Purification and characterization of an aminopeptidase from sperm of the sea urchin, *Strongylocentrotus intermedius*. Ca²⁺(+)-dependent substrate specificity as a novel feature of the enzyme. *J Biochem (Tokyo)*, 107, 273.
107. Tomono Y, Abe K, Watanabe K. (1990) High-performance liquid affinity chromatography and in situ fluorescent labeling on thin-layer chromatography of glycosphingolipids. *Anal Biochem*, 184, 360.
108. Wessendorf MW, Tallaksen-Greene SJ, Wohlhueter RM. (1990) A spectrophotometric method for determination of fluorophore-to-protein ratios in conjugates of the blue fluorophore 7-amino-4-methylcoumarin-3-acetic acid (AMCA). *J Histochem Cytochem*, 38, 87.
109. Grant AJ, Russell PJ, Raghavan D. (1989) Elastase activities of human bladder cancer cell lines derived from high grade invasive tumours. *Biochem Biophys Res Commun*, 162, 308.
110. Michel E, Parsons JA. (1989) Histochemical demonstration of prolactin binding sites. *J Histochem Cytochem*, 37, 773.
111. Nederlof PM, Robinson D, Abuknesha R, Wiegant J, Hopman AH, Tanke HJ, Raap AK. (1989) Three-color fluorescence in situ hybridization for the simultaneous detection of multiple nucleic acid sequences. *Cytometry*, 10, 20.
112. Mehlich A, Beckmann J, Wenzel HR, Tschesche H. (1988) Aprotinin derivatives with chromophoric leaving groups can be used as highly selective active-site titrants for serine proteinases and permit the determination of kinetic constants of enzyme-inhibitor complexes. *Biochim Biophys Acta*, 957, 420.
113. Graf L, Hegyi G, Liko I, Hepp J, Medzihradzsky K, Craik CS, Rutter WJ. (1988) Structural and functional integrity of specificity and catalytic sites of trypsin. *Int J Pept Protein Res*, 32, 512.
114. Kawabata S, Miura T, Morita T, Kato H, Fujikawa K, Iwanaga S, Takada K, Kimura T, Sakakibara S. (1988) Highly sensitive peptide-4-methylcoumaryl-7-amide substrates for blood-clotting proteases and trypsin. *Eur J Biochem*, 172, 17.
115. Eldaw A, Khalfan HA. (1988) Aminomethyl coumarin acetic acid and fluorescein isothiocyanate in detection of leishmanial antibodies: a comparative study. *Trans R Soc Trop Med Hyg*, 82, 561.
116. Wessendorf MW, Appel NM, Elde R. (1987) Simultaneous observation of fluorescent retrogradely labeled neurons and the immunofluorescently labeled fibers apposing them using Fluoro-Gold and antisera labeled with the blue fluorochrome 7-amino-4-methylcoumarin-3-acetic acid (AMCA). *Neurosci Lett*, 82, 121.
117. Khorlin A, Shian SD, Nasonov VV, Markin VA. (1987) [Fluorescent derivatives of carbohydrates in the analysis of the structure of glycoconjugates. N-(4-methylcoumarin-7-

- yl) glycamines in the study of asparagine-bound carbohydrate chains of glycoproteins]. *Bioorg Khim*, 13, 1266.
118. Baricos WH, Zhou YW, Fuerst RS, Barrett AJ, Shah SV. (1987) The role of aspartic and cysteine proteinases in albumin degradation by rat kidney cortical lysosomes. *Arch Biochem Biophys*, 256, 687.
 119. Billings PC, Carew JA, Keller-McGandy CE, Goldberg AL, Kennedy AR. (1987) A serine protease activity in C3H/10T1/2 cells that is inhibited by anticarcinogenic protease inhibitors. *Proc Natl Acad Sci U S A*, 84, 4801.
 120. Benau DA, Storey BT. (1987) Characterization of the mouse sperm plasma membrane zona-binding site sensitive to trypsin inhibitors. *Biol Reprod*, 36, 282.
 121. Cromlish JA, Seidah NG, Marcinkiewicz M, Hamelin J, Johnson DA, Chretien M. (1987) Human pituitary tryptase: molecular forms, NH₂-terminal sequence, immunocytochemical localization, and specificity with prohormone and fluorogenic substrates. *J Biol Chem*, 262, 1363.
 122. Kolar Z, Krepela E, Kovarik J, Kohoutek M, Rypka M, Vicar J. (1987) Clinical experience with the testing of serum proteinase activity by cathepsin B-like sensitive amino acid derivatives of 7-amino-4-methylcoumarine. *Neoplasma*, 34, 601.
 123. Khalfan H, Abuknesha R, Rand-Weaver M, Price RG, Robinson D. (1986) Aminomethyl coumarin acetic acid: a new fluorescent labelling agent for proteins. *Histochem J*, 18, 497.
 124. Olbricht CJ, Cannon JK, Garg LC, Tisher CC. (1986) Activities of cathepsins B and L in isolated nephron segments from proteinuric and nonproteinuric rats. *Am J Physiol*, 250, F1055.
 125. Iwaki S, Nakamura T, Koyama J. (1986) Inhibitory effects of various synthetic substrates for aminopeptidases on phagocytosis of immune complexes by macrophages. *J Biochem (Tokyo)*, 99, 1317.
 126. Sherman MR, Tuazon FB, Stevens YW, Carlino JA, Niu EM. (1986) "Defective" receptors in steroid-resistant conditions may be proteolytic artifacts. *Adv Exp Med Biol*, 196, 23.
 127. Kunugi S, Fukuda M, Hayashi R. (1985) Action of serine carboxypeptidases on endopeptidase substrates, peptide-4-methyl-coumaryl-7-amides. *Eur J Biochem*, 153, 37.
 128. Gossrau R. (1985) Cytochemistry of membrane proteases. *Histochem J*, 17, 737.
 129. Nagatsu T, Sakai T, Kojima K, Araki E, Sakakibara S, Fukasawa K, Harada M. (1985) A sensitive and specific assay for dipeptidyl-aminopeptidase II in serum and tissues by liquid chromatography-fluorometry. *Anal Biochem*, 147, 80.
 130. Mantle D, Lauffart B, McDermott JR, Kidd AM, Pennington RJ. (1985) Purification and characterization of two Cl⁻-activated aminopeptidases hydrolysing basic termini from human skeletal muscle. *Eur J Biochem*, 147, 307.
 131. Sherman MR, Stevens YW, Tuazon FB. (1984) Multiple forms and fragments of cytosolic glucocorticoid receptors from human leukemic cells and normal lymphocytes. *Cancer Res*, 44, 3783.
 132. Pupkis MF, Coombs GH. (1984) Purification and characterization of proteolytic enzymes of *Leishmania mexicana mexicana* amastigotes and promastigotes. *J Gen Microbiol*, 130, 2375.
 133. Gossrau R, Lojda Z, Smith RE, Sinha P. (1984) Recent advances in protease research using synthetic substrates. *Adv Exp Med Biol*, 167, 191.
 134. Dufek V, Matous B, Hrebicek M. (1983) [Fluorometric determination of serum levels of cathepsin B using 7-amino-4-methylcoumarin as the specific substrate]. *Sb Lek*, 85, 289.
 135. Sherman MR, Moran MC, Tuazon FB, Stevens YW. (1983) Structure, dissociation, and proteolysis of mammalian steroid receptors. Multiplicity of glucocorticoid receptor forms and proteolytic enzymes in rat liver and kidney cytosols. *J Biol Chem*, 258, 10366.
 136. Leytus SP, Melhado LL, Mangel WF. (1983) Rhodamine-based compounds as fluorogenic substrates for serine proteinases. *Biochem J*, 209, 299.
 137. Prakash C, Vijay IK. (1983) A new fluorescent tag for labeling of saccharides. *Anal Biochem*, 128, 41.
 138. Hartmann K, Gossrau R. (1983) [Suitability of amino methylcoumarin and naphthylamine substrates for microchemical peptidase determination]. *Acta Histochem Suppl*, 28, 295.

139. Board PG. (1982) The use of fluorogenic peptide substrates for the detection of coagulation factors II and X after electrophoresis. *Ann Hum Genet*, 46, 293.
140. Dresden MH, Rotmans JP, Deelder AM, Koper G, Ploem JS. (1982) Automated measurement of proteinase activity with a fluorogenic substrate using an inverted fluorescence microscope. *Anal Biochem*, 126, 170.
141. Katz J, Finlay TH, Tom C, Levitz M. (1980) A new hormone-response hydrolase activity in the mouse uterus. *Endocrinology*, 107, 1725.
142. Kato T, Okada M, Nagatsu T. (1980) Distribution of post-proline cleaving enzyme in human brain and the peripheral tissues. *Mol Cell Biochem*, 32, 117.
143. Fujiwara K, Tsuru D. (1978) New chromogenic and fluorogenic substrates for pyrrolidonyl peptidase. *J Biochem (Tokyo)*, 83, 1145.
144. Saifuku K, Sekine T, Namihisa T, Takahashi T, Kanaoka Y. (1978) A novel fluorometric ultramicro determination of serum leucine aminopeptidase using a coumarine derivative. *Clin Chim Acta*, 84, 85.
145. Morita T, Kato H, Iwanaga S, Takada K, Kimura T. (1977) New fluorogenic substrates for alpha-thrombin, factor Xa, kallikreins, and urokinase. *J Biochem (Tokyo)*, 82, 1495.