

New England Biolabs 32 Tozer Road Beverly MA 01915

MATERIAL SAFETY DATA SHEET

 EMERGENCY TELEPHONE NO.
 1-800-632-5227

 OTHER INFORMATION CALLS
 1-978-927-5054

 FAX
 1-978-921-1350

INTERNET e-mail: info@neb.com
DATE JUNE, 2003

Methylase #M0215

SECTION 1 - CHEMICAL INFORMATION

Product Name: Msp I Methylase

SECTION 2 - CHEMICAL INFORMATION

1.	Glycerol	50%	Cas.	#56-81-5
2.	Sodium Chloride	< 1%	Cas.	#7647-14-5
3.	Tris-HCl	< 1%	Cas.	#77-86-1
4.	EDTA	< 1%	Cas.	#60-00-4
5.	BME	< 1%	Cas.	#60-24-2
6.	BSA	< 1%	Cas.	#None

SECTION 3-COMPOSITION/INFORMATION ON INGREDIENT

CHEMICAL NAME: GLYCEROL

CAS No.: 56-81-5 MF: C3H803 EC No.: 200-289-5

SYNONYMS: CITIFLOUR AF 2 * GLYCERIN * GLYCERIN, ANHYDROUS * GLYCERINE * GLYCERIN MIST (ACGIH, OSHA) * GLYCERIN, SYNTHETIC * GLYCERITOL GLYCYL ALCOHOL * CLYZERIN, WASSERFREI (GERMAN) * GROCOLENE * OSMOGLYN * 1,2,3-PROPANETRIOL * STAR * SYNTHETIC GLYCERIN * TECHNICAL GLYCERINE * TRIHYDROXYPROPANE * 1,2,3-TRIHYDROXYPROPANE.

Hygroscopic

SECTION 4-HAZARDOUS IDENTIFICATION

LABEL PRECAUTIONARY STATEMENTS:

CAUTION Target Organ (S)
Kidney

Avoid contact by inhalation, skin and ingestion.

SECTION 5 -FIRST AID MEASURES

ORAL EXPOSURE: If swallowed, wash out mouth with water provided person is conscious. Call a physician.

INHALATION EXPOSURE: If inhaled, remove to fresh air. If breathing is difficult, call a physician.

DERMAL EXPOSURE: In case of contact, immediately wash skin with soap and copious amounts of water.

Remove clothing and call a physician.

EYE EXPOSURE: In case of contact, immediately flush eyes with copious amounts of water for at least 15 minutes.

Assure adequate flushing by separating the eyelids with fingers. Call a physician.

SECTION 6-FIRE FIGHTING MEASURES

Extinguishing Media:

Water Spray

Carbon Dioxide, Dry Chemical powder or appropriate foam

Unusual Fire and Explosions Hazard (s): Emits toxic toxic fumes under fire conditions.

Prevent contact with skin and eyes.

Special Firefighting Procedures: Wear self contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

SECTION 7 – ACCIDENTAL RELEASE MEASURES

PROCEDURE(S) OF PERSONAL PRECAUTION(S):

Wear self-contained breathing apparatus, chemical safety goggles, rubber boots, and chemical resistant gloves.

Wear disposable coveralls and discard them after use.

METHODS FOR CLEANING UP:

Absorb on sand or vermiculite and place in a closed

container for disposal.

Ventilate area and wash spill site after material pickup is complete.

SECTION 8 – HANDLING AND STORAGE

Refer to Section 8

SECTION 9-EXPOSURE CONTROLS /PPE

Engineering Controls: Safety shower and eye bath. Mechanical exhaust required.

Personal Protective Equipment:

Respiratory

NIOSH/MSHA-approved respirator.

Compatible chemical-resistant gloves.

Compatible safety goggles.

General Hygiene Measures:

Wash thoroughly after handling. Wash contaminated clothing before use.

AVOID INHALATION

KEEP TIGHTLY CLOSED STORE IN A COOL DRY PLACE

FREEZE

STORE AT -20°C

SECTION 10- PHYSICAL AND CHEMICAL PROPERTIES

Physical Properties: Explosion Limits in Air:

Melting Point: 20° C

Boiling Point: 182° C

Flash Point: $> 392 \text{ F}, > 200^{\circ} \text{ C}$

Lower: 0.9%

Specific Gravity: 1.262 Solubility: Water -Z26130

Vapor Pressure: < 1 MMHG @ 20°C

SECTION 11 – STABILITY AND REACTIVITY

Stability: Stable **Hazardous Decomposition Products:**

Materials to Avoid:

Strong oxidizing agents, strong bases.

Carbon Monoxide. Carbon Dioxide

Hazardous Decomposition Products: Will not occur.

Vapor Density: 3.1 G/L

PH: 5.5-8.0

PROTECT FROM HEAT

SECTION 12-TOXICOLOGICAL INFORMATION

Route of Exposure:

Eye Contact: **Multiple Routes** Skin Contact

May cause eye irritation May cause skin irritation May be harmful by inhalation, ingestion, or skin absorption

Materials may be irritating to mucous membranes and upper respiratory tract.

RTECS #:MA8050000

GLYCEROL

Chronic Effects: Target Organs, Kidney

To the best of our knowledge, the properties have not yet been thoroughly investigated.

IRRITATION DATA:

SKN-RBT 500 MG/24H MLD 85JCAE -, 207, 1986 EYE-RBT 126 MG MLD BIOFX* 9-4/970 EYE-RBT 500 MG/24H MLD 85JCAE -, 207, 1986

TOXICITY DATA:

ORL-RAT LD50: 12600 MG/KG FEPRA7 4, 142, 1945 IHL-RAT **LC50:** > 570 MG/M3/1H BIOFX* 9-4/970 IPR-RAT **LD50**: 4420 MG/KG RCOCB8 56, 125,1987 SCU-RAT LD50: 100 NIIRDN 6, 215, 1982 MG/KG IVN-RAT LD50: 5566 MG/KG ARZNAD 26,1581,1976 ORL-MUS LD50: 4090 MG/KG FRZKAP (6), 56, 1977 **IPR-MUS LD50**: 8700 MG/KG ARZNAD 28,1579,1978

SCU-MUS LD50: 91 NIIRDN 6, 215, 1982 MG/KG IVN-MUS **LD50**: 4250 MG/KG JAPMA8 39, 583, 1950 ORL-RBT LD50: 27 GM/KG DMDJAP 31, 276,1959 SKN-RBT **LD50**: >10 GM/KG BIOFX* 9-4/970 IVN-RBT **LD50**: 53 GM/KG NIIRDN 6, 215, 1982 **ORL-GPG LD50**: 7750 JIHTAB 23, 259, 1941 MG/KG

TARGET ORGAN DATA:

Behavioral (headache) Paternal effects (testes, epididymis, sperm duct)

Gastrointestinal (nausea or vomiting) Effects on fertility (male ferility index)

Kidney, ureter, bladder (changes in tubules)

Effects on fertility (post-implantation mortality)

Kidney, ureter, bladder (changes in urine composition)

Only selected registry of toxic effects of chemical substance

Paternal effects (spermatogenesis) (RTECS) data is presented here. See actual entry in RTECS

SECTION 13-ECOLOGICAL INFORMATION

Data not yet available

SECTION 14-DISPOSAL CONSIDERATIONS

Contact a licensed professional waste disposal service to dispose of this material.

Observe all federal state and local environmental regulations.

Dissolve or mix the material with a combustable solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

SECTION 15- TRANSPORT INFORMATION

This product does not contain hazardous compounds in quantities that require special handling precautions.

SECTION 16- REGULATORY INFORMATION

Reviews, standards and Regulations:

OEL=MAK

ACGIH TLV-TWA 10 MG/M3

EPA FIFRA 1988 PESTICIDE SUBJECT TO REGISTRATION OR RE-REGISTER FEREAC 54, 7740, 1989.

MSHA STANDARD: NUISANCE PARTICULATES (MIST)

DTLWS* 3, 20, 1973

OSHA PEL (GEN INDU): 8H TWA 15 MG/M3, TOTAL DUST

CFRGBR 29, 1910.1000, 1994

OSHA PEL (GEN INDU): 8H TWA 5 MG/M3, RESPIRABLE FRACTION

CFRGBR 29, 1910.1000, 1994

OSHA PEL (CONSTRUC): 8H TWA 15 MG/M3, TOTAL DUST

CFRGBR 29, 1926.55, 1994

OSHA PEL (CONSTRUC): 8H TWA 5 MG/M3, RESPIRABLE FRACTION

CFRGBR 29, 1926.55, 1994

OSHA PEL (SHIPYARD): 8H TWA 15 MG/M3, TOTAL DUST

CFRGBR 29, 1915.1000, 1993

OSHA PEL (SHIPYARD): 8H TWA 5 MG/M3, RESPIRABLE FRACTION

CFRGBR 29, 1915.1000, 1993

OEL -Australia: TWA 10 MG/M3, JAN 1993 OEL -Belgium: TWA 10 MG/M3, JAN 1993

DTLVS* TLV/BEI, 1999

OEL -Finland: TWA 20 MG/M3, JAN 1999

OEL -France: VME 10 MG/M3, JAN 1999

OEL -The Netherlands: MAC-TGG 10 MG/M3, Jan 1999 OEL -United Kindgom: TWA 10 MG/M3, MIST Sept 2000

OEL in Argentina, Bulgaria, Colombia, Jordan, Korea Check ACC

NOHS 1974: HZD 35085; NIS 358; TNF 86657; NOS 198; TNE 1085329

NOHS 1983: HZD 35085; NIS 310; TNF 67054; NOS 215; TNE 2135546; TFE 1346631

EPA TSCA SECTION 8 (B) Chemical Inventory

EPA TSCA SECTION 8 (D) Unpublished Health/Safety Studies

EPA TSCA TEST SUBMISSION (TSCATS) DATA BASE,

Jan. 2001

SECTION 17- OTHER INFORMATION

The above information is believed to be correct but does not purport to be allinclusive and shall be used only as a guide.

New England Biolabs shall not be held liable for any damage resulting from handling or from contact with the above product.